



AREA 640 ACRES  
LOCATE WELL CORRECTLY

NEW MEXICO OIL CONSERVATION COMMISSION  
Santa Fe, New Mexico

WELL RECORD

Mail to District Office, Oil Conservation Commission, to which Form C-101 was sent not later than twenty days after completion of well. Follow instructions in Rules and Regulations of the Commission. Submit in QUINTUPLICATE.

.....**Gallagher & Irwin, Inc.**.....**Santer**.....  
.....(Company or Operator).....(Lease).....

Well No. ...., in **10** 1/4 of **34** 1/4, of Sec. **13**, T. **24-N**, R. **31-E**, NMPM.

.....**Santer-Jal**..... Pool, .....**100**..... County.

Well is .....**260** feet from .....**340** line and .....**192** feet from .....**308** line

of Section .....**13**..... If State Land the Oil and Gas Lease No. is.....

Drilling Commenced **Feb. 26**, 19**42** Drilling was Completed **March 2**, 19**42**

Name of Drilling Contractor.....**Olson-Almont Drlg. Co.**.....

Address.....

Elevation above sea level at Top of Tubing Head **3317.1** **3327 H.B.** The information given is to be kept confidential until

.....**Not Confidential**....., 19.....

~~Gas~~ SANDS OR ZONES

No. 1, from **343** to **320** No. 4, from.....to.....

No. 2, from **343** to **347** No. 5, from.....to.....

No. 3, from **343** to **301** No. 6, from.....to.....

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.

No. 2, from.....to.....feet.

No. 3, from.....to.....feet.

No. 4, from.....to.....feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	NEW OR USED	AMOUNT	KIND OF SHOE	CUT AND PULLED FROM	PERFORATIONS	PURPOSE
<b>2 1/2</b>	<b>20</b>	<b>New</b>	<b>2 1/2</b>	<b>Guide</b>			<b>Surface</b>
<b>1 1/2</b>	<b>1 1/2</b>	<b>New</b>	<b>3426</b>	<b>Flcal</b>			<b>Produced</b>

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
<b>11</b>	<b>5 1/4</b>	<b>252</b>	<b>200</b>	<b>Ballibur on</b>		
<b>7 7/8</b>	<b>5 1/2</b>	<b>3426</b>	<b>400</b>	<b>Ballibur on</b>		

RECORD OF PRODUCTION AND STIMULATION

(Record the Process used, No. of Qts. or Gals. used, interval treated or shot.)

.....**Not treated**.....

.....

.....

.....

.....

Result of Production Stimulation.....

REPORT OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto.

TOOLS USED

Rotary tools were used from Surface feet to 3611 feet, and from feet to feet.  
Cable tools were used from feet to feet, and from feet to feet.

PRODUCTION

Put to Producing, 19.  
OIL WELL: The production during the first 24 hours was barrels of liquid of which % was oil; % was emulsion; % water; and % was sediment. A.P.I. Gravity.  
GAS WELL: The production during the first 24 hours was 4,400 M.C.F. plus barrels of liquid Hydrocarbon. Shut in Pressure 932 lbs.  
Length of Time Shut in

PLEASE INDICATE BELOW FORMATION TOPS (IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE):

Southeastern New Mexico		Northwestern New Mexico	
T. Anhy.	113	T. Devonian	T. Ojo Alamo
T. Salt	113	T. Silurian	T. Kirtland-Fruitland
B. Salt	2000	T. Montoya	T. Farmington
T. Yates	2000	T. Simpson	T. Pictured Cliffs
T. 7 Rivers	3200	T. McKee	T. Menefee
T. Queen	343	T. Ellenburger	T. Point Lookout
T. Grayburg		T. Gr. Wash.	T. Mancos
T. San Andres		T. Granite	T. Dakota
T. Glorieta		T.	T. Morrison
T. Drinkard		T.	T. Penn.
T. Tubbs		T.	T.
T. Abo		T.	T.
T. Penn.		T.	T.
T. Miss.		T.	T.

FORMATION RECORD

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
	2	21	Surface gravel & red beds				
21	1135	1114	Red beds & sand				
1135	1135	420	Anhydrite & sand				
1135	2000	124	Salt & anhydrite				
2000	2900	170	Anhydrite & dolomite				
2900	3200	247	Sand & dolomite				
3200	3435	230	Dolomite w/ sand streaks				
3435	3611	176	Dolomite and sand				
TD	3611						

ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.