

Santa Fe, New Mexico

NOTICE OF INTENTION TO DRILL

Notice must be given to the Oil Conservation Commission or its proper agent and approval obtained before drilling begins. If changes in the proposed plan are considered advisable, a copy of this notice showing such changes will be returned to the sender. Submit this notice in triplicate. One copy will be returned following approval. See additional instructions in Rules and Regulations of the Commission.

Midland, Texas

May 20, 1950

Place

Date

OIL CONSERVATION COMMISSION,
Santa Fe, New Mexico,

Gentlemen:

You are hereby notified that it is our intention to commence the drilling of a well to be known as

Davis & Hood

Maggie Dunn

Well No. 2 in SE 1/4

Company or Operator

Lease

Langlio

of Sec. 13, T. 24S, R. 36E, N. M. P. M., Langlio Field, Lea County.

N

The well is 1650 feet (N.) (S) of the South line and 990 feet (E.) (W.) of the East line of Section

(Give location from section or other legal subdivision lines. Cross out wrong directions.)

If state land the oil and gas lease is No. Assignment No.

If patented land the owner is Fowler Heir (surface)

Address Jal, New Mexico

If government land the permittee is

Address

The lessee is

Address

AREA 640 ACRES

LOCATE WELL CORRECTLY

We propose to drill well with drilling equipment as follows:

Rotary to Total Depth

The status of a bond for this well in conformance with Rule 39 of the General Rules and Regulations of the Commission is as follows:

We propose to use the following strings of casing and to land or cement them as indicated:

| Size of Hole | Size of Casing | Weight Per Foot | New or Second Hand | Depth | Landed or Cemented | Sacks Cement |
|--------------|----------------|-----------------|--------------------|-------|--------------------|--------------|
| 11 | 8 5/8" | 28 | Used | 250 | Cement to | surface |
| 8" | 5 1/2" | 14 | New | 3000 | Cemented | * |

If changes in the above plan become advisable we will notify you before cementing or landing casing. We estimate that the first productive oil or gas sand should occur at a depth of about 3100 feet.

Additional information: *Oil string will be cemented with 200 sack at shoe and 200 sack through 2-stage tool set at approximately 1200' opposite anhydrite section at top of salt.

Approved _____, 1950
except as follows:

Sincerely yours,

Davis & Hood

Company or Operator

By

Position

Clark

Send communications regarding well to

Name Oil Well Remedial Service

Address Box 511 - Odessa, Texas

OIL CONSERVATION COMMISSION,

By

Title