# 'CO OIL CONSERVATION COMMI ON

Santa Fe, New Mexico

# **MISCELLANEOUS NOTICES**

Submit this notice in triplicate to the Oil Conservation Commission or its proper agent before the work specified is to begin. A copy will be returned to the sender on which will be given the approval, with any modifications considered advisable, or the rejection by the Commission or its agent, of the plan submitted. The plan as approved should be followed, and work should not begin until approval is obtained. See additional instructions in the Rules and Regulations of the Commission.

NOTICE OF INTENTION TO TEST CASING SHUT-OFF			x	NOTICE OF INTENTION TO SHOOT OR CHEMICALLY TREAT WELL						
NOTICE OF INTENTION TO CHANGE PLANS				NOTICE O	F INTENTIO	N TO PE	L.I. OP			
NOTICE OF INTENTION TO REPAIR WELL				NOTICE O	F INTENTION	N TO PLU	G WELL			
NOTICE	OF INT	ENTION TO I	EEPEN WELI	L				<del></del>		
			Monum	ent, New	Mexico	<u> </u>		Apri	1 25, 1	037
DIL CON	JSERVA	TION COM	#IGGION		PJ	ace *			Date	, , , , , , , , , , , , , , , , , , ,
anta Fe			dission,							
entleme		WIGNICO.				, etc.				
		otice of inter	ntion to do ce							
Amera	da Pet	roleum C	orporation	ertain work :			the	<del></del>		
		Company or		. <u>.                                   </u>		sbell Lease	Well No.	3	in SW	NE4
f Sec	15	, Т	24	R. 36		M. P. M.,	Monume	nt		
Lea				unty.	, , , ,				<del></del>	Fiel
		FOLLOW I	New Seaml	e in the Ru .ess casi:	ules ani ng was	set in t	ONS OF THE	commiss	L'and c	
Casing indist os dri applis	and : urbed lled o	FOLLOW I  10-Thd. rton Meth fittings for thir cut of th allowed	NSTRUCTIONS	ess casi: 00 sacks. ested with s. If no and the sundistant	ules and  ng was  th 1200 drop same te	set in t	ons of the	et 3483 ad allo	l'and comed to	stand Will the
Casing undist be dri applie	and : urbed lled d and s the	FOLLOW I  10-Thd. rton Meth fittings for thir cut of th allowed	New Seaml od with 3 will be to stand to stand then	ess casi: 00 sacks. ested with s. If no and the sundistant	ules and  ng was  th 1200 drop same te	set in the set in the set of 120 thirty n	ons of the	at 3481  nd allots the pressur If no	l' and conved to cement e will drop in	stand will the again be pressur
Casing undist be dri applie result.	and : urbed lled d and s the	FOLLOW I  10-Thd. rton Meth fittings for thir cut of th allowed drilling	New Seaml od with 3 will be to stand to stand then	ess casi: 00 sacks. ested with s. If no and the sundistant	ules and  ng was  th 1200 drop same te	set in t	nis well ressure and result of pump painutes.	at 3483  at 3483  ad allots the pressur If no	wed to cement will drop in	stand will the again be pressur
Casing undist be dri applie result.	and : urbed lled d and s the	FOLLOW I  10-Thd. rton Meth fittings for thir cut of th allowed drilling	New Seaml od with 3 will be to stand to stand then	ess casing of sacks, ested with s. If no and the sundisturb	ules and  ng was  th 1200 drop same te	set in t	nis well ressure and ressure result 00# pump painutes.	at 3483  at 3483  ad allots the pressur If no	wed to ce ent e will drop in	stand will the again be pressur
Casing undist be dri applieresult.	and : urbed lled d and s the	FOLLOW I  10-Thd. rton Meth fittings for thir cut of th allowed drilling	New Seaml od with 3 will be to stand to stand then	ess casing of sacks, ested with s. If no and the sundisturb	th 1200 drop same te	set in the set of 120	Petroleu Company Sup't.	at 3481  at 3481  at allo  ts the  pressur  If no	oration	stand will the gain be pressur
Casing undist be dri applieresult.	and : urbed lled d and s the	10-Thd. rton Meth fittings for thir cut of th allowed drilling	New Seaml od with 3 will be to stand to stand then	ess casing of sacks.  ested with solutions and the sundisturb in be result.	th 1200 cod for the bed for th	set in the pump print pressure of 120 thirty in Send contracts	Petroleu  Company	at 3483 at 3483 ad allots the pressur If no management or Operators of the pressur or Operators of the pressur of the pressure	oration	stand will the gain be pressur

# John Charles Kalikkinskan ing maraja at 178

applicable to a second and the

# 

AL STORM OF A STORM OF

ė.	g washed t <mark>igge</mark> at the left of the en-	errore en singularitation	,	
· ·	والمحارب معهد ومام معهدون المحاصلين المحاصلين ويتناوا المحاصلين ويتناوا	and the second of the second of the second	the second of th	
	The control of the co	The state of the s		
	en e		ELECTION OF CONTRACT	
	A CONTRACTOR OF THE STATE OF TH		And Mark	
	and the second s	المراجعة في المراجعة المراجعة المراجعة المراجعة ا	ing the Att of State	The second second

Construction of the Section 1997 and a

 $(-1)^{-\frac{1}{2}} (-1)^{-\frac{1}{2}} (-1)^{-\frac{1}{$ 

and the state of t

# NOTION BUT AND BUT AND AND THE SHAPPING ARE FILE.

THE THE REPORT OF A PARTY OF THE PARTY.

!		•	· · · · · · · · · · · · · · · · · · ·
	* 4	gorganisa Santa (1986) Politika (1986)	2
			e v — <del>e</del> r

The state of the same

where  $\alpha_{i,j} = \alpha_{i,j} = \alpha_{i,j}$  , we have the second of the first  $\alpha_{i,j}$ 

# N MEXICO OIL CONSERVATION ( MMIS. )N

Santa Fe, New Mexico

#### **MISCELLANEOUS NOTICES**

Submit this notice in triplicate to the Oil Conservation Commission or its proper agent before the work specified is to begin. A copy will be returned to the sender on which will be given the approval, with any modifications considered advisable, or the rejection by the Commission or its agent, of the plan submitted. The plan as approved should be followed, and work should not begin until approval is obtained. See additional instructions in the Rules and Regulations of the Commission.

#### Indicate nature of notice by checking below:

	11			
NOTICE OF INTENTION TO TEST CASING SHUT-OFF	X NOT	ICE OF INTENTION CHEMICALLY TREAT	TO SHOOT OR	
NOTICE OF INTENTION TO CHANGE PLANS	NOT	ICE OF INTENTION OTHERWISE ALTER	TO PULL OR CASING	
NOTICE OF INTENTION TO REPAIR WELL	NOT	ICE OF INTENTION	TO PLUG WELL	
NOTICE OF INTENTION TO DEEPEN WELL				
Monument, Ne	W Mexico		April 13, 1	.937
V. GOVERNA DE CONTRACTOR	Page		Date	
IL CONSERVATION COMMISSION, anta Fe, New Mexico.				
entlemen:				
ollowing is a notice of intention to do certain work	as described be	low at the		
Amerada Petroleum Corporation	Isbell	Well No.	3 in Sw2	NB4
Company or Operator Sec. 15 T. 24 R.	Tease N. M. P.	<b>00 m</b> s		Field.
County.	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	A14 + 9		
FULL DETAILS OF	' PROPOSED	PLAN OF WOL	RK	
we drilled out of the casing and the applied and allowed to stand undisturesults the drilling will then be re-	rbed for th			
			Ci	li :
<b>₽₽₽</b> < 230			CL	
nproved 19		Amerada Petrol	N. C.	
pproved, 19			N. C.	<b>300</b> 6 %
pproved, 19	By _		aum Corporati	<b>300</b> 6 %
pproved, 19	By Position	G. Sup't.	aum Corporati or Operator	
pproved, 19	By Position	Sup!t.	eum Corporati or Operator	
	By Position Name	Supit. Send communication J. A. St	eum Corporati or Operator  as ragarding well	
pproved, 19, 29	By Position Name	Sup!t.	eum Corporati or Operator  as ragarding well	
pproved	By Position Name	Supit. Send communication J. A. St	eum Corporati or Operator  as ragarding well	

# NEW COMMERCE CONFRAMENTAL STATES OF THE STATES OF THE

and the contract of the contract of

#### MISCERILLINEBUS NOTICES

non a massa. There is the first the wearance; all no polyter and the strength for the collection of the first the massacratic field of the first three fields and the first three fields and the first three fields and the field of the field of the fields and the

### traction great safe at welling to the ingress asserble.

A COMMENT OF THE PLANE AND RELEASE TO SERVICE TO SERVICE AND SERVI

 $(1 + \epsilon \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} + \epsilon \frac{1}{2} \frac$ 

CMBNARTHYD MIRT V. C. C. C.

Continued the Continue of the

1.41

Conference while I have a few of the subsequences for each or subsequence who is

the first of the control of the cont

100000

# 三名的 的过程 化乳酸 化氯化 化二氯化氯化二氯化氯化氯化氯

A Fig. ( ) Company of State Manager Company (State Company) and the Company of State C

and the second of the second o

The second se The second seco

**4**.

Commence of the Commence of the Alberta

Samuel Commence of the Commenc

The second state of the second second

Commence of the Commence of th

AND THE STATE OF T

Southern with program, stemple 1965

.

The second secon

# N MEALO OIL CONSERVATION ( AMIS. )N

Santa Fe, New Mexico

# MISCELLANEOUS REPORTS ON WELLS

Submit this report in triplicate to the Oil Conservation Commission or its proper agent within ten days after the work specified is completed. It should be signed and sworn to before a notary public for reports on beginning drilling operations, results of shooting well, results of test of casing shut-off, result of plugging of well, and other important operations, even though the work was witnessed by an agent of the Commission. Reports on minor operations need not be signed and sworn to before a notary public. See additional instructions in the Rules and Regulations of the Commission.

REPORT ON BEGINNING DRILLIN	NG OPERATIONS		REPORT ON	REPAIRING	WELL		
REPORT ON RESULT OF SHOOTIN TREATMENT OF WELL	G OR CHEMICAL		REPORT ON	PULLING OR	OTHER	WISE	
REPORT ON RESULT OF TEST OF SHUT-OFF	CASING	x		DEEPENING	WELL		
REPORT ON RESULT OF PLUGGIN	G OF WELL						
	Momment,	New Mex	i so		April	6. 1	937
OIL CONSERVATION COMMISSI			Place		ï	Date	
Gentlemen:							
Collowing is a report on the world	k done and the re	esults obtai	ined under the l	heading note	d above	at the_	
Amerada Petroleum Corp Company or Operator	oration		Isbell Lease	w	ell No	.5	in th
	of Sec. 1	5		R	36		NMPM
Cooper							
he dates of this work were as fo							
DETAILED A	CCOUNT OF	WORK D		ESULTS OI			ICA
DETAILED A  122" 40# 8-The. New Lether Halliburton Method  Cement was drilled out stand undisturbed for cif any water had accuming sumed.	apweld casing with 200 sad of the casing one hour. The lated. No w	WORK D was seeks. ag and t be baile	ot in this we she hole was r was then in accumulate	then bail on the	9 and led dr; ttom a drill:	cemen y and gain t ing wa	ted by allowed o determ s then
DETAILED A  122" 40# 8-The. New Lether Halliburton Method  Cement was drilled out stand undisturbed for coif any water had accuming sumed.	apweld casing with 200 sad of the casing one hour. The lated. No w	WORK D was seeks. ag and t be baile	ot in this we	then bail on the	9 and led dr; ttom a drill:	cemen y and gain t ing wa	ted by
DETAILED A  122" 40# 8-The. New Lether Halliburton Method  Cement was drilled out stand undisturbed for coif any water had accuming sumed.	apweld casing with 200 sad of the casing hour. The lated. No w	WORK D  was secks.  Ig and to bails  water ha	ot in this we she hole was then in accumulate	then bail run to bot so the	B' and drittom a drill:	cemen y and gain t ing wa	allowed o determ s then
DETAILED A  122 40# 8-The. New Lithe Halliburton Method  Cement was drilled out stand undisturbed for oif any water had accuming sumed.  State by State Woman's Subscribed and sworn before	apweld casing with 200 sad of the casing one hour. The casing the casing one hour.	WORK D  was seeks.  Ig and the baile water ha	ot in this we she hole was then in accumulate Short Drilli	then bail run to bot so the	B' and drittom a drill:	cemen y and gain t ing wa	allowed o determ s then
DETAILED A  125" 40# 8-Thd. New Li the Halliburton Method  Cement was drilled out stand undisturbed for o if any water had accuming sumed.  itnessed by Steve Womach  Subscribed and sworn before	apweld casing with 200 sad of the casing one hour. The casing the casing one hour.	WORK D  was seeks.  Ig and the baile water ha	che hole was r was then in daccumulate	then bail run to bot so the	B' and drittom a drill:	cemen y and gain t ing wa	allowed o determ s then
DETAILED A  122" 40# 8-The. New Lether Halliburton Method  Cement was drilled out stand undisturbed for coif any water had accumance to the summer of the su	CCOUNT OF VALUE OF THE CASING WITH 200 sade of the casing one hour. The casing of the casing one hour. The casing	WORK D  was secks.  Ig and to baile water had  Carl  is  Na  Pool	constant Richard And Richard Was then a daccumulate Company	then bail on the ling Co.  affirm that the ling Co.  affirm that the ling Co.	s' and led dr: ttom a drill:	cemen y and gain t ing wa  Tool mation Operator	allowed o determ s then spusher le given above

Title

# 表示。這種先生一日本中的學 人名德罗德德 多点的第三人称单数

CONTRACTOR STORES

# MONTH CARROLS REPORTS ON WELLS

Figure 47. The argument of a state of the state of the control of the control of the state of the control of the state of the control of the

modern gotherie given	en la companya di Mesa
genezione de la Companya de la Compa	grand and the second se
f. A self-order (1980) and a femolic self-order (1980).	
Allow to tested the with an	
	en de la companya de La companya de la co
and the second control of	Section of the sectio
	· · · · · · · · · · · · · · · · · · ·
	i de la companya de La companya de la co
14 of Augustin 1984ag of Carlot of Carlot Star Service	and the second of the second o
A Commence of the Commence of	
	4.00
<ul> <li>Additional forms of the Anthony of the</li></ul>	
and the second of the second o	andra and the state of the stat
	de la cartina de la calenda de la calenda La calenda de la calenda d
en e	none de la companya del companya de la companya de la companya del companya de la companya de l
and the second of the second o	
The state of the s	
	en en 1955 de la companya de la com Per la companya de l
	المراجع المراجع المحمد المراجع المحمد المراجع المراجع المراجع المحمد المحمد المحمد المحمد المحمد المحمد المحمد المراجع المراجع المحمد الم