

Form 9-881a
(March 1942)

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEYLand Office Las Cruces
Lease No. 032451-C
Unit A.H. Myers "A"

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT	<input checked="" type="checkbox"/>
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Hobbs, New Mex. Mar 20, 47

Well No. 3-A is located 1980 ft. from [N] line and 1980 ft. from [E] line of sec. 22
NE 1/4 Sec. 22 24-S 36-E T24N
 (1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Cooper-Jal Lea New Mexico
 (Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 3334 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show slams, weights, and lengths of proposed casings; indicate mudlogging jobs, cementing points, and all other important proposed work)

TD 3558'

This well was plugged and abandoned in the following manner: A 25-sack plug was placed from 3474 to 3430 to shut-off water producing formation. Then hole was filled with heavy mud-laden fluid and 2465' of 7" casing shot off and recovered. A 20-sack cement plug was placed in top of 7" remaining in the hole. 9-5/8" casing was shot off at 255' and pulled and a 20-sack cement plug placed in top of 9-5/8" casing remaining in the hole. With the hole filled with heavy mud a 10 foot cement plug was placed in the top of the 13' surface pipe which was left intact. A 4" pipe marker 5' high was set in top of cement plug and location then restored to its original contours. The above work witnessed by L.L. Martin, Head Roustabout, Stanolind Oil & Gas Company.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Stanolind Oil & GasAddress Box P; Hobbs, New MexicoBy Ralph L. NewhookTitle Field Asst.