

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

CONSERVATION DIVISION  
P. O. BOX 2088  
SANTA FE, NEW MEXICO 87501

Form C-103  
Revised 10-1-78

API#30-025-09618

5a. Indicate Type of Lease	
State <input type="checkbox"/>	Fee <input checked="" type="checkbox"/>
5. State Oil & Gas Lease No.	
-----	

<p><b>SUNDRY NOTICES AND REPORTS ON WELLS</b> (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)</p>		
<p>1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/></p>		7. Unit Agreement Name
2. Name of Operator		8. Farm or Lease Name
Phillips Petroleum Company		C. D. Woolworth
3. Address of Operator		9. Well No.
4001 Penbrook, Rm 401, Odessa, Texas 79762		7
4. Location of Well		10. Field and Pool, or Wildcat
UNIT LETTER <u>N</u> , <u>660</u> FEET FROM THE <u>south</u> LINE AND <u>1990</u> FEET FROM		Jalmat-Yates-7 Rivers
THE <u>west</u> LINE, SECTION <u>23</u> TOWNSHIP <u>24-S</u> RANGE <u>36-E</u> NMPM.		
15. Elevation (Show whether DF, RT, GR, etc.)		12. County
3334'RKB, 333'DF		Lea

16. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data			
NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input checked="" type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOB <input type="checkbox"/>	
		OTHER <input type="checkbox"/>	

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

11-18-82: MI & RU Crawford DDU. COOH w/2-3/8" tbg & Reda pmp. Ran 2-3/8" tbg back in hole to 3165'. Howco loaded hole w/9.5 ppg mud. Spotted 40 sx Class "C" cmt mixed @ 14.8 ppg. w/2% CaCl & 1/4# Flocele/sx. Displaced cmt w/11 bbls mud. Raised tbg to 2750'. Rev tbg clean, WOC.

11-19-82: Tagged top of cmt @ 2905'. Pld tbg to 1650'. Howco spotted 27 sx Class C cmt w/2% CaCl. Pld tbg to 1300'. Rev hole clean. WOC - 2 hrs. Tagged TOC @ 1398'. Pld tbg to 100', Howco sptd 10 sx Class C cmt. Circd cmt. Pld tbg out of hole. Filled csg to surface w/cmt. Installed P & A marker. RD Crawford unit. P & A completed.

30P Equip: Series 900,3000#WP, double, w/1 set pipe rams, 1 set blind rams, manually operated.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED W. J. Mueller TITLE Sr. Engineering Specialist DATE November 29, 1982

APPROVED BY Ronald M. Castaney TITLE OIL & GAS INSPECTOR DATE SEP 29 1983

CONDITIONS OF APPROVAL, IF ANY:

RECEIVED  
DEC 1 1982  
O.C.P.  
HOBBS OFFICE