

## NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

## NOTICE OF INTENTION TO DRILL

Notice must be given to the Oil Conservation Commission or its proper agent and approval obtained before drilling begins. If changes in the proposed plan are considered advisable, a copy of this notice showing such changes will be returned to the sender. Submit this notice in triplicate. One copy will be returned following approval. See additional instructions in Rules and Regulations of the Commission.

Hobbs, New MexicoOctober 15, 1936

Place

Date

OIL CONSERVATION COMMISSION,  
Santa Fe, New Mexico

Gentlemen:

You are hereby notified that it is our intention to commence the drilling of a well to be known as \_\_\_\_\_

Skelly Oil Company

Company or Operator

Sims "D"

Lease

Well No. 16SE/4, NW/4of Sec. 3, T. 23S, R. 37E, N. M. P. M., South Eunice Field, Lea County.

N.

The well is 1980 feet N. [S.] of the north line and 1980' feet[E.] [W.] of the west line of Section 3

(Give location from section or other legal subdivision lines. Cross out wrong directions.)

If state land the oil and gas lease is No. 3743 Assignment No. \_\_\_\_\_If patented land the owner is W. P. SimsAddress Eunice, New Mexico

If government land the permittee is \_\_\_\_\_

Address \_\_\_\_\_

The lessee is Skelly Oil CompanyAddress Box 1650, Tulsa, Oklahoma

We propose to drill well with drilling equipment as follows: \_\_\_\_\_

Spudger

The status of a bond for this well in conformance with Rule 39 of the General Rules and Regulations of the Commission is as follows: \_\_\_\_\_

We propose to use the following strings of casing and to land or cement them as indicated:

Size of Hole	Size of Casing	Weight Per Foot	New or Second Hand	Depth	Landed or Cemented	Sacks Cement
17"	15-1/2"	70	Second Hand	140	Cemented	150
15-1/2"	12-1/2"	40	New	350	Landed	
12-1/2"	10	40	New	750	Landed	
9-1/2"	8-5/8"	28	New	1300	Cemented	350
8-1/2"	7" OD	24	New	3400	Cemented	250

If changes in the above plan become advisable we will notify you before cementing or landing casing. We estimate that the first productive oil or gas sand should occur at a depth of about 3600 feet.

Additional information:

The 12-1/2" and 10" casing will be pulled when the 7" is run and the 7"

will be cemented back to the 8-5/8" set at 1300'.

Approved \_\_\_\_\_, 19\_\_\_\_  
except as follows:

Sincerely yours,

Skelly Oil Company  
Company or Operator

By \_\_\_\_\_

Position \_\_\_\_\_

Send communication regarding well to

Name Skelly Oil CompanyAddress Hobbs, New Mexico

OIL CONSERVATION COMMISSION,

By \_\_\_\_\_

Title \_\_\_\_\_

Landfill used for waste disposal. This waste disposal site is located approximately 1/2 mile from the 1980-1981  
at the former coal mine site and is used for disposal of waste materials. The waste materials are disposed of in  
the landfill. The landfill is located on the south side of the road. The landfill is used for disposal of waste materials.

[illegible][illegible]

1991. *Journal of the American Statistical Association*, 86(414), 1031-1041.

[illegible][illegible]

111