

N.

AREA 340 ACRES
LOCATE WELL CORRECTLY

NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

WELL RECORD

Mail to Oil Conservation Commission, Santa Fe, New Mexico, or its proper agent not more than twenty days after completion of well. Follow instructions in the Rules and Regulations of the Commission. Indicate questionable data by following it with (?). SUBMIT IN TRIPLICATE.

Skelly Oil Company **W. H. King**
Company or Operator Lease
Well No. **1** in **CNESW** of Sec. **6** T. **23S**
R. **37E** N. M. P. M., **South Eunice** Field, **Lea** County.
Well is **1980** feet **N** of the North line and **1980** feet **E** of the East line of **Sec. 6-23-37**
If State land the oil and gas lease is No. _____ Assignment No. _____
If patented land the owner is **W. H. King** Address **Hobbs, New Mexico**
If Government land the permittee is _____ Address _____
The Lessee is **Skelly Oil Company** Address **Box 1650, Tulsa, Okla.**
Drilling commenced **December 12** 19 **35** Drilling was completed **February 5** 19 **36**
Name of drilling contractor **Olson Drilling Company** Address **Tulsa, Oklahoma**
Elevation above sea level at top of casing **3382** feet.
The information given is to be kept confidential until _____ 19 _____

OIL SANDS OR ZONES

No. 1, from _____ to _____ No. 4, from _____ to _____
No. 2, from _____ to _____ No. 5, from _____ to _____
No. 3, from _____ to _____ No. 6, from _____ to _____

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from _____ to _____ feet.
No. 2, from _____ to _____ feet.
No. 2, from _____ to _____ feet.
No. 4, from _____ to _____ feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	THREADS PER INCH	MAKE	AMOUNT	KIND OF SHOE	CUT & FILLED FROM	PERFORATED FROM TO		PURPOSE
13" OD	45#	8	SS	251					
7" OD	24#	10	SS	3441					

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
1501/2	13" OD	251	150	Halliburton		
8-1/4	7"	3441	200	Halliburton		

PLUGS AND ADAPTERS

Heaving plug—Material _____ Length _____ Depth Set _____
Adapters—Material _____ Size _____

RECORD OF SHOOTING OR CHEMICAL TREATMENT

SIZE	SHELL USED	EXPLOSIVE OR CHEMICAL USED	QUANTITY	DATE	DEPTH SHOT OR TREATED	DEPTH CLEANED OUT

Results of shooting or chemical treatment _____

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto.

TOOLS USED

Rotary tools were used from **0** feet to **3690** feet, and from _____ feet to _____ feet
Cable tools were used from **3690** feet to **3917** feet, and from _____ feet to _____ feet

PRODUCTION

Put to producing **Dry Hole** 13 _____
The production of the first 24 hours was _____ barrels of fluid of which _____ % was oil; _____ % emulsion; _____ % water; and _____ % sediment. Gravity, Be _____
If gas well, cu. ft. per 24 hours _____ Gallons gasoline per 1,000 cu. ft. of gas _____
Rock pressure, lbs. per sq. in. _____

EMPLOYEES

George E. Zimmerman Driller **Glen Jeffords** Driller
Alex Kohn Driller _____ Driller

FORMATION RECORD ON OTHER SIDE

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Subscribed and sworn to before me this **9** day of **Mar** 19**36**
Salvina Mahonen Notary Public.
My Commission expires **Oct 24 1937**
Hobbs, New Mexico **March 7, 1936**
Name _____
Position **District Superintendent**
Representing **Skelly Oil Company** Company or Operator
Address **Drawer "D", Hobbs, New Mexico**

FORMATION RECORD

FROM	TO	THICKNESS IN FEET	FORMATION
0	438	438	Red Rock, Shells, Sandy Shale, and Red Bed
438	1203	825	Red Bed, Shale, Shells, and Sand
1203	1518	315	Anhydrite sandy shale and Red Bed
1518	2385	867	Anhydrite and Salt
2385	2684	299	Anhydrite, Sand, and Salt
2684	2809	125	Lime and Anhydrite
2809	3273	464	Lime
3273	3690	423	Brown Lime, Hard Lime, and Broken Lime
3690	3745	155	Grey Lime
3745	3917	172	Sandy Shale, and Grey Lime