

NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

NOTICE OF INTENTION TO DRILL

Notice must be given to the Oil Conservation Commission or its proper agent and approval obtained before drilling begins. If changes in the proposed plan are considered advisable, a copy of this notice showing such changes will be returned to the sender. Submit this notice in triplicate. One copy will be returned following approval. See additional instructions in Rules and Regulations of the Commission.

Hobbs, New Mexico

November 15, 1949

Place


Date

OIL CONSERVATION COMMISSION,
Santa Fe, New Mexico,

Gentlemen:

You are hereby notified that it is our intention to commence the drilling of a well to be known as
Skelly Oil Co. **G. W. Sims** Well No. **7** in **CSE/4 NE/4**

Company or Operator **37E** **Penrose-Skelly** **Lea** County.
of Sec. **9**, T. **23S**, R. **37E** N. M. P. M., **1980** Field, **North** line and **660** feet
The well is **XX** feet (N.) (S.) of the **East** line of **Sec. 9**
(E.) (W.) of the **East** line of



(Give location from section or other legal subdivision lines. Cross out wrong directions.)

If state land the oil and gas lease is No. **G. W. Sims** Assignment No. _____

If patented land the owner is **Eunice, New Mexico**

Address _____

If government land the permittee is _____

Address **Skelly Oil Co.**

The lessee is **Tulsa, Okla.**

Address _____

AREA 640 ACRES

LOCATE WELL CORRECTLY

notary tools from surface to total depth. We propose to drill well with drilling equipment as follows:

The status of a bond for this well in conformance with Rule 39 of the General Rules and Regulations of the Commission is as follows: _____

We propose to use the following strings of casing and to land or cement them as indicated:

Size of Hole	Size of Casing	Weight Per Foot	New or Second Hand	Depth	Landed or Cemented	Sacks Cement
12"	9-5/8"	36"	New	1130'	Cemented	400
8-3/4"	7"	20#	New	3450'	Cemented	250

If changes in the above plan become advisable we will notify you before cementing or landing casing. We estimate that the first productive oil or gas sand should occur at a depth of about **3550** feet.

Additional information: **Halliburton process shall be used on all cement jobs and cement shall be circulated back to surface on 9-5/8" casing.**

Approved _____, 19____

except as follows:

CORRECTED NOTICE

Sincerely yours,

Skelly Oil Company

Company or Operator

By _____

District Supt.

Position _____

Send communications regarding well to

Skelly Oil Co.

Name _____

Drawer "D" Hobbs, New Mexico

Address _____

OIL CONSERVATION COMMISSION,

By **Roy Yarbrough**

Title _____