

AREA 640 ACRES
LOCATE WELL CORRECTLY

NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

WELL RECORD M 7 37

New well

Mail to District Office, Oil Conservation Commission, to which Form C-101 was sent not later than twenty days after completion of well. Follow instructions in Rules and Regulations of the Commission. Submit in QUINTUPLICATE. If State Land submit 6 Copies

Continental Oil Company

(Company or Operator)

Cline A-15

(Lease)

Well No. 5, in SE $\frac{1}{4}$ of NW $\frac{1}{4}$, of Sec. 15, T. 23-S, R. 37-E, NMPM.

Langlie Mattix

Pool,

Lea

County.

Well is 1980 feet from North line and 1980 feet from West lineof Section 15. If State Land the Oil and Gas Lease No. is _____Drilling Commenced 3-16-60, 19____. Drilling was Completed 3-26-60, 19____.Name of Drilling Contractor Dexter Drilling CompanyAddress Wichita Falls, TexasElevation above sea level at Top of Tubing Head 3306 KB. The information given is to be kept confidential until _____, 19____.

Perforations in the OIL SANDS OR ZONES

No. 1, from <u>3579</u> to <u>82</u>	No. 4, from <u>3651</u> to <u>56</u>
No. 2, from <u>3596</u> to <u>3601</u>	No. 5, from <u>3663</u> to <u>69</u>
No. 3, from <u>3603</u> to <u>08</u>	No. 6, from <u>3687</u> to <u>91</u>

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from _____ to _____	feet.
No. 2, from _____ to _____	feet.
No. 3, from _____ to _____	feet.
No. 4, from _____ to _____	feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	NEW OR USED	AMOUNT	KIND OF SHOE	CUT AND PULLED FROM	PERFORATIONS	PURPOSE
7 5/8	24#	New	357	Guide			
4 1/2	9.5#	New	3641	Float		See Above	

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
11	7 5/8	366	200	Pump & Plug		
6 3/4	4 1/2	3700	1625 cu ft	Pump & plug		

RECORD OF PRODUCTION AND STIMULATION

(Record the Process used, No. of Qts. or Gals. used, interval treated or shot.)

TRTD W/10,000 gals crude, 20,000 lbs sand, 250 lbs Adomite,
80 ball sealers.

Result of Production Stimulation Flwd 57 Bbls oil, 36 BW in 24 hours, W/15.6 MCFCPD,
GOR 274, DOR 57 Bbls.

Depth Cleaned Out _____

RECORD OF DRILL-STEM AND SPECIAL TS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto.

TOOLS USED

Rotary tools were used from 0 feet to 3700 feet; and from feet to feet.
Cable tools were used from feet to feet; and from feet to feet.

PRODUCTION

Put to Producing April 10, 1960, 19.

OIL WELL: The production during the first 24 hours was 93 barrels of liquid of which 61 was oil; % was emulsion; 39 % water; and % was sediment. A.P.I. Gravity 39.

GAS WELL: The production during the first 24 hours was M.C.F. plus barrels of liquid Hydrocarbon. Shut in Pressure lbs.

Length of Time Shut in.

PLEASE INDICATE BELOW FORMATION TOPS (IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE):

Southeastern New Mexico			Northwestern New Mexico		
T. Anhy.	1124		T. Devonian		
T. Salt	1222		T. Silurian		
B. Salt	2523		T. Montoya		
T. Yates	2668		T. Simpson		
T. 7 Rivers	2936		T. McKee		
T. Queen	3449		T. Ellenburger		
T. Canon Penrose	3573		T. Gr. Wash		
T. San Andres			T. Granite		
T. Glorieta			T.		
T. Drinkard			T.		
T. Tubbs			T.		
T. Abo			T.		
T. Penn			T.		
T. Miss			T.		

FORMATION RECORD

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
0	1124		Surface caliche & Red Beds				
1124	1222		Anhydrite				
1222	2523		Salt				
2523	2668		Anhydrite, shale & sand				
2668	2936		Sand, Dolo & anhydrite				
2936	3449		Sand, Dolo				
3449	3573		Sand, Dolo & anhydrite				
3573	3700		Sand, shale & Dolo				

ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Company or Operator Continental Oil Company Address Box 68, Eunice, New Mexico
Name J. R. Parker Position or Title District Superintendent
Date April 12, 1960