

PENROC OIL CORPORATION

KELLY STATE NO. 3

PART VI TABULATION OF DATA ON ALL WELLS AND LEASES IN THE AREA OF REVIEW.

SECTION 16, TOWNSHIP 23, RANGE 37E

TEXACO, INC.

State BZ #1      660' FWL, 1980' FNL  
Drilled and completed as a Langlie Mattix in 1956.  
8 5/8" 24# csg. @ 1085' w/800 sxs.  
5 1/2", 14# csg @ 3642' w/350 sxs.  
Perforations: 3470', 84', 91', 3503', 21, 28'  
3538'-60' & 3572'-88'

TEXACO, INC.

State BZ #2      1980' FWL & 1980' FNL  
Drilled and completed as a Langlie Mattix in 1956.  
8 5/8", 24# csg. @ 1069' w/800 sxs.  
5 1/2", 14# csg. @ 3646' w/300 sxs.  
Perforations: 3563'-79', 3530'-50'  
3477'-93', 3590'-96'  
3465'-67', 3498'-3500'  
Converted to injection 1977

TEXACO, INC.

State BZ #12      660' FSL, 1980' FEL  
Drilled and completed as a Langlie Mattix in 1956.  
9 5/8", 32.3# csg @ 1053' w/600 sxs.  
5 1/2", 14# csg @ 3611' w/1400 sxs.  
3 1/2", 9.2# csg @ 6195' w/190 sxs.  
Perforations: Blinbry 5399'-5666' Squeezed-CIBP @ 4250'  
LM 3412'-3572' (21 holes 2spf)

**RECEIVED**  
**OCCO**  
**APR 19 1988**  
**HOBBS OFFICE**

PENROC OIL CORPORATION

KELLY STATE NO. 3

PENROC OIL CORPORATION

Kelly State #1 1980' FWL, 1980' FSL

Drilled and completed as a Langlie Mattix in 1956.

8 5/8", 24# csg @ 257' w/200 sxs.

5 1/2", 14# csg @ 3657' w/400 sxs.

Perforations: 3584'-3604', 3508'-32'

3544'-60'

Kelly State #2 660' FWL, 1980' FSL

Drilled and completed as a Langlie Mattix in 1956.

8 5/8", 24# csg @ 255' w/200 sxs.

5 1/2", 14# csg @ 3616' w/400 sxs.

Perforations: 3532'-50', 3568'-74', 3584'-93', 3604'-09'

Intent filed in 1976 to add perfs. 3446'-54'

3500'-10'

Do not know if above work was ever done.

Kelly State #4 660' FSL, 1980' FWL

Drilled and completed in 1956 as a Langlie Mattix.

8 5/8", 24# csg @ 240' w/200 sxs.

5 1/2", 14# csg @ 3625' w/400 sxs.

Perforations: 3402'-16', 3496'-02', 3516'-19'

3526'-31', 3546'-53'