



DUPLICATE

NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico
HOBBS OFFICE OCC

1956 SEP 7 WELL RECORD

Mail to District Office, Oil Conservation Commission, to which Form C-101 was sent not later than twenty days after completion of well. Follow instructions in Rules and Regulations of the Commission. Submit in QUINTUPLICATE. If State Land submit 6 Copies

AREA 640 ACRES
LOCATE WELL CORRECTLY

Realer & Sheldon

(Company or Operator)

Stealer "A"

(Lease)

Well No. 1, in NW 1/4 of SW 1/4, of Sec. 20, T. 23, R. 37, NMPM.

Langlie-Mattix

Pool,

Lea

County.

Well is 1980 feet from S line and 660 feet from W line

of Section 20. If State Land the Oil and Gas Lease No. is

Drilling Commenced 8-20, 1956. Drilling was Completed 8-30-56, 19

Name of Drilling Contractor Garper Drlg. Co.

Address Artesia, New Mexico

Elevation above sea level at Top of Tubing Head The information given is to be kept confidential until, 19

OIL SANDS OR ZONES

No. 1, from 3568 to 3668 No. 4, from to

No. 2, from to No. 5, from to

No. 3, from to No. 6, from to

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from to feet.

No. 2, from to feet.

No. 3, from to feet.

No. 4, from to feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	NEW OR USED	AMOUNT	KIND OF SHOE	CUT AND PULLED FROM	PERFORATIONS	PURPOSE
10 3/4		New	260				
7	20#	New	3668				Production

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
13	10 3/4	260	200	Halliburton		
8 3/4	7	3668	400			

RECORD OF PRODUCTION AND STIMULATION

(Record the Process used, No. of Qts. or Gals. used, interval treated or shot.)

Perforated from 3568-84, 3606-10, 3661-65

Sand fracked perf 3661-65 with

" " " 3568-84 and 3606-10 w/10,000 gal oil and 10,000# sd.

Result of Production Stimulation Flowed 100 BOPD

Depth Cleaned Out

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto

TOOLS USED

Rotary tools were used from 0 feet to 3668 feet, and from feet to feet.
Cable tools were used from feet to feet, and from feet to feet.

PRODUCTION

Put to Producing 9-5, 19 56
OIL WELL: The production during the first 24 hours was 100 barrels of liquid of which % was oil; % was emulsion; % water; and % was sediment. A.P.I. Gravity 37

GAS WELL: The production during the first 24 hours was M.C.F. plus barrels of liquid Hydrocarbon. Shut in Pressure lbs.
Length of Time Shut in

PLEASE INDICATE BELOW FORMATION TOPS (IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE):

Southeastern New Mexico		Northwestern New Mexico	
T. Anhy 1149	T. Devonian	T. Ojo Alamo	
T. Salt 1254	T. Silurian	T. Kirtland-Fruitland	
B. Salt 2560	T. Montoya	T. Farmington	
T. Yates	T. Simpson	T. Pictured Cliffs	
T. 7 Rivers	T. McKee	T. Menefee	
T. Queen 3449	T. Ellenburger	T. Point Lookout	
T. Grayburg	T. Gr. Wash	T. Mancos	
T. San Andres	T. Granite	T. Dakota	
T. Glorieta	T.	T. Morrison	
T. Drinkard	T.	T. Penn	
T. Tubbs	T.	T.	
T. Abo	T.	T.	
T. Penn	T.	T.	
T. Miss	T.	T.	

FORMATION RECORD

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
0	265	265	Red Bed				
265	737	472	Red Bed				
737	1278	541	" " & Anhy,				
1278	1573	295	Anhy & Shale				
1573	2561	988	" & Salt				
2561	3142	581	"				
3142	3558	416	" & Lime				
3558	3668	110	Lime				

ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

September 6, 1956

(Date)

Company or Operator Resler & Sheldon

Address 302 Carper Bldg., Artesia, N.M.

Name Doug Dryman

Position or Title Petroleum Geologist