



COPY TO O. C. C.

HOBBS (SUBMIT IN TRIPLICATE)

Land Office Las CrucesLease No. LC-030186(b)
 UNITED STATES  
 DEPARTMENT OF THE INTERIOR  
 GEOLOGICAL SURVEY

1959 OCT 6 AM 9:47

## SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

September 28, 1959

Well No. 5 is located 990 ft. from N line and 2315 ft. from E line of sec. 22

NW/4 NE/4 (B) 23-S 37-E 106M

(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)

Langlie-Mattix Lee New Mexico

(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 3200 ft.

## DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Will drill 11" hole to approximately 600'. Set and cement to surface 600' of 8-5/8" 24# casing. Drill 7-7/8" hole with water to 3200' and mud up system. Continue to drill to approximately 3700' or through Pennrose formation. Set 5-1/2" 15.5# casing and cement to 1100' w/520 sack cement. Perforate Pennrose section and sand-oil fracture for completion w/3600' 2" EUE 4.70# tubing in casing.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company DELHI-TAYLOR OIL CORPORATIONAddress P. O. Box 1821Midland, TexasBy [Signature]Title District Superintendent