COPY TO O. C. C.

Form 9-331 (May 1963) Form approved. Budget Bureau No. 42-R1424. UNITED STATES SUBMIT IN TRIPLICATE* DEPARTMENT OF THE INTERIOR (Other Instructions on re-5. LEASE DESIGNATION AND SERIAL NO. GEOLOGICAL SURVEY LC-030187 6. IF INDIAN, ALLOTTEE OR TRIBE NAME SUNDRY NOTICES AND REPORTS ON WELLS (Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.

Use "APPLICATION FOR PERMIT—" for such proposals.) 7. UNIT AGREEMENT NAME GAS WELL we'l X OTHER NAME OF OPERATOR 8. FARM OR LEASE NAME C. E. LaMunyon GULF OIL CORPORATION 9. WELL NO. 3. ADDRESS OF OPERATOR 10 LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.)
At surface P.O. Box 670, Hobbs, NM 10. FIELD AND POOL, OR WILDCAT No. Teague Devonian 11. SEC., T., B., M., OR BLK. AND SURVEY OR AREA 1650' FSL & 990' FWL Unit L Sec. 22-T23S-R37E 12. COUNTY OR PARISH 13. S 15. ELEVATIONS (Show whether DF, RT, GR, etc.) 14 PERMIT NO 3292' GL NM 16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data SUBSEQUENT REPORT OF: NOTICE OF INTENTION TO: REPAIRING WELL PULL OR ALTER CASING WATER SHUT-OFF TEST WATER SHUT-OFF ALTERING CASING FRACTURE TREATMENT FRACTURE TREAT MULTIPLE COMPLETE SHOOT OR ACIDIZE ABANDON* SHOOTING OR ACIDIZING ABANDON MENT* CHANGE PLANS (Other) REPAIR WELL (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.) (Other) Recondition 17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.) * 9475' TD. Swb well dn. Acidize perfs 7434-44' (40 holes) w/2000 gals 15% NEFE slick acid, using (20) 7/8" RCNBs. Swab & test. Perf intervals 7318-21; 7339-42'; 7369-72'; & 7395-98' w/(2) ½" zero-phase, burrless, decentralized JHPF (24 holes). Straddle & acidize each set of new perfs w/150 gals 15% NEFE acid. Acidize perfs 7318-7398' w/4800 gal 15% NEFE slic acid in 4 stages, using (18) 7/8" RCNBs. Swab & test well & return to production. KashuvEm JAN 15 1980 U. S. GEOLOGICAL SURVEY HOBBS, NEW MEXICO 18. I hereby certify that the foregoing is true and correct DATE 1-14-80 TITLE Area Engineer

*See Instructions on Reverse Side

TITLE

CONDITIONS OF

ACTING DISTRICT ENGINEER

DATE



RECEIVED

JAN 22 1980

OIL CONSERVATION DIV