

**DEPARTMENT OF THE INTERIOR** (Other instructions on reverse side)  
**BUREAU OF LAND MANAGEMENT**

Expires August 31, 1985

**SUNDRY NOTICES AND REPORTS ON WELLS**

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.  
 Use "APPLICATION FOR PERMIT—" for such proposals.)

1. <input checked="" type="checkbox"/> OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER		5. LEASE DESIGNATION AND SERIAL NO. LC-030187
2. NAME OF OPERATOR Tom Brown, Inc.		6. IF INDIAN, ALLOTTEE OR TRIBE NAME
3. ADDRESS OF OPERATOR P. O. Box 2608, Midland, TX 79702		7. UNIT AGREEMENT NAME
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface 2310' FNL, 330' FWL Unit E		8. FARM OR LEASE NAME LaMunyon Federal
14. PERMIT NO.		9. WELL NO. 1
15. ELEVATIONS (Show whether DF, RT, GR, etc.) 3307.3 DF		10. FIELD AND POOL, OR WILDCAT Langlie Mattix SRQW-GA
16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data		11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA Sec. 28, T23S, R37E
NOTICE OF INTENTION TO: TEST WATER SHUT-OFF <input type="checkbox"/> PULL OR ALTER CASING <input type="checkbox"/> FRACTURE TREAT <input type="checkbox"/> MULTIPLE COMPLETE <input type="checkbox"/> SHOOT OR ACIDIZE <input type="checkbox"/> ABANDON* <input checked="" type="checkbox"/> XX REPAIR WELL <input type="checkbox"/> CHANGE PLANS <input type="checkbox"/> (Other) <input type="checkbox"/>		SUBSEQUENT REPORT OF: WATER SHUT-OFF <input type="checkbox"/> REPAIRING WELL <input type="checkbox"/> FRACTURE TREATMENT <input type="checkbox"/> ALTERING CASING <input type="checkbox"/> SHOOTING OR ACIDIZING <input type="checkbox"/> ABANDONMENT* <input type="checkbox"/> (Other) <input type="checkbox"/>
17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS: (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*		12. COUNTY OR PARISH Lea
		13. STATE NM

See Attached Well Bore Diagram for Plugging Procedure

We will notify a BLM representative in sufficient time to witness P&A operations.  
 A minimum of 9.5# mud laden fluid will be used between all plugs.  
 All cement will be Class "H". Casing will be cut off @ 3' below the ground surface.  
 A steel cap will be welded on csg. A 4" steel post ID marker will be welded on cap.

RECEIVED  
 OCT 5 10 30 AM '92

18. I hereby certify that the foregoing is true and correct

SIGNED Cliff Gruber TITLE Vice President - Operations DATE 10-2-92

(This space for Federal or State office use)

APPROVED BY \_\_\_\_\_ TITLE \_\_\_\_\_ DATE 10/9/92  
 CONDITIONS OF APPROVAL, IF ANY:

\*See Instructions on Reverse Side

Tom Brown, Inc.  
 La Munyan Federal No. 1  
 Sec 28-T23S-R37E  
 Lea County, New Mexico

**PROCEDURE**

- 1) POOH with tubing and rods.
- 2) Set CIBP @ 3508' and cap with 35' of cement. Load hole w/ 9.5 ppg mud.
- 3) Proceed setting plugs as per diagram with assumption that 5 1/2" casing can be pulled and recovered from 2000'.

All cement will be Class 'H'. Surface casing will be cut 3' below ground surface and a steel cap will be welded on casing. A 4" steel post will be welded on cap.

