

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT
N.M. Oil Cons.
P. 1980
Hobbs, NM 88241

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well ☒ Oil Well ☐ Gas Well ☐ Other	5. Lease Designation and Serial No. 8910138170 - LCO60825A
2. Name of Operator OXY USA Inc. 16696	6. If Indian, Allottee or Tribe Name
3. Address and Telephone No. P.O. Box 50250 Midland, TX 79710-0250 915-685-5717	7. If Unit or CA, Agreement Designation Myers Langlie Mattix Unit 011007
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) 660 FNL 1980 FEL NWNE (B) Sec 30 T23S R37E	8. Well Name and No. 6
	9. API Well No. 30-025- 10897
	10. Field and Pool, or Exploratory Area Langlie Mattix 7 Rvr Q-G 037240
	11. County or Parish, State Lea NM

12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA		
TYPE OF SUBMISSION	TYPE OF ACTION	
☒ Notice of Intent	☒ Abandonment	☐ Change of Plans
☐ Subsequent Report	☐ Recompletion	☐ New Construction
☐ Final Abandonment Notice	☐ Plugging Back	☐ Non-Routine Fracturing
	☐ Casing Repair	☐ Water Shut-Off
	☐ Altering Casing	☐ Conversion to Injection
	☐ Other	☐ Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

See other side

RECEIVED
OCT 8 '97
BLM
ROSWELL, NM

14. I hereby certify that the foregoing is true and correct		
Signed <u>David Stewart</u>	Title <u>Regulatory Analyst</u>	Date <u>10/2/97</u>
(This space for Federal or State office use)		
Approved by <u>(ORIG. SGD.) DAVID R. GLASS</u>	Title <u>ROLEUM ENGINEER</u>	Date <u>OCT 10 1997</u>
Conditions of approval, if any: SEE ATTACHED FOR CONDITIONS OF APPROVAL		
Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.		

ATTACHMENT 3160-5
OXY USA INC.
MYERS LANGLEIE MATTIX UNIT #6
SEC 30 T238 R37E
LEA COUNTY, NM


TD - 3652' PBSD - 3620' OPEN HOLE - 3467-3620'

CASING: 8-5/8" 26# @ 724', 12-1/4", cmt w/ 300sx (circ)
5-1/2" 14# @ 3476', 7-7/8", cmt w/ 200sx
(TOC @ 2090' - calc)
CIBP SET @ 3400'

1. MIRU PU, NDWH, NUBOP. RIH & TAG CIBP @ 3400', SPOT 10sx CL C CMT ON TOP, POOH. M&P 9.5# MUD LADEN FLUID, POOH TO 3100'.
2. M&P 20sx CL C CMT PLUG FROM TO 3100-3000', M&P 9.5# MUD LADEN FLUID, POOH TO 1100'.
3. PERF 2 SQZ HOLES @ 1200', EIR M&P 50sx CL C CMT PLUG FROM TO 1200-1100', M&P 9.5# MUD LADEN FLUID, POOH TO 674'.
4. M&P 20sx CL C CMT PLUG FROM TO 674-774', M&P 9.5# MUD LADEN FLUID, POOH.
5. M&P 10sx CL C CMT SURFACE PLUG. NDBOP, CUT-OFF CSG 3' BELOW GROUND LEVEL, RDPV, INSTALL DRY-HOLE MARKER, CLEAN LOC & BACKFILL W/O PIT.

1324-252622-201

OXY USA INC. CURRENT
MYERS LANGLEY MATTIX UT #6
SEC 30 T23S R37E LEA NM



0.0 - 731.0' 12 1/4" OD HOLE
0.0 - 724.0' CEMENT 300sx-CIRC
0.0 - 724.0' 8 5/8" OD SURF CSG

60.0 - 1015.0' CEMENT 610sx SQZ

731.0 - 3476.0' 7 7/8" OD HOLE
2090.0 - 3476.0' CEMENT 200sx-CALC
0.0 - 3476.0' 5 1/2" OD PROD CSG

3476.0 - 3620.0' 4 3/4" OD HOLE

TD: 3652'

34

JBP

OXY USA INC. PROPOSED
MYERS LANGLEY MATTIX UT #6
SEC 30 T23S R37E LEA NM

