


Form 9-331a  
(Feb. 1961)

(SUBMIT IN TRIALGATE)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Land Office Las Cruces

Lease No. 064116



SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....		SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....		SUBSEQUENT REPORT OF REDRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....		SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....		SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

NO. 2-D MILL ..... August 13, ..... 1962

Well No. 2-D is located 1981 ft. from N line and 810 ft. from E line of sec. 34

SE/4 NE/4 Sec. 34  
(1/4 Sec. and Sec. No.)

23-S  
(Twp.)

37-E  
(Range)

RMPN  
(Meridian)

Teague Devonian  
(Field)

Lea County  
(County or Subdivision)

New Mexico  
(State or Territory)

The elevation of the derrick floor above sea level is ..... ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

It is our intention to drill a well with rotary tools at the above location to a depth of approximately 8,000 feet unless commercial oil or gas production is encountered at a lesser depth. All casing will be cemented in accordance with methods approved by the U. S. Geological Survey. Any other special requirements will be complied with. The following casing pattern will be used:

- 13-3/8" Casing to be set at approximately 300 feet, cemented with 175 sacks.
- 9-5/8" Casing to be set at approximately 2,900 feet, cemented with 1300 sacks.
- 7" CD Casing to be set at approximately 7,150 feet, cemented with 500 sacks.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Amco J. Carter

Address P. O. Box 1688

Kernit, Texas

By [Signature]

Title Field Manager

