Form 3160-5 (June 1990)

UNITED STATEN.M. Oil Cons. Division DEPARTMENT OF THE INTERIOR French Dr. BUREAU OF LAND MANAGEMENT HODDS, NM 88240

Expires: March 31, 1993 5. Lease Designation and Serial No.

6. If Indian, Allottee or Tribe Name

<u>NM-277</u>23

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals

SUBMIT IN TRIPLICATE

7. If Unit or CA, Agreement Designation

FORM APPROVED

Budget Bureau No. 1004-0135

I. Type of Well	Blinebry, E.E. NCT-4
K Oil Gas Well Other	8. Well Name and No.
2. Name of Operator	1
Chevron USA, Inc.	9. API Well No.
3 Address and Telephone No.	30-025-10972
15 Smith Rd. Midland, TX 79705(915)687-7153	10. Field and Pool, or Exploratory Area
4 Location of Well (Footage, Sec., T., R., M., or Survey Description)	Langlie, Mattix, 7RQG
Unit letter G, 1980 FNL, 2310 FEL.	11. County or Parish, State

Sec, 35, Township 23-S, Range 37-E Lea, New Mexico CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA 12. TYPE OF SUBMISSION TYPE OF ACTION Notice of Intent Abandonment Change of Plans Recompletion New Construction Subsequent Report Plugging Back Non-Routine Fracturing Casing Repair Water Shut-Off Final Abandonment Notice Altering Casing Conversion to Injection Dispose Water Note: Report results of multiple completion on Well-Completion or Recompletion Report and Log form.)

Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

- 1. Notify BLM 24hrs prior to MI & Ru
- 2. RIH Tag 7" CIBP @ 2728, spot 55sx plug 2728-2400(7 RVRS,Queen, Grayburg,B-salt)Woc TAg.
- 3. Displace hole w/Mlf,9.5# Brinew/25# Gel P/BBL.
- 4. Perf 4 holes @ 1300, sqz 70sx plug 1300-1100(9 5/8 shoe, T-salt) WOC Tag.
- 5. Perf 4 holes @ 300, sqz 90sx plug 300-surf,7 X 9 5/8 csgs.(surf) WOC Tag.
- 6. Install dry hole marker.

_MONTH PERIOD



4. I hereby certify that the loregothy is true and correct Signed	Title HES Specialist	Date 2/26/2003
(This space for Federal or State office use)		
Approved by	Tide	Date

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.



61.6 V 83.22 52.

BECEVED S VAIGHED

PLUGGING & ABANTONMENT WORKSHEET (2 STRING CSNG) OPERATOR CHEVEON USA The. LEASE NAME BLIVEBLY E.E. B NCT-4 WELL# SECT 35 TWN 23-5 RNG 37-E 10/SL 2310 FROM 1980 (E)W L FORMATION @ TD 7 RVES, QUEEN-TD 3544 FORMATION @ PBTD GRAYBURG PBTD SIZE SET @ TOC 95/8 TOC DETERMINED @ 1160 **SURFACE** 95/8 1160 SURF Ci'ec INTMED 1 MLF TOC SURF INTMED 2 **PROD** 7" 1620 3360 T.S. DETERMIN SIZE TOP BOT TOC ED BY LINER 1 LINER 2 TOC 1620 **CUT & PULL** TOP - BOTTOM INTMED 1 **PERFS** INTMED 2 OPENHOLE **PROD** 3360- 3544 *REQUIRED PLUGS DISTRICT PLUG TYPE PLUG SACKS DEPTH CEMENT RUSTLER (ANHYD) 7 RVE Q G 55 2728 YATES 9513 3 70 1300 QUEEN 90 SURF 300 GRAYBURG SAN ANDRES CAPITAN REFE DELAWARE BELL CANYON CHERRY CANYON **BRUSHY CANYON** BONE SPRING GLORIETA BLINBRY TUBB DRINKARD ABO WC PENN STRAWN ATOKA MORROW TD 3544 MISS DEVONIAN

Part of the second

2003 HEZ - 3 VM 10: 20

RECEIVED