

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT
N.M. Oil Cons. Division
1625 N. French Dr.
Hobbs, NM 88240

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

5. Lease Designation and Serial No.
NM-27723

6. If Indian, Allottee or Tribe Name

7. If Unit or CA, Agreement Designation
Blinbry, E.E. "B", NCT-4

8. Well Name and No.

3

9. API Well No.

30-025-10974

10. Field and Pool, or Exploratory Area

Langlie Mattix, 7ROG

11. County or Parish, State

Lea, New Mexico

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well

☒ Oil Well ☐ Gas Well ☐ Other

2. Name of Operator

Chevron USA, Inc.

3. Address and Telephone No.

15 Smith Rd. Midland, Tx 79705 (915)687-7153

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

Unit Letter P, 660 FSL, 1980 FEL.
Sec 35, Township 23-S, Range 37-E

12 CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

☒ Notice of Intent

☐ Subsequent Report

☐ Final Abandonment Notice

TYPE OF ACTION

☒ Abandonment

☐ Recompletion

☐ Plugging Back

☐ Casing Repair

☐ Altering Casing

☐ Other

☐ Change of Plans

☐ New Construction

☐ Non-Routine Fracturing

☐ Water Shut-Off


☐ Conversion to Injection

☐ Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

1. Notify BLM 24hrs prior to MI & RU
2. RIH Tag 7" CIBP@ 3400, spot 25sx plug 3400-3300(7 RVRS, Queen, Grayburg)WOC Tag.
3. Displace hole w/MLF, 9.5# Brine w/25# Gel P/BBL.
4. Spot 25sx plug 2500-2400(B-salt)
5. Spot 25sx plug 1300-1200(T-salt)
6. Spot 65sx plug 360-surf(9 5/8 shoe, surf)WOC Tag.
7. Install dry hole marker.



14. I hereby certify that the foregoing is true and correct

Signed

Title HESS specialist

Date 2/26/2003

(This space for Federal or State office use)

Approved by

Title

Date

Conditions of approval, if any:

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

*See Instruction on Reverse Side

GWW

RECEIVED
2009 MAR -3 AM 10:20
BUREAU OF LAND MANAGEMENT
FORT COLLINS, CO

2009 MAR 4 9:19
BUREAU OF LAND MANAGEMENT
FORT COLLINS, CO

PLUGGING & ABANDONMENT WORKSHEET

(2 STRING CSNG)

OPERATOR CHEVRON USA Inc.

LEASE NAME BLINEBey E.E. "B" NCT-4


WELL # 3

SECT 35 TWN 23-S RNG 37-E

FROM 660 NSL 1980 EWL

TD 3600 FORMATION @ TD 9 PERS. QUEEN

PBTD FORMATION @ PBTD GRAYBURG



4 5/8
@ 307
TOC SURF

7"
@ 3439
TOC SURF

	SIZE	SET @	TOC	TOC DETERMINED BY
SURFACE	4 5/8	307	SURF	Circ
INTMED 1				
INTMED 2				
PROD	7"	3439	SURF	Circ.

	SIZE	TOP	BOT	TOC	DETERMINED BY
LINER 1					
LINER 2					

	CUT & PULL	TOP - BOTTOM
INTMED 1	PERFS	
INTMED 2	OPENHOLE	3439 - 3600
PROD		

*REQUIRED PLUGS DISTRICT

	PLUG	TYPE PLUG	SACKS CEMENT	DEPTH
RUSTLER (ANHYD)	1	TRIS Q, G	25	3400
YATES	2	B-SALT	25	2500
QUEEN	3	T-SALT	25	1300
GRAYBURG	4	4 5/8 S	65	360
SAN ANDRES				
CAPITAN REEF				
DELAWARE				
BELL CANYON				
CHERRY CANYON				
BRUSHY CANYON				
BONE SPRING				
GLORIETA				
BLINBRY				
TUBB				
DRINKARD				
ABO				
WC				
PENN				
STRAWN				
ATOKA				
MORROW				
MISS				
DEVONIAN				

TD 3600

BUREAU OF LAND MANAGEMENT
FOREMAN'S OFFICE

2003 MAR -3 AM 10:19