ź.			7,		
			Jons. Di	vieinn	
UNITED STATES	2				
				FORM APPROVED	
June 1990) DEPARTMENT OF THE II BUREAU OF LAND MANA		Hobbs	MM 8824	et Bureau No. 1004-013	5
			E	kpires: March 31, 1993	
SUNDRY NOTICES AND REPO			5. Lease Designa	tion and Serial No.	
Do not use this form for proposals to drill or to deeper		erent reservoir.		NM 27723	
Use "APPLICATION FOR PERMIT"	-		6. If Indian, Alotte	e or Tribe Name	
			7 If Unit or CA	greement Designation	
SUBMIT IN TRIPLICA	ATE			greement boughtten	
1. Type of Well: OIL GAS OTHER			8. Well Name and	1 Number	
			Blin	ebry, E. E. "B" NCT-4	
2. Name of Operator TEXACO EXPLORATION & PROD	UCTION INC.			3	
3. Address and Telephone No. 205 E. Bender, HOBBS, NM 8824	0	397-0405	9. API Well No.		
· · · · · · · · · · · · · · · · · · ·	·		_	30 025 10974	
4. Location of Well (Footage, Sec., T., R., M., or Survey Description)				ol, Exploaratory Area	
Unit Letter D : 660 Feet From The SOUTH Lin	ne and 1980	Feet From The	LANGLIE MATTI	X 7RQG	
		075	11. County or Pa	rish, State	
EAST Line Section 35 Township 23S	8 Range	37E	LEA	COUNTY , NEW MEX	lico
12. Chack Appropriate Box(s) To	Indicata Natur	a of Notice D	anart ar Oth	or Data	
Check Appropriate Box(s) To	nuicale Natur		YPE OF ACTION		
	Abandonment Recompletion			Change of Plans New Construction	
Notice of Intent	Plugging Back			Non-Routine Fracturin	7
Subsequent Report	Casing Repair			Water Shut-Off	9
	Atlering Casing			Conversion to Injection	1
Final Abandonment Notice	✓ OTHER:	Request TA Statu	s	Dispose Water	
				te: Report results of multiple com	letion on W
directionally drilled, give subsurface locations and measured and true v	vertical depths for all m	harkers and zones per	estimated date of s		
 Describe Proposed or Completed Operations (Clearly state all pertinendirectionally drilled, give subsurface locations and measured and true of 2-10-00: NOTIFY BLM (PAT HUTCHINGS) TEST CSG TO 50 (ORIGINAL CHART AND COPY OF CHART ATTACHED) 	vertical depths for all m	harkers and zones per	estimated date of s		nd Log Form
directionally drilled, give subsurface locations and measured and true v 2-10-00: NOTIFY BLM (PAT HUTCHINGS) TEST CSG TO 50	vertical depths for all m	harkers and zones per	estimated date of s		
directionally drilled, give subsurface locations and measured and true v 2-10-00: NOTIFY BLM (PAT HUTCHINGS) TEST CSG TO 50	vertical depths for all m	harkers and zones per	estimated date of s		
directionally drilled, give subsurface locations and measured and true v 2-10-00: NOTIFY BLM (PAT HUTCHINGS) TEST CSG TO 50 {ORIGINAL CHART AND COPY OF CHART ATTACHED}	vertical depths for all m	harkers and zones per	estimated date of s		
directionally drilled, give subsurface locations and measured and true v 2-10-00: NOTIFY BLM (PAT HUTCHINGS) TEST CSG TO 50 {ORIGINAL CHART AND COPY OF CHART ATTACHED}	vertical depths for all m	harkers and zones per	estimated date of s		
directionally drilled, give subsurface locations and measured and true v 2-10-00: NOTIFY BLM (PAT HUTCHINGS) TEST CSG TO 50 {ORIGINAL CHART AND COPY OF CHART ATTACHED}	vertical depths for all m	harkers and zones per	estimated date of s		
directionally drilled, give subsurface locations and measured and true v 2-10-00: NOTIFY BLM (PAT HUTCHINGS) TEST CSG TO 50 {ORIGINAL CHART AND COPY OF CHART ATTACHED}	vertical depths for all m	harkers and zones per	estimated date of s		
directionally drilled, give subsurface locations and measured and true v 2-10-00: NOTIFY BLM (PAT HUTCHINGS) TEST CSG TO 50 {ORIGINAL CHART AND COPY OF CHART ATTACHED}	vertical depths for all m	harkers and zones per	estimated date of s		
directionally drilled, give subsurface locations and measured and true v 2-10-00: NOTIFY BLM (PAT HUTCHINGS) TEST CSG TO 50 {ORIGINAL CHART AND COPY OF CHART ATTACHED}	vertical depths for all m	harkers and zones per	estimated date of s		
directionally drilled, give subsurface locations and measured and true v 2-10-00: NOTIFY BLM (PAT HUTCHINGS) TEST CSG TO 50 {ORIGINAL CHART AND COPY OF CHART ATTACHED}	vertical depths for all m	harkers and zones per	estimated date of s		
directionally drilled, give subsurface locations and measured and true v 2-10-00: NOTIFY BLM (PAT HUTCHINGS) TEST CSG TO 50 {ORIGINAL CHART AND COPY OF CHART ATTACHED}	vertical depths for all m	harkers and zones per	estimated date of s		
directionally drilled, give subsurface locations and measured and true v 2-10-00: NOTIFY BLM (PAT HUTCHINGS) TEST CSG TO 50 {ORIGINAL CHART AND COPY OF CHART ATTACHED}	vertical depths for all m	harkers and zones per	estimated date of s		
directionally drilled, give subsurface locations and measured and true v 2-10-00: NOTIFY BLM (PAT HUTCHINGS) TEST CSG TO 50 {ORIGINAL CHART AND COPY OF CHART ATTACHED}	vertical depths for all m	harkers and zones per	estimated date of s		
directionally drilled, give subsurface locations and measured and true v 2-10-00: NOTIFY BLM (PAT HUTCHINGS) TEST CSG TO 50 {ORIGINAL CHART AND COPY OF CHART ATTACHED}	vertical depths for all m	harkers and zones per	estimated date of s		
directionally drilled, give subsurface locations and measured and true v 2-10-00: NOTIFY BLM (PAT HUTCHINGS) TEST CSG TO 50 {ORIGINAL CHART AND COPY OF CHART ATTACHED} (COPY OF NONCOMPLIANCE ATTACHED -AJM-118-00)	vertical depths for all m 00# FOR 30 MIN - 0 N. A CARLSBAD, 1	Jave Jave Jave	estimated date of s	200 11 0 12 00 200 12 10 20 200 10 10 10 200 10 200 10 10 200 100 10 200 10 200 100 100 100 100 100 1000 100 1000 100000000	, If well
directionally drilled, give subsurface locations and measured and true of 2-10-00: NOTIFY BLM (PAT HUTCHINGS) TEST CSG TO 50 {ORIGINAL CHART AND COPY OF CHART ATTACHED} (COPY OF NONCOMPLIANCE ATTACHED -AJM-118-00) (COPY OF NONCOMPLIANCE ATTACHED -AJM-118-00)	vertical depths for all m 00# FOR 30 MIN - 0 N. A CARLSBAD, 1	harkers and zones per	estimated date of s		, If well
directionally drilled, give subsurface locations and measured and true v 2-10-00: NOTIFY BLM (PAT HUTCHINGS) TEST CSG TO 50 {ORIGINAL CHART AND COPY OF CHART ATTACHED} (COPY OF NONCOMPLIANCE ATTACHED -AJM-118-00)	vertical depths for all m 00# FOR 30 MIN - 0 N. A CARLSBAD, 1	Jave Jave Jave	estimated date of s	200 11 0 12 00 200 12 10 20 200 10 10 10 200 10 200 10 10 200 100 10 200 10 200 100 100 100 100 100 1000 100 1000 100000000	, If well
directionally drilled, give subsurface locations and measured and true v 2-10-00: NOTIFY BLM (PAT HUTCHINGS) TEST CSG TO 50 {ORIGINAL CHART AND COPY OF CHART ATTACHED} (COPY OF NONCOMPLIANCE ATTACHED -AJM-118-00)	vertical depths for all m 00# FOR 30 MIN - 0 N. A CARLSBAD, 1	Jave Jave Jave	estimated date of s	200 11 0 12 00 200 12 10 20 200 10 10 10 200 10 200 10 10 200 100 10 200 10 200 100 100 100 100 100 1000 100 1000 100000000	, If well
directionally drilled, give subsurface locations and measured and true v 2-10-00: NOTIFY BLM (PAT HUTCHINGS) TEST CSG TO 50 {ORIGINAL CHART AND COPY OF CHART ATTACHED} (COPY OF NONCOMPLIANCE ATTACHED -AJM-118-00) (COPY OF NONCOMPLIANCE ATTACHED -AJM-118-00) 14. I hereby certify that the foregoin is true and threat SIGNATURE J. Denise Leake (This space for Federal or State Office use) APPROVED	vertical depths for all m 00# FOR 30 MIN - 0 N. A CARLSBAD, 1	Jave Jave Jave	estimated date of s tinent to this work,)*	200 11 0 12 00 200 12 10 20 200 10 10 10 200 10 200 10 10 200 100 10 200 10 200 100 100 100 100 100 1000 100 1000 100000000	, If well
directionally drilled, give subsurface locations and measured and true v 2-10-00: NOTIFY BLM (PAT HUTCHINGS) TEST CSG TO 50 {ORIGINAL CHART AND COPY OF CHART ATTACHED} (COPY OF NONCOMPLIANCE ATTACHED -AJM-118-00) (COPY OF NONCOMPLIANCE ATTACHED -AJM-118-00) 14. 1 hereby certify that the foregoint is true and three SIGNATURE J. Denise Leake (This space for Federal or State office use) APPROVED & NDITIONS OF APPROVAL. IF ANY:	vertical depths for all m 00# FOR 30 MIN - 0 CARLSBAD, 1 TTTE_Engineeri	ng Assistant	estimated date of s tinent to this work,)*		<. If well 2/14/
directionally drilled, give subsurface locations and measured and true v 2-10-00: NOTIFY BLM (PAT HUTCHINGS) TEST CSG TO 50 {ORIGINAL CHART AND COPY OF CHART ATTACHED} (COPY OF NONCOMPLIANCE ATTACHED -AJM-118-00) (COPY OF NONCOMPLIANCE ATTACHED -AJM-118-00) 14. I hereby certify that the foregoin is true and threat SIGNATURE J. Denise Leake (This space for Federal or State Office use) APPROVED	vertical depths for all m 00# FOR 30 MIN - 0 CARLSBAD, 1 TTTE_Engineeri	ng Assistant	estimated date of s tinent to this work,)*		2/14/

~

SECEIVED

h0 to ∀ 91 833 0002

SOLIED THEMSOL THE CENTRE OF THE

৾৻ ৽৽৾৾৾৽৽৽৽৾ [৽]৾৽৽৽য়৶৾৸৵ড়৻৻ঀ ৽৾৽৽ ৻৽৽

25

.-



Form: 3160-9 (December 1989)

ьу

BLM COPY

Number	AJM-118-00

Page	0	f
------	---	---

3	Certified Mail - Return Receipt Requested Z 260 099 992
7	Hand Delivered Received

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

	Identification	
ΠD		
Lease	NMNM27723	
CA		
Unit		

NOTICE OF INCIDENTS OF NONCOMPLIANCE

Bureau of Land Management Office	· · · · · · · · · · · · · · · · · · ·	Operator					
HOBBS INSPECTION OFFICE		TEXACO EXPLORATION & PROD INC					
Address 414 WEST TAYLOR HOBBS NM 88240		Address					
Telephone		Attention					
505.	505.393.3612		JOHN AYERS				
Inspector Andrea	a Massengill	Attn Addr P O BOX 730 HOBBS NM 88240					
Site Name	Well or Facility					1/4 1/4	
BLINEBRY B NCT4	03			NMP	35	SWSE	
THE FOLLOWING VIOLATION	WAS FOUND BY BUREAU OF LAND MA	NAGEMENT INSP	ECTORS ON THE	E DATE AND AT	THE SITE LIST	ED ABOVE	
Date	Time (24 - hour clock)	Violation Gravity of Violation			iolation		
01/31/2000		43 C	FR 3162.3-4(c)		MINC)R	
Corrective Action To Be Completed By	Date Corrected	Assessment for Noncompliance Assess			Assessment R	ent Reference	
02/25/2000					43 CFR 31	163.1()	
Demoster AAL 11.1 /							

Well is temporary abandoned (TA/SI) without approval. Well must be put on production, Remarks plugged and abandoned or approved for TA status. Submit a notice of intent to produce, plug or request Ta status on a 3160-5 (Sundry Notice), one original and five copies to this office. For Ta requests, respond to the attached Ta justification requirements.

When violation is corrected, sign this notice and return to above address. Company Representative Title Manaching ASSISTANE Signature ALUSE Rake	Date	2-14-00
Company Comments U U U		

WARNING Incidents of Noncompliance correction and reporting timeframes begin upon receipt of this Notice or 7 business days after the date it is mared, which earlier. Each violation must be corrected within the prescribed time from receipt of this Notice and reported to the Buren of Land Management office at address shown above. Please note that you already may have been assessed for noncompliance (see amount under "Assessment for Noncompliance"). It was not comply as noted above under "Corrective Action To Be Completed By" you may incur an additional assessment under (43 CFR 3163.2). All self-certified corrections must be postmarked no later than the next business day after the prescribed time for correct of 1982, as implemented by the applicable providents of the offensing regulations. mnliance"). If w do

Section 109(d)(1) of the Federal Oil and Gas Royalty Management Act of 1982, as implemented by the applicable provides that any person who "knowingly or willfully" prepares, maintains, or submits, false notices, affidavits, record, data, or other written information required by this part shall be liable for a civil penalty of up reccurations reacting to the second s day such violation continues, not to exceed a maximum of 20 days.

REVIEW AND APPEAL RIGHTS

2026181119 A person contesting a violation shall request a State Director review of the Incidents of Noncompliance. This request must be filed within 20 working days of receipt of the Incidents of Noncompliance with the appropriate State Director (see 43 CFR 3165.3). The State Director review decision may be appealed to the Interior Board of Lands Appeals, 4015 Wilson Blvd., Arlington VA 22203 (see 43 CFR 3165.4). Contact the above listed Bureau of Land Management office for further information.

Signature of Bureau of Lar	nd Management Kuthorized Officer			Date [-3]	1-00 Time 0800
	<u> </u>	FOR OFFICE US	E ONLY		
Number	Date	Assessment	Penalty		Termination
53					
Type of Inspection			·······		
PI					



•.

- .