(SUBMIT IN TRIPLICATE)

DEPARTMENT OF THE INTERIOR

Land Office DEC 1 6 1903

THE WILL SUITEY

_	OTICE OF INTENTION TO DRILL OTICE OF INTENTION TO CHANGE PLANS OTICE OF INTENTION TO TEST WATER SHUT-OFF OTICE OF INTENTION TO RE-DRILL OR REPAIR WE OTICE OF INTENTION TO SHOOT OR ACIDIZE OTICE OF INTENTION TO PULL OR ALTER CASING OTICE OF INTENTION TO ABANDON WELL	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING. SUBSEQUENT REPORT OF ALTERING CASING. SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR. SUBSEQUENT REPORT OF ABANDONMENT. SUPPLEMENTARY WELL HISTORY.
(% Sec. and Sec. No.) (Twp.) (Range) (Maridian) (State or Territory) (State or Terr		December 12, , 19 6;
DETAILS OF WORK Late names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, ceme ing points, and all other important proposed work) Perforated 5-1/2* casing from 8760* to 8710* with 2 shots per foot. Well would not flow. Remarked work to successful. Glosed well in 11-12-43. Temporarily abandoned effective 12-12-45. I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced. Company	/4 sec. and Sec. No.) (Twp	.) (Range) (Meridian)
Perforated 5-1/2" casing from 8760" to 8710" with 2 shots per foot. Hell would not flow. Remedial work unsuccessful. Glosed well in 11-12-63. Temperarily abandoned effective 12-12-65. I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced. Company — America Petroleum Comporation	(Field)	(County of Subdivision)
Address P. O. Box 668	ate names of and expected depths to objective sar	dealers weights and lengths of proposed casings; indicate mudding jobs, cemer
ompany	Perforated 5-1/2* casing fro	mds; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cements, and all other important proposed work) a 8760° to 8710° with 2 shots per foot.
Address 2. 0. Box 668	Perforated 5-1/2° casing fro Wall would not flow. Remndi Temperarily abandoned effect	nds; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cements, and all other important proposed work) at \$760° to \$710° with 2 shots per foot. at work unmocessful. Glasset well in 11-12-63.
	Perforated 5-1/2" casing from tall would not flow. Remedited temporarily abandoned effect. I understand that this plan of work must receive	we approval in writing by the Geological Survey before operations may be commenced.
	Perforated 5-1/2° casing freshell would not flow. Remeditesposarily abandoned effect I understand that this plan of work must receive	nds; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cements, and all other important proposed work) a \$760° to \$710° with 2 shots per foot. al work managessaful. Glosed well in 11-12-63. Live 12-13-65.