


Form 9-331a  
(Feb. 1951)

(SUBMIT IN TRIPLICATE)

Land Office Las CrucesLease No. LC 054668Unit PERMIT

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

# SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY
NOTICE OF INTENTION TO ABANDON WELL		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

USA FARMWORTH "C"October 8, 1958Well No. 6 is located 660 ft. from N line and 990 ft. from E line of sec. 4NE/4 NE/4 Sec. 4  
(¼ Sec. and Sec. No.)26S  
(Twp.)37E  
(Range)NMPM  
(Meridian)Crosby-Devonian  
(Field)Lea  
(County or Subdivision)New Mexico  
(State or Territory)The elevation of the derrick floor above sea level is \_\_\_\_\_ ft. Furnish later

## DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

We propose to drill the above well with rotary tools to an approximate depth of 8,700' to test the Devonian. Casing program will be as follows:

Size of Hole	Size of Casing	Depth	Cement
17 1/2	13 3/8	600	Circulate 6% Gel followed by 100 sacks Neat.
11"	8 5/8	3900	Ditto
7 7/8	5 1/2	8700	250 sacks 6% Gel followed by 100 sacks Neat.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Pan American Petroleum CorporationAddress Box 68Hobbs, New MexicoBy Rex R. Henderson  
Title Field Superintendent