

(SUBMIT IN TRIPLICATE)

U. S. Land Office Las Cruces

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Lease or permit No. 0301816

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....		SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....		SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....		SUBSEQUENT REPORT OF REDRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....		SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....		SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Midland, Texas, July 12, 19 41

H.G. Moberly (b)
Well No. 2 is located 660 ft. from [N] line and 1280 ft. from [E] line of sec. 21

NE 1/4 Sec 21. T-26-E R-37-E N.M.P.M.
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Rhodes Lea New Mexico
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 2988 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

As per phone conversation above date, we are submitting below revised casing program showing approximate setting depths.

15 1/2" O.D. 70# set at 200' Not cemented, will be pulled
13" O.D. 40# " " 650' " " " "
10 3/4" O.D. 40# set at 1150' cemented with 300 Sacks
7" O.D. 24# " " 3100' " " 300 "

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company The Texas Company

Address Box 1270

Midland

Texas

By [Signature]

Title District Superintendent

the 1990s, the number of people in the world who are under 15 years of age is expected to increase from 1.1 billion to 1.5 billion. The number of people aged 65 and over is expected to increase from 200 million to 400 million. The number of people aged 15 and over is expected to increase from 3.5 billion to 4.5 billion. The number of people aged 15 and over is expected to increase from 3.5 billion to 4.5 billion. The number of people aged 15 and over is expected to increase from 3.5 billion to 4.5 billion.

THE UNIVERSITY OF CHICAGO

1. The first step is to identify the problem. In this case, the problem is that the company is not meeting its sales targets.

10. What is the purpose of the study?

ALL INFORMATION CONTAINED HEREIN IS UNCLASSIFIED

[illegible]

© 2004 Blackwell Publishing Ltd, *Journal of Internal Medicine* 255: 105–112