

X		

(SUBMIT IN TRIPLICATE)
District Engineer
UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Las Cruces
Lease No. 032510(B)
Unit Dublin

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL	<u>Clean out</u>	<u>1</u>
	<u>Sand-oil treat</u>	<u>1</u>

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

April 22, 1963

Well No. 1 is located 660 ft. from N line and 1980 ft. from E line of sec. 24NE 1/4, NW 1/4 Sec. 24
(1/4 Sec. and Sec. No.)26-5
(Twp.)37-E
(Range)NMPM
(Meridian)South Union
(Field)Lea

(County or Subdivision)

New Mexico
(State or Territory)The elevation of the derrick floor above sea level is 2991 ft.**DETAILS OF WORK**

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

1. Rigged up cable tool, pulled tubing, cleaned out from 3418'-3446'.
2. Dropped 52 Jts. (1580') 2" tubing. Recovered 38 jts., left 14 in hole (320').
3. Ran 2" tubing set at 3440'.
4. Sand-oil treated w/10,000 gal. refined oil, 20,000# sand, 500# Mark II Adonite in two stages w/500# crushed moth balls after 5000 gal.
5. Ran rods & Pump.
6. Placed well on production.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Texas Pacific Coal and Oil CompanyAddress P. O. Box 1688Hobbs, New MexicoBy [Signature]Title Petroleum Engineer