(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Land Office	

Lease No. -- 030174(b-)---

	00		•		
	m F	تستفيرا		1	1631
Unit		•	1.	1	~. <u>}</u>
	11 11				
		4.5		4.747	1
	104	الما أب أب		1013.	1.0
	II/I		چې سد ن	1844 Will	
	11/7/11				
	A TIC				

ON WEILS
S AND REPORTS ON WELLS
OF WATER SHUT-OFF
SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.
OF ALTERING CASINO
SUBSEQUENT REPORT OF REDRILLING OR REPAIR
SUBSEQUENT REPORT OF ABANDONMENT
SUBSEQUENT REPORT OF ABANDONMENT
SUBSEQUENT RELOTED SUPPLEMENTARY WELL HISTORY
SUPPLEMENTARY WELL III
CK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)
Port Worth, Texas, July 13,
ft. from S line and 60 ft. from W line of sec. 27
(Ranga) (Meridian)
New Maximum
(County or Subdivision) (State or Territory)
ve sea level is 2979 ft.
ve sea level is2979 ft.
DETAILS OF WORK
the sweights, and lengths of proposed casings; indicate mudding jobs,
DETAILS OF WORK and a size s, weights, and lengths of proposed casings; indicate mudding jobs, cementaries; show sizes, weights, and lengths of proposed work) and all other important proposed work)
The second of th
CASI G PROGRAM (Approx.)
Size Set at Cemented to Surface
A M / W ()
8-5/8" OD 329 Rew 3100; 300 sacks
0.1/ 2
at an annearisately 3120'
expected at approximately 3125.
expected at approximately 3125
MA MARKET INTO I A ALEK WAS A PART OF THE
ien-Blount Drilling
ien-Blount Drilling
ien-Blount Drilling
In Flount Drilling I APO Tower Bulk ing Ich cas City, Oklahoma. eive approval in writing by the Geological Survey before operations may be commenced.
I APCO Tower Bulk ing Let: (ma City, Oklahoma, eive approval in writing by the Geological Survey before operations may be commenced.
I APCO Tower Bulk ing Let: (ma City, Oklahoma, eive approval in writing by the Geological Survey before operations may be commenced.
I APCO Tower Bulk ing Let: (ma City, Oklahoma, eive approval in writing by the Geological Survey before operations may be commenced.
In a proper Bulking Let: (ma City, Oklahoma. eive approval in writing by the Geological Survey before operations may be commenced.
In a proper Bulking Let: (ma City, Oklahoma. eive approval in writing by the Geological Survey before operations may be commenced.
In a proper Bulking Let: (ma City, Oklahoma. eive approval in writing by the Geological Survey before operations may be commenced.
I APCO Tower Bulk ing Let: (ma City, Oklahoma, eive approval in writing by the Geological Survey before operations may be commenced.
V(