

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEYSUBMIT IN TRIPLICATE*
(Other instructions on reverse side)Form approved.
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

NM-029050

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

Federal "F"

9. WELL NO.

1

10. FIELD AND POOL, OR WILDCAT

Jalmat

11. SEC., T., R., M., OR BLK. AND
SURVEY OR AREA

Sec. 29, T-26-S, R-37-E

12. COUNTY OR PARISH

Lea

13. STATE

N.M.

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1.

OIL WELL ☐ GAS WELL ☒ OTHER

2. NAME OF OPERATOR

Joseph I. O'Neill, Jr.

3. ADDRESS OF OPERATOR

410 West Ohio, Midland, Texas 79701

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*
See also space 17 below.)
At surface

660' From South Line and 1980' From East Line of Section 29

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

2955' GR

16.

Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF ☐FRACTURE TREAT ☐SHOOT OR ACIDIZE ☐REPAIR WELL ☐

(Other)

PULL OR ALTER CASING ☐MULTIPLE COMPLETE ☐ABANDON* ☒CHANGE PLANS ☐

SUBSEQUENT REPORT OF:

WATER SHUT-OFF ☐FRACTURE TREATMENT ☐SHOOTING OR ACIDIZING ☐

(Other)

REPAIRING WELL ☐ALTERING CASING ☐ABANDONMENT* ☐

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

PBTD 3115'. Well completed through perforations at 3034 to 3044'. 5 1/2" casing set at 3131' to surface. Top of cement 2575'. 8 5/8" surface casing set at 593' with cement circulated to surface.

As well has ceased to produce, we propose to:

- (1) Set Plug #1, 40 sacks regular cement from 2830 to 3030'.
- (2) Fill hole w/mud laden fluid.
- (3) Attempt to cut off and pull 2300' of 5 1/2" casing.
- (4) Set Plug #2, 50 sacks regular cement from 1100 to 1200'.
- (5) Set Plug #3, 50 sacks regular cement from 550 to 650'.
- (6) Set Plug #4, 10 sacks regular cement from 3 to 20'.
- (7) Weld on cap and State marker.

If 5 1/2" casing is stuck in the redbed, we will cut off at free point.

18. I hereby certify that the foregoing is true and correct

SIGNED

TITLE Field Foreman

DATE 9-24-73

(This space for Federal or State office use)

APPROVED BY

TITLE

CONDITIONS OF APPROVAL, IF ANY:

APPROVED
SEP 29 1973ARTHUR R. BROWN
DISTRICT ENGINEER

*See Instructions on Reverse Side