BUREA	UNITED STATES P.O. B RTMENT OF THE INTERIOR U OF LAND MANAGEMENT	OX 1980 S, NEW MEXICO	FORM APPROVED B240 Budget Bureau No. 1004-0135 Expires: March 31, 1993 5. Lease Designation and Serial No. LC 050107 B	
SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill or to deepen or reentry to a different reservoir. Use "APPLICATION FOR PERMIT-" for such proposals			6 16 Indian Albert This St	
SUBMIT IN TRIPLICATE			7. If Unit or CA, Agreement Designation	
			N/A 8. Well Name and No.	
Sea Sand Oil Co. 3. Address and Telephone No.			Mary E. Wills Federal #2 9. API Well No. 30025120990051	
P.O. Box 101777 Ft. Worth, TX 76185 (817) 336-3881 4. Location of Well (Footage, Sec., T., R., M., or Survey Description) 660' N. of S. Line, 1980' E. of W. Line, Sec 33			10. Field and Pool, or Exploratory Area Scarborough Yates 7 Rivers 11. County or Parish, State	
Township 26 South - Range			Lea County N.M.	
	BOX(s) TO INDICATE NATURE C	F NOTICE, REPC	ORT, OR OTHER DATA	
		TYPE OF ACTION	YPE OF ACTION	
Subsequent Report	Abandonment Recompletion Plugging Back Casing Repair		Change of Plans Change of Plans New Construction Non-Routine Fracturing	
Final Abandonment Notice	Altering Casing Other	Altering Casing Conversion to Injection Other Other Note: Report results of multiple completion on W		
3. Describe Proposed or Completed Operations (Clear give subsurface locations and measured and	rly state all pertinent details, and give pertinent dates, incl true vertical depths for all markers and zones pertinent	uding estimated date of starting	Completion or Recompletion Report and Log form.) ng any proposed work. If well is directionally drilled,	
1. Rig up. Install B.O.P				
2. Tag C.I.B.P. at 3115'	(Perforations 3206' to 3226'	'). Circulate	hole with	
	p C.I.B.P. with 50' cement. ueeze and set 100' cement pl (2600-2700)	ug. Tag plug. I		
4. Perforate at 1250'. Sq Tag plug.	ueeze and set 100' cement pl	ug 1250' to 11	55 V	
5. Perforate at 650'. Squ shoe at 606'). Tag plu	eeze and set 100' cement plu g.	g 650' to 550'	. (8 5/8) · · · · · · · · · · · · · · · · · ·	
 6. Locate hole in 4¹/₂" cas between annulus 8 5/8 7. Cut off well head. Inst 		¹ / ₂ " casing. Bac	k up	
4. I hereby certify that the foregoing is true and cor Signed Signed	Agent		Date 4/14/94	
(This space for FOR ICS: SCIU ,)CE Approved by Conditions of approval, if any:	G. LARA Tive PETROL	EUM ENGINEE		

ile 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements r representations as to any matter within its jurisdiction.

GENERAL INSTRUCTIONS

This form is designed for submitting proposals to perform certain well operations, and reports of such operations when completed, as indicated, on Federal and Indian lands pursuant to applicable Federal law and regulations, and, if approved or accepted by any State, on all lands in such State, pursuant to applicable State law and regulations. Any necessary special in-

structions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office.

SPECIFIC INSTRUCTIONS

Item 4—If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Item 13—Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by local Federal and/or State offices. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones, or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to top of any left in the hole; method of closing top of well; and date well site conditioned for final inspection looking to approval of the abandonment.

NOTICE

The Privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et. seq., 351 et. seq., 25 U.S.C. et. seq.; 43 CFR 3160.

PRINCIPAL PURPOSE — The information is to be used to evaluate, when appropriate, approve applications, and report completion of secondary well operations, on a Federal or Indian lease.

ROUTINE USES:

- (1) Evaluate the equipment and procedures used during the proposed or completed subsequent well operations.
- (2) Request and grant approval to perform those actions covered by 43 CFR $\frac{162.3-2(2)}{2}$.
- (3) Analyze future applications to drill or modify operations in light of data obtained and methods used.
- (4)(5) Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions.

EFFECT OF NOT PROVIDING INFORMATION — Filing of this notice and report and disclosure of the information is mandatory once an oil or gas well is drilled.

The Paperwork Reduction Act of 1980 (44 U.S.C. 3501, et. seq.) requires us to inform you that:

This information is being collected in order to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

This information will be used to report subsequent operations once work is completed and when requested, to obtain approval for subsequent operations not previously authorized

Response to this request is mandatory for the specific types of activities specified in 43 ¢FR Part 3160.

BURDEN HOURS STATEMENT

Public reporting burden for this form is estimated to average 25 m. nutes per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Eans Management, (Alternate) Bureau Clearance Officer, (WO-771), 18 and C Streets, N.W., Washington, D.C. 20240, and the Office of Management and Budget, Paperwork Reduction Project (1004-0135), Washington, D.C. 20503.

Ala Lation of the second secon

BUREAU OF LAND MANAGEMENT

Permanent Abandonment of Wells on Federal Lands

Conditions of Approval

1. <u>Approval:</u> Plugging operations shall commence within 90 days from the approval date of plugging procedure.

2. <u>Notification:</u> Contact the appropriate BLM office at least 24 hours prior to the commencing of any plugging operations. For wells in Eddy County call (505)887-6544; for wells in Lea County call (505) 393-3612.

3. <u>Blowout Preventers</u>: A blowout preventer (BOP), as appropriate, shall be installed before commencing any plugging operation. The minimum BOP requirement is a 2M system for a well not deeper than 9,090 feet; a 3M system for a well not deeper than 13,636 feet; and a 5M system for a well not deeper than 22,727 feet.

4. <u>Mud Requirement:</u> Mud shall be placed between all plugs. Minimum consistency of plugging mud shall be obtained by mixing at the rate of 25 sacks (50 pounds each) of gel per 100 barrels of water. Minimum nine (9) pounds per gallon.

5. <u>Cement Requirement:</u> Sufficient cement shall be used to bring any required plug to the specified depth and length. Any given cement volumes on the proposed plugging procedure are merely estimates and are not final.

Unless otherwise specified in the approved procedure, the cement plug shall consist of either class "C", for up to 7,500 feet of depth, mixed at 14.8 lbs./gal. with 6.3 gallons of fresh water per sack or class "H", for deeper than 7,500 feet plugs, mixed at 16.4 lbs./gal. with 4.3 gallons of fresh water per sack.

6. <u>Dry Hole Marker:</u> All casing shall be cut-off at the base of the cellar or 3 feet below final restored ground level (whichever is deeper). The well bore shall then be capped with a 4-inch pipe, 10-feet in length, 4 feet above ground and embedded in cement. The following information shall be permanently inscribed on the dry hole marker: Well name and number, the name of the operator, the lease serial number, the surveyed location (the quarter-quarter section, section, township and range or other authorized survey designation acceptable to the authorized officer; such as metes and bounds).

7. <u>Subsequent Plugging Reporting:</u> Within 30 days after plugging work is completed, file one original and five copies of the Subsequent Report of Abandonment, Form 3160-5 to BLM. The report should give in detail the manner in which the plugging work was carried out, the extent (by depths) of cement plugs placed, and the size and location (by depths) of casing left in the well. Show <u>date</u> well was plugged.

Following the submittal and approval of the Subsequent Report of Abandonment, surface restoration conditions of approval will be developed and furnished to you.

RECEIVED

JUL 2 - 1994

OFFICE

.