

Form 9-331a  
(March 1942)


(SUBMIT IN TRIPLICATE)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Land Office New Mexico

Lease No. 0569

Unit \_\_\_\_\_



SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL		SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

September 12, \_\_\_\_\_, 1932

Well No. Ginsberg 3 is located 2310 ft. from PN line and 100 ft. from SW line of sec. 6

W. Dolan (Field) Sec. 6 (Sec. and Sec. No.) 25 South (Twp.) 3d East (Range) 1. N. 2. N. (Meridian)  
Leon (County or Subdivision) New Mexico (State or Territory)

The elevation of the derrick floor above sea level is \_\_\_\_\_ ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Objective: Test Queen Sand at approximately 3675';

Casing program: 9 5/8" at 255' - cemented to surface;  
7" at 3650' - cemented to 100' above top of salt.

Well to be drilled with rotary to a depth of 3660'; then drilled in with cable tools.

Drilling Contractor: Yuma Drilling Company, Amarillo, Texas.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company LEONARD OIL COMPANY

Address Box 703

Roswell, New Mexico

By Robert A. Leonard

Title President