



## NEW MEXICO OIL CONSERVATION COMMISSION THAT SANTE THE CO

Santa Fe, New Mexico

## **WELL RECORD**

Mail to Oil Conservation Commission, Santa Fe, New Mexico. or its proper agent not more than twenty days after completion of well. Follow instructions in the Rules and Regulations of the Commission. Indicate questionable data by following it with (?). SUBMIT IN TRIPLICATE.

		Compan	y or Ope	GAS CO				Lease	-	.*
				Vell No	1 in SV					
					riel					
					and 560 f					
					Assi				*	
					GINSBE					
					0,					
					19 <b>.43</b>					
_	-			44	Livermore					
	_				06feet		·		•	
					l until					<b>19</b>
				•	OIL SANDS OF	zoni	ES			
No. 1, f	rom		t	0	No	. 4, fro	<b>n</b> n		.te	
No. 2, f	rom		t	0	No	. 5, fro	<b>n</b> 1		.te	
No. 3, f	from		t	0	No	. 6, fro	m	·· <del>·····</del>	.to	·
				IMP	ORTANT WATI	ER SA	NDS			
					ition to which w					
-					)					
-					)					
•					)					
No. 4,	from			t			16	eet		
			<del></del>	1	CASING RE	CORD	<del></del>	<del></del>		<del></del>
SIZE	WEIGH PER FO	T THOU PI	HREADS ER INCH	MAKE A	MOUNT SHO	OF DE	CUT & FILLED FROM	PER FROM	FORATED TO	PURPOS
13"	40		8		280					
5/8"	36		8	1 2	2745 Hal	libu	rton			
				1	<u>i</u>				<u> </u>	1
				MUDDI	NG AND CEME	NTING	RECORD		<del> </del>	
SIZE O	OF SIZE OF CASING	WHER	E SET	NO. SACKS OF CEMENT	METHOD U	SED	MUD GRA	VITY	AMOUNT	OF MUD USEI
		·	j				!			
	73"	300	)	250	Hallibu	rton				
(	13" 9 5/8"	300 2760		250 750	Hallibu: Hallibu:					
(				750		rton				
Heavin	9 5/8#	2760	)	750 P	Hallibur	rton APTEI	RS	Depth S		
Heavin	9 5/8#	2760	)	750 P	Hallibur LUGS AND AD Length Size	APTEI	RS	Depth S		
Heavin	9 5/8#	2760	)	750 P	Hallibur	APTEI	RS	Depth S		
Heavin	9 5/8 m	2760	RE	750 P	Hallibur LUGS AND AD Length Size	APTE	CAL TREAT	Depth S	T	CLEANED OU
Heavin Adapte	9 5/8 m	2760	RE	750 PCORD OF S	Hallibur LUGS AND AD Length Size HOOTING OR	APTE	CAL TREAT	Depth S	T	
Heavin Adapte	9 5/8 m	2760	RE	750 PCORD OF S	Hallibur LUGS AND AD Length Size HOOTING OR	APTE	CAL TREAT	Depth S	T	
Heavin Adapte SIZ	9 5/8 m  ng plug—M  ers—Mater	2760	RE EXP CHE	750 PCORD OF S CLOSIVE OR MICAL USED	Hallibur LUGS AND AD Length Size HOOTING OR G	APTEI CHEMI	CAL TREAT	Depth S MENT PTH SHOT TREATED	DEPTH	
Heavin Adapte SIZ	9 5/8 m  ng plug—M  ers—Mater	2760	RE EXP CHE	750 PCORD OF S CLOSIVE OR MICAL USED	Hallibur LUGS AND AD Length Size HOOTING OR	APTEI CHEMI	CAL TREAT	Depth S MENT PTH SHOT TREATED	DEPTH	
Heavin Adapte SIZ	9 5/8 m  ng plug—M  ers—Mater	2760	RE EXP CHE	750 PCORD OF S CLOSIVE OR MICAL USED	Hallibur LUGS AND AD Length Size HOOTING OR G	APTEI CHEMI	CAL TREAT	Depth S MENT PTH SHOT TREATED	DEPTH	31 - 432
Heavin Adapte SIZ	9 5/8 m  ng plug—M  ers—Mater	2760	RE EXP CHE	PECORD OF S LOSIVE OR MICAL USED	Hallibur LUGS AND AD Length Size HOOTING OR G	APTEI DA	CAL TREAT	Depth S MENT PTH SHOT TREATED	DEPTH	31 - 432
Heavin Adapte SIZ Result	9 5/8#  ng plug—M  ers—Materi  ze shell  s of shootin	2760  [aterial al a	RE EXP CHE	PECORD OF S LOSIVE OR MICAL USED	Hallibur LUGS AND AD Length Size HOOTING OR O	APTEI CHEMI	CAL TREAT	Depth S MENT PTH SHOT TREATED	DEPTH	CLEANED OU
Heavin Adapte SIZ Result	9 5/8#  ng plug—M  ers—Materi  ze shell  s of shootin	2760  [aterial al a	RE EXP CHE	PECORD OF S LOSIVE OR MICAL USED	Hallibur LUGS AND AD Length Size HOOTING OR QUANTITY  DRILL-STEM	AND SI made, s	CAL TREAT	Depth S MENT PTH SHOT TREATED	DEPTH	CLEANED OU
Heavin Adapte SIZ Result:	ng plug—Mers—Materi	2760 Laterial LLUSED	RE EXP CHE	PECORD OF S PLOSIVE OR MICAL USED  RECORD OF or deviation	Hallibur  LUGS AND AD  Length Size  HOOTING OR O  QUANTITY  DRILL-STEM A surveys were 1	AND SI made, s	CAL TREAT	Depth S MENT PTH SHOT TREATED  TS on separate	DEPTH	CLEANED OU
Heavin Adapte SIZ Result:	ng plug—Mers—Materi	2760  Laterial  LLUSED  ag or ch  ther spec	RE EXP CHE	PECORD OF S PLOSIVE OR MICAL USED  RECORD OF S or deviation  O fee	Hallibur  LUGS AND AD  Length Size  HOOTING OR O  QUANTITY  DRILL-STEM Surveys were 1  TOOLS US	AND SI made, s	CAL TREATION OR	Depth S MENT PTH SHOT TREATED	DEPTH  e sheet and  feet to	CLEANED OU
Heavin Adapte SIZ Result:	ng plug—Mers—Materi	2760  Laterial  LLUSED  ag or ch  ther spec	RE EXP CHE	PECORD OF S PLOSIVE OR MICAL USED  RECORD OF S or deviation  O fee	Hallibur  LUGS AND AD  Length Size  HOOTING OR O  QUANTITY  DRILL-STEM A surveys were 1	AND SI made, s  SED  feet,	CAL TREATION OR	Depth S MENT PTH SHOT TREATED	DEPTH  e sheet and  feet to	CLEANED OU
Heavin Adapte SIZ Result: Result: Cable	ng plug—Mers—Materi	aterial al a	RE EXP CHE emical transition in the content of the	PECORD OF S LOSIVE OR MICAL USED  RECORD OF or deviation  Ofee	Hallibur  LUGS AND AD  Length Size  HOOTING OR G  QUANTITY  DRILL-STEM Surveys were resulted to 11,014 to 11,014	AND SI made, s  SED  feet,  feet,	CAL TREATION OR	Depth S MENT PTH SHOT TREATED	DEPTH  e sheet and  feet to	CLEANED OU
Heavin Adapte SIZ Result: Rotary Cable	ng plug—Mers—Materials of shooting l-stem or one tooks were producing.	aterial al a	RE EXP CHE emical transition to the content of the	PECORD OF S CLOSIVE OR MICAL USED  RECORD OF or deviation  Ofee	Hallibur Lugs AND AD Length Size HOOTING OR G QUANTITY  DRILL-STEM Surveys were resulted to 11,014 t to PRODUCT ,19	AND SI made, see feet, feet, lon	PECIAL TEST submit report and from and from	Depth S MENT PTH SHOT TREATED  TS on separate	e sheet and	cLEANED OU
Heavin Adapte  SIZ  Result:  Rotary Cable  Put to	ng plug—Mers—Materia s of shooting l-stem or of tools were toops were producing reduction of the stem of tools were toops were toops were toops were toops were took tools were took took took took took took took too	aterial al a	RE EXP CHE emical tr cial tests from DRY	PECORD OF S PLOSIVE OR MICAL USED  RECORD OF S or deviation  O fee fee	Hallibur LUGS AND AD Length Size HOOTING OR O QUANTITY  DRILL-STEM surveys were result to 11,014 t to PRODUCT 19 bar	AND SI made, s SEDfeet,feet,feet,	PECIAL TEST and from and from fluid of which	Depth S MENT PTH SHOT TREATED	bepth  sheet and  feet to  feet to  was oil	cLEANED OU
Heavin Adapte  SIZ  Result  Rotary Cable  Put to The premulsi	ng plug—Mers—Materials of shooting sof shooting lestern or of tools were toops were producing roduction on;	[aterial_sal	RE EXP CHE  emical tr  cial tests  rom  DRY est 24 ho water;	PECORD OF S LOSIVE OR MICAL USED  RECORD OF or deviation  O fee fee	Hallibur Lugs AND AD Length Size HOOTING OR G QUANTITY  DRILL-STEM Surveys were resulted to 11,014 t to PRODUCT ,19	AND SI made, s SEDfeet,feet. LION rels of . Grave	PECIAL TEST and from and from fluid of which wity, Be	Depth S MENT PTH SHOT TREATED	e sheet and feet to	ettach here
Heavin Adapte SIZ Result Result The premulsi If gas	ng plug—Mers—Materials of shooting sof shooting tools were producing roduction of the sof shooting tools were producing roduction of the sof shooting roduction roduct	aterial al LL USED ag or che used for the fire week.	RE EXP CHE  emical tr  cial tests  rom  DRY est 24 ho water; hours	PECORD OF S CLOSIVE OR MICAL USED  RECORD OF S or deviation  O fee fee	Hallibur LUGS AND AD Length Size HOOTING OR G QUANTITY  DRILL-STEM A SURVEYS WERE IN TOOLS US t to 11,014 t to	AND SI made, s SEDfeet,feet. LION rels of . Grave	PECIAL TEST and from and from fluid of which wity, Be	Depth S MENT PTH SHOT TREATED	e sheet and feet to	ettach here
Heavin Adapte  SIZ  Result:  Rotary Cable  Put to The premulsi- If gas	ng plug—Mers—Materials of shooting sof shooting tools were producing roduction of the sof shooting tools were producing roduction of the sof shooting roduction roduct	aterial al LL USED ag or che used for the fire week.	RE EXP CHE  emical tr  cial tests  rom  DRY est 24 ho water; hours	PECORD OF S CLOSIVE OR MICAL USED  RECORD OF S or deviation  O fee fee	Hallibur LUGS AND AD Length Size HOOTING OR G QUANTITY  DRILL-STEM A SURVEYS WERE IN TOOLS US t to 11,014 t to PRODUCT	AND SI made, see feet, feet, feet, Gravillons ga	PECIAL TEST and from and from fluid of which wity, Be	Depth S MENT PTH SHOT TREATED	e sheet and feet to	ettach here
Heavin Adapte  SIZ  Result:  Rotary Cable  Put to The premulsi- If gas Rock	g plug—Mers—Materials of shooting sof shooting tools were toops were producing roduction of the pressure, the pressure, the pressure, the pressure, the pressure of the pressu	aterial al a	RE EXP CHE  emical tr  cial tests  rom  DRY est 24 ho water; hours q. in	PECORD OF S CLOSIVE OR MICAL USED  RECORD OF S or deviation  O fee fee	Hallibur  LUGS AND AD  Length Size  HOOTING OR G  QUANTITY  DRILL-STEM  Surveys were re  TOOLS US  t to 11,014  t to  PRODUCT	AND SI made, see feet, feet, feet. Gravillons ga	PECIAL TEST and from and from fluid of which rity, Be asoline per 1,0	Depth S MENT  PTH SHOT TREATED  On separate	bepth sheet and feet to feet to was oil of gas	cleaned of
Heavin Adapte  SIZ  Result  Rotary Cable  Put to The premulsi If gas Rock	g plug—Mers—Materials of shooting sof shooting tools were toops were producing roduction of the pressure, like R. Wea	aterial al a	RE EXP CHE  emical tr  cial tests  from  DRY  st 24 ho water; hours  q. in	PECORD OF S CLOSIVE OR MICAL USED  RECORD OF S or deviation  O fee fee ours was and	Hallibur LUGS AND AD Length Size HOOTING OR G QUANTITY  DRILL-STEM A SURVEYS WERE IN TOOLS US t to 11,014 t to PRODUCT	AND SI made, see feet.  ION  rels of Gravillons gates	PECIAL TEST and from and from fluid of which wity, Be asoline per 1,0	Depth S MENT PTH SHOT TREATED  On separate	bepth sheet and leet to feet to % was oil	cleaned of
Heavin Adapte  SIZ  Result  Rotary Cable  Put to The premulsi If gas Rock	g plug—Mers—Materials of shooting sof shooting tools were toops were producing roduction of the pressure, like R. Wea	aterial al a	RE EXP CHE  emical tr  cial tests  from  DRY  st 24 ho water; hours  q. in	PECORD OF S CLOSIVE OR MICAL USED  RECORD OF S or deviation  Ofee fee ours was and	Hallibur  LUGS AND AD  Length Size  HOOTING OR	AND SI made, see the see that t	PECIAL TEST and from and from fluid of which wity, Be asoline per 1,0	Depth S MENT PTH SHOT TREATED  On separate	bepth sheet and leet to feet to % was oil	cLEANED OU
Result:  Result:  Rotary Cable  Put to The premulsi: If gas Rock  H.  Ray	g plug—Mers—Materials of shooting sof shooting tools were toops were producing roduction of the pressure, the R. Weary Moore	aterial al a	RE EXP CHE emical tr cial tests from DRY est 24 ho water; hours q. in	PECORD OF S CLOSIVE OR MICAL USED  RECORD OF or deviation  O fee fee  Ours was and formation	Hallibur  LUGS AND AD  Length Size  HOOTING OR G  QUANTITY  DRILL-STEM Surveys were resulted to 11,014 to 11,014 to 25 to 11,014 to 26 TOOLS US to 11,014 to 27 TOOLS US to 11,014 TOOLS US	AND SI made, see the see that t	PECIAL TEST submit report and from and from fluid of which rity, Be asoline per 1,0	Depth S MENT PTH SHOT TREATED  On separate	bepth  e sheet and  feet to  feet to  gray  was oil  of gas	CLEANED OU
Result:  Result:  Rotary Cable  Put to The premulsi: If gas Rock  H.  Ray	g plug—Mers—Materials of shooting sof shooting tools were toops were producing roduction of the pressure, the R. Weary Moore	aterial al a	RE EXP CHE emical tr cial tests from DRY est 24 ho water; hours q. in	PECORD OF S CLOSIVE OR MICAL USED  RECORD OF or deviation  O fee fee  Ours was and formation	Hallibur  LUGS AND AD  Length Size  HOOTING OR G  QUANTITY  DRILL-STEM  Surveys were resulted to 11,014  t to 11,014  t to 2,19  bar  "Sediment Gal  EMPLOY  Driller —  ON RECORD	AND SI made, s SED feet, feet, feet of the set of the s	PECIAL TEST submit report  and from and from and from try, Be asoline per 1,0 ete Sitte THER SIDE complete and	Depth S MENT PTH SHOT TREATED  On separate	bepth  e sheet and  feet to  feet to  gray  was oil  of gas	cleaned out
Heavin Adapted Siz	ng plug—Mers—Materials of shooting sof shooting tools were toops were producing roduction of the pressure, it is a well, cu. ft pressure, it is a well of the production of the pressure of th	aterial al a	RE EXP CHE  cial tests  rom  DRY  st 24 ho water; hours  q. in	PECORD OF S CLOSIVE OR MICAL USED  RECORD OF or deviation  Ofee fee  FORMATI e information etermined from	Hallibur  LUGS AND AD  Length Size  HOOTING OR G  QUANTITY  DRILL-STEM Surveys were re  TOOLS US  t to 11,014  t to  PRODUCT  ,19  bar  % sediment  Gal  EMPLOY  , Driller  GON RECORD  in given herewith m available rec	AND SI made, s SED feet, feet, feet of the set of the s	PECIAL TEST submit report and from and from fluid of which rity, Be asoline per 1,0	Depth S MENT PTH SHOT TREATED  On separate	bepth  e sheet and  feet to  feet to  gray  was oil  of gas	cleaned out
Heavin Adapted Size Subser	ag plug—Mers—Materials of shooting sof shooting roduction of the same of the s	aterial al a	RE EXP CHE  cial tests  rom  DRY  st 24 ho water; hours  q. in	PECORD OF S CLOSIVE OR MICAL USED  RECORD OF or deviation  O fee fee  FORMATI e information etermined from	Hallibur  LUGS AND AD  Length Size  HOOTING OR G  QUANTITY  DRILL-STEM Surveys were resulted to 11,014 to 11,014 to 12,014 to	AND SI made, s SED feet, feet, feet of the set of the s	PECIAL TEST submit report and from and from and from Ete Sitte THER SIDE complete and	Depth S MENT PTH SHOT TREATED  On separate	bepth  e sheet and  feet to  feet to  % was oil  of gas	cLEANED OU  attach heret  fe  fe  fe  prill  Drill
Heavin Adapted Siz Siz Results Rotary Cable Put to The premulsion of the Rock	ag plug—Mers—Materials of shooting sof shooting roduction of the same of the s	aterial al a	RE EXP CHE  cial tests  rom  DRY  st 24 ho water; hours  q. in	PECORD OF S CLOSIVE OR MICAL USED  RECORD OF or deviation  O fee fee  FORMATI e information etermined from	Hallibur  LUGS AND AD  Length Size  HOOTING OR G  QUANTITY  DRILL-STEM Surveys were re  TOOLS US t to 11,014 t to  PRODUCT  ,19  bar  % sediment  Gal  EMPLOY  , Driller  GON RECORD  In given herewith m available rec	AND SI made, see the see that t	PECIAL TEST submit report and from and from and from Ete Sitte THER SIDE complete and	Depth S MENT  PTH SHOT TREATED  On separate	bepth  sheet and  feet to  feet to  gray  cord of the  Do	cLEANED OU  attach here  fe  fe  fe  vell and  te

Address Bennett, New Mexico

## FORMATION RECORD

		F(	ORMATION RECORD
FROM	TO	THICKNESS IN FEET	FORMATION
0 50 980 1150 2640 2750 2890 3540 5410 5410 5410 5800 6600 7950 8140 8140 9420 90,150 10,420 10,680 10,680 10,710	50 980 1150 2640 2750 2890 3540 3900 4180 5410 5800 6450 6600 7950 8180 8440 9420 9600 10,380 10,420 10,680 10,680 10,710 11,014	50 940 170 1490 110 140 650 360 1230 390 650 150 1350 220 440 580 180 550 230 40 120 140 304	Caliche Red rock Anhydrite and shale Salt and anhydrite Anhydrite and shale Lime, sand and shale Lime, anhydrite and shale Lime and sand Lime and shale Lime with streaks chert Lime and shale Lime Lime and shale Lime Lime and shale Lime Lime and chert Black and brown shale Lime and chert Brown Lime Lime and chert Lime and chert Lime and chert Lime and chert Lime Lime and chert Lime Lime and chert Lime Lime and chert
		- 4 - 4 - 4	
,	• <b>•</b> •		
	••		
: : :	James Aller Section		
: :			
1,414	7 18-1- 20 t	•	
	:		
e e e e e e e e e e e e e e e e e e e	trings (	en geringen in der eine gestellte der eine gestellt	
<b>,</b> 114	i #karon i i mari ka a ka k	w. e	Problem 1. The description of the second
	*2.50		en de la companya de La companya de la companya del companya de la companya del companya de la c
	‡೧ ೯೯೫		
	, see to the		
	ila se como es		
	1 · · · · · · · · · · · · · · · · · · ·		