| (F | eb. 19 | 61) 61) | |
|----|--------|------------|------|
| | | | |
| | | | |
| | | | |
| ١ | | | |

(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

| | Approval expires 12-31-55. |
|----|----------------------------|
| | New Mexico |
| | 0569 |
| Un | |
| Ų. | RECE |
| * | JUL 1 4 1954 |

U. S. GEOLOGIC. SUNDRY NOTICES AND REPORTS ON WELLS NEW MEXICO

| NOTICE OF INTENTION TO DRILL | | SUBSEQUENT REPORT OF WATER SHUT-OFF | |
|--|--|---|-------------------------|
| NOTICE OF INTENTION TO CHANGE PLANS. | | SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING. | |
| NOTICE OF INTENTION TO TEST WATER SHUT-OFF | | SUBSEQUENT REPORT OF ALTERING CASING | |
| NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL | | SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR | $\overline{\mathbf{v}}$ |
| NOTICE OF INTENTION TO SHOOT OR ACIDIZE | | SUBSEQUENT REPORT OF ABANDONMENT | |
| NOTICE OF INTENTION TO PULL OR ALTER CASING | | SUPPLEMENTARY WELL HISTORY | |
| NOTICE OF INTENTION TO ABANDON WELL. | | | |
| | | | |

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

| | | July 1 | .3, | | , 19 <u>. 54</u> |
|----------------------------------|--------------------|--------------------------|---------------|--|------------------|
| Ginsberg #4 Well No./ is loca | ted <u>660</u> ft. | from ${N \brace S}$ line | and 660 ft. f | $\operatorname{rom}\left\{egin{array}{c} \mathbf{E} \ \mathbf{W} \end{array} ight\}$ line of | sec. 21 |
| ासकार्य 21 | 25S | 38E | N.M.P.M. | | |
| (1/2 Sec. and Sec. No.) | (Twp.) | (Range) | (Meridian) | • | |
| ./ildcat | | Lea | | New Mexico | |
| (Field) | (Oc | ounty or Bubdivision) | , | (State or Territory) | |

The elevation of the derrick floor above sea level is 3119 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jebs, comenting points, and all other important proposed work)

(Approval for following work obtained 6-24-54 - Telephone Conversation between H. A. Dupont--R. J. Leonard)

Recovered 985' of 8-5/8" Casing; used 15 sx cement at 1200' in 8-5/8" left in hole. Used 5 sx in 12-1/2" surface pipe. Set 4" Marker extending 4' above surface.

Work done by Hobbs Pipe & Supply Company, Hobbs, New Mexico.

| I underste | and that this plan of work must receive approval in writing by the | Geological | Survey before operati | ions may be commenced. |
|------------|--|-------------|-----------------------|------------------------|
| Company | LEONARD OIL COMPANY | | | |
| Address _ | Box 708 | | 7 | |
| | Roswell, New Mexico | Ву | Kehul | Donard) |
| | | Title | Robert | echard, President |
| 01, 4, 128 | B. S. COVERNMENT PRINTING OFFICE | 15 8427-1 | | |