

UNITED STATES DEPARTMENT OF THE INTERIOR

GEOLOGICAL SURVEY

P. O. Box 1138) 14 N 2 59 Hobbs, New Mexico

December 11, 1956

Ralph Lowe Box 332 Midland, Texas

Re: Lease New Mexico 7889

Gentlemen:

Receipt is acknowledged of "Notice of Intention to Drill" dated December 6, 1956, covering your well No. 4 Self on the subject leasehold in the SWNWA sec. 6, T. 26 S., R. 33 E., N.M.P.M., Isnelie-Mattix Pool, Lea County, New Mexico.

Four proposed work is approved subject to compliance with the provisions of the "Oil and Gas Operating Regulations" revised May 25, 1942, copy of which will be furnished you on request, and subject to the following conditions:


- 1. Orilling operations so authorized are subject to the attached sheet (revised February 1955) for general conditions of approval.
- 2. Notify this office in sufficient time for us to arrange for a representative to witness the cementing of the 5 casing.

Very truly yours.

He A. DuPont District Engineer



UNITY DISTATES DEPARTMENT OF THE INTERIOR SECLOGICAL SURVEY



(SUBMIT IN TRIPLICATE)

UNITED STATES L DEPARTMENT OF THE INTERIOR **GEOLOGICAL SURVEY**

Land Office
Lease No. 184-6089
Jnit

NOTICE OF INTENTION TO DRILL		SUBSEQUENT REPORT OF WATER SHUT-OFF			
NOTICE OF INTENTION TO CHANGE PLANS.					
NOTICE OF INTENTION TO TEST WATER SH	UT-OFF	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING			
NOTICE OF INTENTION TO RE-DRILL OR RI		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.			
NOTICE OF INTENTION TO SHOOT OR ACID		SUBSEQUENT REPORT OF ABANDONMENT.			
NOTICE OF INTENTION TO PULL OR ALTER		SUPPLEMENTARY WELL HISTORY			
NOTICE OF INTENTION TO ABANDON WELL.					
(INDICATE ABO	OVE BY CHECK MARK NA	TURE OF REPORT, NOTICE, OR OTHER DATA)			
ell No. 4-4-16 is located	162.58 ft. from	${f N \brace {f W}}$ line and ${f ft.}$ from ${f W \cr {f W}}$ line of sec			
(% Sec. and Sec. No.)	(Twp.) (R	nge) (Meridian)			
implie Martin	(**P) (Na	(Meridian)			
(Field)	(County or Su	abdivision) (State or Territory)			
1 (1		•			
e elevation of the derrick floor	above sea level	is 3530 ft.			
	DETAILS	OF WORK			
te names of and assessed doubles as the					
to marries of and expected deptus to object	ive sands; show sizes, w	reights and lengths of property and the state of the stat			
i	ng points, and all other	reights, and lengths of proposed casings; indicate mudding jobs, important proposed work)			
i.	ng points, and all other	reights, and lengths or proposed casings; indicate mudding jobs, important proposed work)			
will drill with cable to	ng points, and all other	important proposed work)			
Will drill with cable to of 10 3/4" coming will	or points, and all other	important proposed work)			
Will drill with cable to of 10 3/4" enting will coming will be som and	ng points, and all other	important proposed work) Minutely 3455 foot. Approximately 3455 foot.			
Will drill with cable as of 10 3/4" casing will be run and of 5 1/2" casing will be	ng points, and all other The Run and an The Run and an	important proposed work) minutely 3400 feet. Approximately 100 feet.			
Will drill with cable to at 10 3/4" enting will be sun and of 5 1/3" enting will be will be public. Buffig	ng points, and all other	important proposed work) Risestely 3400 feet. Approximately 3 montal to cordene. Approximately 30 montal at the of pay and 3/2" costs (13 to used to proposed approximately 300 costs of the costs.			
Will drill with cable to of 16 3/4" enting will coming will be sen and of 5 1/2" casing will be will be publish. Suffic Temperature survey will less and coming will be sent a	ng points, and all other	important proposed work) stitutedly 3400 foot, Approximately 5 mental to surface, Approximately 5 of is successful approximately 10 to it to of pay and 1 for each (1) be used to protect suit section, to such that fact. Copy of all size			
Will drill with cable to of 10 3/4" casing will be sun and of 5 1/2" casing will be will be pulled, builts Yespensture survey will lags and complete sample	ng points, and all other	important proposed work) minutely \$400 feet. Approximately is marked to marked. Approximately 10 months to marked approximately 10 months of the marked at the of pay and 15/5° casts that the marked to provide all sections. Installed this feet. Copy of all sice formulated.			
Will drill with cable to af 10 3/4" enting will coming will be rom and of 5 1/2" enting will be will be pulled. Outlied Temperature survey will lage and complete sample (Control Survey and I	and points, and all other states of the same states	important proposed work) minutely \$400 feet. Approximately is montal to confirm. Approximately 10 montal to confirm. Approximately 10 montal at top of pay and 1 \$500 confirmately 10 montal at top of pay and 1 \$500 confirmately 10 montal at top of pay and 1 \$500 confirmately 10 montal at top of pay and 1 \$500 confirmately 10 montal at top of pay and 1 \$500 confirmately 10 montal at 10 montal			
Will drill with cable to af 16 3/4" enting will coming will be sen and of 5 1/2" casing will be will be publish. Suffic Yespossiums across will lags and complete ampli	ng points, and all other to grant and an to grant and t	important proposed work) minutely 3400 foot, Approximately 5 mental to curface, Approximately 5 of is consented approximately 3400 cutod at top of pay and 5 5/5" custo fill be used to protect sult section, terraine this fact. Copy of all elec- forminated. Soud / 186303)			
Will drill with cable to af 10 3/4" making will coming will be sun and of 5 1/2" casing will be will be pulled, duffin long-contacts acceptate angle (Control Surety and I	ng points, and all other The Pure and an The Pure and a	important proposed work) minutely 3400 foot. Approximately is mental to markets. Approximately is mental to markets. Approximately is mental at top of pay and is for casts (ill to used to protect suit southers, tennine this fact. Copy of all elec- francisco. Denil / 186302)			
Will drill with cable as of 10 3/4" casting will be run and coring will be run and in 5 1/2" casting will be will be publish, buttle Yespensture survey will lage and complete sample (Control Surety and I	and points, and all other states to appear the first conditions, it's provided to the first conditions to do the first conditions to do the first conditions to do the first conditions.	important proposed work) minutely \$400 feet. Approximately in mental to markets. Approximately in mental to markets. Approximately 10 mental at top of pay and 1 \$750 casts (12 to wood to protect salt section. teamine this feet. Copy of all close foundables. Sund / 188303)			
Will drill with cable to at 10 3/4" caning will be sum and a 5 1/2" caning will be sum and a 5 1/2" caning will be will be publish. Suffice Temperature survey will lage and complete sample (Control Survey and I	estic to appro- to Jun and co- motion, If p to Jun and com tout comment o to Jun to do to Jun will be more will be	minutely 3400 feet. Approximately 3 mented to marriage. Approximately 3400 of is emperated approximately 3400 outsi at top of pay and 5 \$/9" casing 121 be used to protect milt section. termine this fact. Copy of all electronistics. Semi / 385302)			
will drill with calle to af 16 3/4" caning will be sum and of 5 1/2" caning will be will be publish. Suffic Temperature survey will lage and complete sample (Control Survey and I	the to approve the first control of the first contr	minutely 3600 feet, iggranizately incomed to confidence, iggranizately 100 granizately 100 gra			
will drill with calle to af 16 3/4" caning will be sum and of 5 1/2" caning will be sum and af 5 1/2" caning will be will be publish. Suffice Temperature survey will lage and complete sample (Control Survey and I	the to approve the first control of the first contr	minutely 3600 feet, iggranizately incomed to confidence, iggranizately 100 granizately 100 gra			
will drill with calle to af 16 3/4 caning will be sum and of 5 1/2 caning will be sum and af 5 1/2 caning will be will be publish. Suffice Temperature survey will lags and complete sample (Control Survey and I	onite to approve the first control of the first con	minutely 3400 feet. Approximately 3 mented to marriage. Approximately 3400 of is emperated approximately 3400 outsi at top of pay and 5 \$/9" casing 121 be used to protect milt section. termine this fact. Copy of all electronistics. Semi / 385302)			

NEW MEXICO OIL CONSERVATION COMMISS...N

Form C-128

Well Location and for Gas Provation Plat Date December 7.										
Operator	Ralpi	Long		and Property	Lease	Ma Da 8	·	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
Operator_					TO At	M. D. 8 7 33	STREED 14 P	M 3 1 0 0		
Well No	4	Section	6	Town	ship	26-5	Range 38E	NMPM		
Located	1651,	Feet F	rom No	rth	Line,_	130	Feet From_	Westing Line,		
	1	ios	Count	v, New N	Mexico.	G. L.	Elevation_	136		
							(Dev.)	A = = = = = = = = = = = = = = = = = = =		
Name of I	Produci	ng Formation	Queen	26110	_{Loo1} -	MOTER OF	Dedicated	Acreage		
	(Note: All di	stances n	nust be fr	om out	er bounda	aries of Section	.)		
			i]				
			1							
		` x	1							
		96:139	1							
		89/	Ì							
			- + -					1		
		330' 64								
							1			
			i				 			
	•							4		
					İ					
			 				 			
NOTE							1			
This sectio Form is to			İ							
used for ga			<u> </u>		_		 	1		
wells only.	•						1			
			1				1			
			i							
\mathbf{V}							1			
· · · · · · · · · · · · · · · · · · ·		SCALE: 1"=1000'						→		
1. Is thi	s Well a	a Dual Comp.	? Yes	_No			ertify that the a	_		
2. If the answer to Question 1 is yes, are there						prepared from field notes of actual surveys made by me or under my supervision and				
any other dually completed wells within the					i	that the same are true and correct to the				
dedica	ted acr	eage? Yes	No	•	bei	st of my	knowledge and l	beliet.		
Name					Da	te Survey	red July 28.	1956		
Position.						2.7. Jahren				
	ting							Engineer and/or		
Address	_				l La	nd Surve	yor			