

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

N.M. CONS. COM.
P.O. Box 1980
TOMBES, NEW MEXICO 88240

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well

☐ Oil Well ☒ Gas Well ☐ Other

PLUG AND ABANDON

2. Name of Operator

YATES PETROLEUM CORPORATION

(505) 748-1471

3. Address and Telephone No.

105 South 4th St., Artesia, NM 88210

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

1980' FSL & 660' FEL (Unit I), Section 7-T26S-R38E

5. Lease Designation and Serial No.

NM 2593

6. If Indian, Allottee or Tribe Name

7. If Unit or CA, Agreement Designation

NMNM91012

8. Well Name and No.

ED POWELL IG FED. COM #3

9. API Well No.

30-025-12453

10. Field and Pool, or Exploratory Area

Wildcat Strawn

11. County or Parish, State

Lea County, NM

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

- ☒ Notice of Intent
☐ Subsequent Report
☐ Final Abandonment Notice

TYPE OF ACTION

- ☒ Abandonment
☐ Recompletion
☐ Plugging Back
☐ Casing Repair
☐ Altering Casing
☐ Other

- ☐ Change of Plans
☐ New Construction
☐ Non-Routine Fracturing
☐ Water Shut-Off
☐ Conversion to Injection
☐ Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

Procedure:

1. MIRU WSU. NU BOP. Unseat RBP at 8082' and TOOH with tubing.
2. RU lubricator and set CIBP + 35' cement at 8700' to cover Strawn and at 8100' to cover Permo-Penn perfs.
3. RIH open ended to 8000' and fill casing with approx. 185 bbls. of 9 ppg salt gel mud (25 ppg saltgel).
4. Pull up to 6700' and spot 25 sx. Class "C" from 6700' to 6447'. TOOH with tubing.
5. RU perforations and shoot 4 squeeze holes at 90 deg. phasing at the following depths: 4050', 500'.
6. RIH with retainer, set at 3900', establish injection rate into perfs at 4050' and pump 60 sx. Class "C" neat cement with 5-1/2" x 9-5/8" annulus open at surface for circulation.
★ Displace cement to retainer, string out, reverse circulate cement out of tubing and TOOH.
7. Tie onto 5-1/2" casing and pump approx. 125 sx. Class "C" neat cement down 5-1/2" and up 5-1/2" x 9-5/8" annulus until cement circulates to surface (want 5-1/2" and annulus full of cement from 500' to surface).
8. Cut off wellhead and casing 3' below ground level. Weld a steel plate with a ball valve onto the casing. Install dryhole marker with name and location of well. Clean up the location and haul equipment to the yard.

CONTINUED

14. I hereby certify that the foregoing is true and correct

Signed Pamela L. Evans

Title Production Clerk

Date 3-22-95

(This space for Federal or State office use)

Approved by Signed by Shannon J. Shaw
Conditions of approval, if any:

Title

PETROLEUM ENGINEER

Date

4/3/95

* cap retainer w/ 35' of cmt.

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well

☐ Oil Well ☒ Gas Well ☐ Other

PLUG AND ABANDON

2. Name of Operator

YATES PETROLEUM CORPORATION

(505) 748-1471

3. Address and Telephone No.

105 South 4th St., Artesia, NM 88210

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

1980' FSL & 660' FEL (Unit I), Section 7-T26S-R38E

5. Lease Designation and Serial No.

NM 2593

6. If Indian, Allottee or Tribe Name

7. If Unit or CA, Agreement Designation

NMNM91012

8. Well Name and No.

ED POWELL IG FED. COM #3

9. API Well No.

30-025-12453

10. Field and Pool, or Exploratory Area

Wildcat Strawn

11. County or Parish, State

Lea County, NM

12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

☒ Notice of Intent

☐ Subsequent Report

☐ Final Abandonment Notice

TYPE OF ACTION

☒ Abandonment

☐ Recompletion

☐ Plugging Back

☐ Casing Repair

☐ Altering Casing

☐ Other

☐ Change of Plans

☐ New Construction

☐ Non-Routine Fracturing

☐ Water Shut-Off

☐ Conversion to Injection

☐ Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

CONTINUED:

Cement Properties: Class "C" 14.8 ppg, 6.3 gwps, 1.32 cfps

GENERAL: Procedure discussed with Mr. Shannon Shaw, BLM Carlsbad, on March 22, 1995. Give BLM 24hrs. advance notice of plugging (887-6544).

14. I hereby certify that the foregoing is true and correct

Signed Amela S. Evans

Title Production Clerk

Date 3-22-95

(This space for Federal or State office use)

Approved by

Title

Date

Conditions of approval, if any:

RECEIVED

1966

U.S. DEPT. OF JUSTICE
OFFICE