

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

N.M. Oil Cons. Division
1625 N. French Dr.
Hobbs, NM 88240

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

Lease Designation and Serial No.
LC030168B

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT-" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well

☒ Oil Well ☐ Gas Well ☐ Other Injection

2. Name of Operator

SOUTHWEST ROYALTIES, INC.

3. Address and Telephone No.

PO BOX 11390; MIDLAND, TX 79702

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

Sec. 30 T 26S, R37E, 660 FSL & 330 FEL, UNIT P

6. If Indian, Allottee or Tribe Name

7. If Unit or CA, Agreement Designation

8. Well Name and No.

EAVES B #8

9. API Well No.

30-025-20001

10. Field and Pool, or Exploratory Area

Scarborough Yates 7Rvrs

11. County or Parish, State

LEA CO., NM

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

- ☒ Notice of Intent
☐ Subsequent Report
☐ Final Abandonment Notice

TYPE OF ACTION

- ☒ Abandonment
☐ Recompletion
☐ Plugging Back
☐ Casing Repair
☐ Altering Casing
☐ Other _____
☐ Change of Plans
☐ New Construction
☐ Non-Routine Fracturing
☐ Water Shut-Off
☐ Conversion to Injection
☐ Dispose Water


(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

RU PLUGGING COMPANY & ABANDON WELL AS FOLLOWS:

- 1) SET CIBP @ 2920' (CIBP SET 3/16/01) CAP W/ 35 SX CMT.
- 2) LOAD CSG W/ 9.5 ppg OR GREATER MUD. (NOTE TOP OF SALT @ 1300')
- 3) PERF CSG @ 1200' & SQZ W/ 65 SX CMT LEAVING 25 SX INSIDE CSG.
- 4) PERFORATE 7" CSG @ 410' PMP 65 SX CMT LEAVING 25 SX INSIDE CSG.
- 5) SPOT 25 SX PLUG FROM 3' - 103'.
- 6) CUT OFF CSG 3' BELOW GROUND. WELD ON PLATE.
- 7) INSTALL P&A MARKER. CLOSE CELLAR. RESTORE LOCATION

**SEE ATTACHED FOR
CONDITIONS OF APPROVAL**



14. I hereby certify that the foregoing is true and correct

Signed Richard L. Headley

Title AGENT

Date 11/12/01

(This space for Federal or State office use)

Approved by _____
Conditions of approval, if any:

Title _____

Date _____

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

GWW

*See Instruction on Reverse Side

RECEIVED

2021 NOV 19 AM 9:11

RECEIVED

SOUTHWEST ROYALTIES

PROJECT

EAVES B # 8

PAGE

1

OF

1

BY CMB

DATE 1/29/01


SPUR: 6/63

6/15/63

GR 2936'
RB 10'

640' FSL & 330' FEL
UT P SEC 30, T 26S, R 37E
Lea Co, NM

3-103' API No -



350'-450'

9 5/8" @ 410' w/ 350x Circ
36# H-40

Perf
± 410

Perf @
± 1200

1200-1300'

2 7/8" @ 3083' (6' 3/4" sub to top)
w/ 8200-6000 SUB PUMP @ 2159'

TOC @ 2400' by TS
2885'-2920'

CMBP @ 2920' (3/14/01) AW/ 2350' gals
lower only

YATES
2800'

SEVEN RIVERS
3042'

CIRP'S (RA 8/92)
3240'
3256' (6/00)

2932-2984' (5/87)

3051-55' (9/93)
3051-3147' (10/86)
3105-07' (11/93)

3157-3228' (6/70)

3249-93' (7/63)

7" @ 3306' w/ 150X
20# J-55

CMT PLUG 3300-3400'

JSB

5/22/97

CMT PLUG 3470-3570

