

(SUBMIT IN TRIPLICATE)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEYLand Office Las Cruces  
Lease No. 030139 b  
Unit D

|   |  |  |  |
|---|--|--|--|
| 2 |  |  |  |
|   |  |  |  |
|   |  |  |  |
|   |  |  |  |

## SUNDRY NOTICES AND REPORTS ON WELLS

|  |                                     |  |  |
|--|-------------------------------------|--|--|
| NOTICE OF INTENTION TO DRILL                   | <input checked="" type="checkbox"/> | SUBSEQUENT REPORT OF WATER SHUT-OFF        |  |
| NOTICE OF INTENTION TO CHANGE PLANS            |                                     | SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING |  |
| NOTICE OF INTENTION TO TEST WATER SHUT-OFF     |                                     | SUBSEQUENT REPORT OF ALTERING CASING       |  |
| NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL |                                     | SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR |  |
| NOTICE OF INTENTION TO SHOOT OR ACIDIZE        |                                     | SUBSEQUENT REPORT OF ABANDONMENT           |  |
| NOTICE OF INTENTION TO PULL OR ALTER CASING    |                                     | SUPPLEMENTARY WELL HISTORY                 |  |
| NOTICE OF INTENTION TO ABANDON WELL            |                                     |  |  |

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Lynn #26

May 27, 1963

Well No. 6 is located 660 ft. from N line and 660 ft. from W line of sec. 26NE/4 NE/4 Sec. 26  
(1/4 Sec. and Sec. No.)23-3  
(Twp.)36-2  
(Range)T10N  
(Meridian)RGFU  
(Field)La  
(County or Subdivision)New Mexico  
(State or Territory)The elevation of the derrick floor above sea level is 3364 ft.

## DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

It is intended to drill a well with rotary tools at the above location to an approximate total depth of 3700' in the queen formation. Casing will be set in accordance with local regulations and other special requirements will be complied with.

The following casing pattern is planned: 7-5/8" 20 lb 40 casing set at 300' with 150 sacks cement. Cement to circulate; 4-1/2" 9.5 lb 55 casing set at 3700' with 250 sacks cement; cement to return to 300'.

Permission to produce this well upon completion is also requested.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Continental Oil CompanyAddress Box 68Las Cruces, New MexicoBy [Signature]Title District Superintendent

AS-1 w/5 plate; 4400-2 w/2 plate;  
AS-1 File 100-100-1 All-100-2  
Calif-Hous, Mid - 1 each