

COUNTY	LEA	FIELD Undesignated	STATE NM
OPR	SMITH, ROY H. DRLG. CO.		MAP
2-21 Federal			
Sec. 21, T-24-S, R-36-E		CO-ORD	
660' fr N & E Lines of Sec.			
Spud 10-28-64		CLASS	EL 3362' 2
Comp 1-1-65		FORMATION	DATUM
CSG & SX - TUBING		LOG:	
	8 5/8" 285' 50	Yates 3440	
	4 1/2" 3757' 100	7-R 3656	
LOGS	EL GR RA IND HC A		
		TD 3765', PBD 3717'	

IP Seven Rivers 3688-3700' Pmpd 22 BOPD + 160 BW. Pot. Based on 24 hr test.

Distribution limited and publication prohibited by subscribers' agreement.
Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT. Co. Tools	PROP DEPTH 3900'	TYPE
DATE		

F.R. 10-15-64; Oper's Elev. 3362' Df
PD 3900' - Seven Rivers
Contractor - Co. Tools

11-9-64 Drlg. 3350'.
11-16-64 TD 3765', WOC.
Cored 3610-61', rec 51' dolo. & sd., w/scatt shows.
Cored 3661-3704', rec 43' dolo. & sd., w/scatt shows.
Cored 3704-55', rec 51' dolo. & sd., w/scatt shows.
Cored 3755-65', rec 10' dolo. & sd., w/scatt shows.

11-23-64 TD 3765', PBD 3717', tstg.
Perf 3688-93', 3698-3700' W/2 SPF
Ac. 750 gals. (MA)
Flwd 15 BO + 150 BW/15 hrs thru 40/64" chk.,
CP 375#, TP 100#.

11-30-64 TD 3765', PBD 3717', tstg.
Flwd 15 BO + 300 BW/24 hrs thru 16/64" chk.,
TP 60#.

12-7-64 TD 3765', PBD 3717', prep to test on pump.
Flwd 5 BO + 210 BW/24 hrs thru 17/64" chk.

12-14-64 TD 3765', PBD 3717', tstg on pump.
Pmpd 6 BO + 135 BW/24 hrs.

12-21-64 TD 3765', PBD 3717', tstg on pump.
Pmpd 8 BO + 105 BW/24 hrs.

1-4-65 TD 3765', PBD 3717', prep to potential.
Pmpd 22 BO + 160 BW/24 hrs.

1-11-65 TD 3765', PBD 3717', COMPLETED.

OWWO

COUNTY LEA FIELD Jalmat STATE NM MN 20859

OPR WALLACE, ROBERT R. MAP

2 Federal "2-21" CO-ORD

Sec 21, T-24-S, R-36-E

660' FNL, 660' FEL of Sec.

	CLASS		EL	
	FORMATION	DATUM	FORMATION	DATUM
Re-Cmp 4-5-69				
CSG & SX - TUBING 8 5/8" at 285' w/50 sx 4 1/2" at 3757' w/100 sx				
LOGS EL GR RA IND HC A	TD 3765'; PBD 3520'			

(Yates) Perfs 3435-41' NO NEW POTENTIAL

Distribution limited and publication prohibited by subscribers' agreement.
Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT.
DATE

PROP DEPTH 3441' TYPE WO

6-2-69 F.R.C. 6-5-69; Opr's Elev. 3362' DF
PD 3441' WO (Yates)
(Orig. Roy H. Smith Drlg. Co. #2-21 Federal,
comp 1-1-65 thru Perfs 3688-3700', OTD 3765',
OPB 3717')
TD 3765'; PBD 3520'; COMPLETE
BP @ 3520'
Perf 3435-41' w/1 SPF
Acid (3435-41') 500 gals
Frac (3425-41') 10,000 gals wtr + 10,000# sd
Ppd 18 BO + 50 BW in 24 hrs (3435-41')
6-5-69 COMPLETION REPORTED