

COUNTY	LEA	FIELD	Langlie-Mattix	STATE	NM
OPR	GACKLE, ALBERT				
	2 Cowden				
	Sec. 30, T-23-S, R-37-E				
	1980' FSL, 660' FEL of Sec.				
	Spd 12-10-64				
	Cmp 3-18-66				
	CLASS				
	FORMATION	DATUM	FORMATION	E	
CSG & SX - TUBING					
8 5/8" 270' 250					
4 1/2" 3800' 300					
LOGS EL GR RA IND HC A					
	TD 3800'				

TEMPORARILY ABANDONED

Distribution limited and publication prohibited by subscribers' agreement.
Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT.	Company Tools	PROP DEPTH	3800'	TYPE
DATE				

F.R. 12-10-64
PD 2700' - Queen
Contractor - Co. Tools
12-15-64 Drlg. 2820'.
12-22-64 TD 3706', prep to core.
Cored 3400-70', rec 68' anhydritic dolo.,
w/1 1/2' scatt show.
Cored 3470-3547', rec 76' anhydritic dolo.,
w/scatt show in bottom 6'.
Cored 3547-3623', rec 69' anhydritic dolo.,
w/very scatt shows.
Cored 3623-31', rec 7' anhydritic dolo.
Cored 3631-3706', rec 75' dolo & sd.,
w/show in sand.

1-4-65 TD 3800', PBD 3782', recovering load.
Cored 3706-80', rec 44' dolo & sd., w/
scatt snow.
Cored 3750-89', rec 39' dolo & sd. w/
scatt snows.
Cored 3789-3800', rec 11' dolo., wel.
Perf @ 3631', 3640', 3645', 3647',
3649', 3651', 3655', 3659', 3666',
3669' W/1 SPI
Frac (3631-69') 15,000 gals oil +
15,000# sd.
1-11-65 TD 3800', PBD 3782', pmpg load.
1-18-65 TD 3800', PBD 3782', pmpg load.
Impd 5-10 BLO in 24 hrs.
1-25-65 TD 3800', PBD 3782', pmpg load.

2-1-65 TD 3800', PBD 3782', pmpg load.
Pmpd 2 BLO + unestimated amount of
wtr in 24 hrs (3631-69')
2-9-65 TD 3800', PBD 3782', pmpg load.
2-16-65 TD 3800', PBD 3782', pmpg load.
2-22-65 TD 3800', PBD 3782', pmpg load.
3-1-65 TD 3800', PBD 3615', pmpg load.
Did not rec load from perfs 3631-69'.
Set BP @ 3615'
Perf @ 3456', 3518', 3523', 3540', 3551',
3571', 3581', 3588', 3593', 3598' W/1 SPI
Ac (3456-3598') 650 gals.
Frac (3456-3598') 15,000 gals oil +
15,000# sd.
Pmpd 10 BLO + unestimated amount of wtr
in 24 hrs.

3-8-65 TD 3800', P&D 3615', pumpg load.
 3-15-65 TD 3800', P&D 3615', pumpg load.
 Pumpd 10 B.O. - a determined amount of
 wtr in 24 hrs.
 3-22-65 TD 3800', P&D 3615', pumpg load.
 3-29-65 TD 3800', P&D 3615', pumpg load.
 4-6-65 TD 3800', P&D 3615', pumpg load.
 4-12-65 TD 3800', P&D 3615', pumpg load.
 4-19-65 TD 3800', P&D 3615', pumpg load.
 4-26-65 TD 3800', P&D 3615', pumpg load.
 5-3-65 TD 3800', P&D 3615', pumpg load.
 5-10-65 TD 3800', P&D 3615', prep to do
 additional work.
 5-17-65 TD 3800', P&D 3615', pumpg load.
 Did not rec. from parts 3-56-1995'

PS to 3495'

Perf 3586-96' w/1 SP

As (3586-96') 1000'als

Frac (3586-96') 1000'als + 1000'
 sd.

5-25-65 TD 3800', P&D 3615', pumpg load.
 Pumpd 2 B.O. in 24 hrs (3586-3596')
 6-1-65 TD 3800', P&D 3615', pumpg load.
 6-7-65 TD 3800', P&D 3615', pumpg load.
 6-14-65 TD 3800', P&D 3615', pumpg load.
 6-21-65 TD 3800', P&D 3615', pumpg load.
 6-28-65 TD 3800', P&D 3615', pumpg load.
 7-6-65 TD 3800', P&D 3615', pumpg load.

LEA Langlie-Mattix
GACKLE, ALBERT #10 on

NM

Sec. 30-23S-37E

Page #4

7-12-65 TD 3800', PBD 3597', pmpg load.
7-19-65 TD 3800', PBD 3597', pmpg load.
Pmpd $\frac{1}{2}$ -1 BLC in 24 hrs (3456-3596')
7-26-65 TD 3800', PBD 3597', pmpg load.
8-2-65 TD 3800', PBD 3597', pmpg load.
8-9-65 TD 3800', PBD 3597', pmpg load.
8-17-65 TD 3800', PBD 3597', pmpg load.
8-23-65 TD 3800', PBD 3597', pmpg load.
8-30-65 TD 3800', PBD 3597', pmpg load.
(Final posting until status changes)
3-7-66 TD 3800', PBD 3597', SI.
Did not rec load from perfs 3456-3596'
3-14-66 TD 3800', PBD 3597', SI.
3-21-66 TD 3800', PBD 3597', TEMPORARILY ABANDONED.
LOG TOPS: Yates 258', Seven Rivers 3124',
Queen 3517', Penrose 3639'.