

U. S. LAND OFFICE Santa Fe
SERIAL NUMBER NM 0359249-44
LEASE OR PERMIT TO PROSPECT -----

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

LOG OF OIL OR GAS WELL

LOCATE WELL CORRECTLY

Company Robert L. Wood, et al Address Box 953, Midland, Texas
Lessor or Tract Richardson Federal Field Wildcat State New Mexico
Well No. 1 Sec. 1 T. 26S R. 32E Meridian NMPM County Lea
Location 660 ft. [N.] of S. Line and 660 ft. [E.] of W Line of Sec. 1 Elevation 3280 GR
(Compute feet relative to sea level)

The information given herewith is a complete and correct record of the well and all work done thereon so far as can be determined from all available records.

Date 9/12/66

Title _____ Agent _____

The summary on this page is for the condition of the well at above date.

Commenced drilling 8/30/, 1966 Finished drilling 9/10/, 1966

OIL OR GAS SANDS OR ZONES
(Denote gas by G)

No. 1, from None to _____

No. 2, from _____ to _____

No. 3, from _____ to _____

No. 4, from _____ to _____

No. 5, from _____ to _____

No. 6, from _____ to _____

IMPORTANT WATER SANDS

No. 1, from None to _____

No. 2, from _____ to _____

No. 3, from _____ to _____

No. 4, from _____ to _____

CASING RECORD

[illegible]

MUDDING AND CEMENTING RECORD

Where set	Number sacks of cement	Method used	Mud gravity	Amount of mud used
7 5/8 472	200	pump & plug		cement circulation

PLUGS AND ADAPTERS

Heaving plug—Material	Length	Depth set
Adapters—Material	Size	

SHOOTING RECORD

Size	Shells used	Explosive used	Quantity	Date	Depth shot	Depth cleaned out

TOOLS USED


tools were used from 0 feet to 4900 feet, and from _____ feet to _____ feet.

tools were used from _____ feet to _____ feet, and from _____ feet to _____ feet.

DATES

....., 19..... Put to producing

..... collection for the first 24 hours was barrels of fluid of which% was oil



Gallons gasoline per 1,000 cu. ft. of gas

EMPLOYEES

Driller

Driller

FORMATION RECORD

FROM-	TO-	TOTAL FEET	FORMATION
0	20	20	Sand Top Anhy. 690
20	110	90	Red Shale, Sand, Anhy. Top Salt 1038
110	690	580	Red Shale, Anhy. Base Salt 4460
690	1030	340	Anhy. Top Dol. 4690
1030	4460	3430	Salt & Anhy. Top Dol. Sand 4716
4460	4690	230	Anhy. & Dol.
4690	4716	26	Lime
4716	4900	184	Shale & Sand No DST.
2 copies of Electric log will be mailed directly from logging company - Welox at Hobbs			
HISTORY OF OIL OR GAS WELL			
It is of the greatest importance to have a complete history of the well. Please state in detail the dates of re-drilling, together with all changes made in the casing, state fully, and if any casing was left in the well, give its size and location. Also state the date, size, position, and number of material used, position, and results of pumping or testing.			
KNOW-	LO-	LOLVT REEL	LOENVILION

LOKINATION RECORD—Continued

IMPORTANT WATER SINKS

No. 3' from	to	No. 6' from	to
No. 3' from	to	No. 2' from	to
No. 1' from	to	No. 2' from	to

(Deroḥe āste pñ ८)

OIL OR GAS SANDS OR ZONES

Commenced drilling 8\30 10 00 Finished drilling 8\30 10 00

Date: 8/15/88

LISTED

so far as can be determined from all available records

The information given hereafter is a complete and correct record of the men and all work done thereon

Position Secy of A Title and Secy of M Title of Secy E

(Complete your signature in the blank)

ELABORATION

ACFT NO. J-26C 7 L 502B 3SE WILSON NEW COMM 159
PASSOR OF LT COL BUCHANAN REGENT BRIG MITCHELL DISTO

Селска "Зорка" МООД "Б" 97

Box 223 W. 9th St. Tex 592

ГОСУДАРСТВЕННЫЙ СОВЕТ

ГОС ОЕ ОИГ ОБ СВЗ МЕГД