

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.O.S.	
LAND OFFICE	
OPERATOR	

OIL CONSERVATION DIVISION
P. O. BOX 2088
SANTA FE, NEW MEXICO 87501

Form C-103
Revised 12-1-78

5a. Indicate Type of Lease State <input type="checkbox"/> For <input checked="" type="checkbox"/>	
5. State Oil & Gas Lease No.	
7. Unit Agreement Name	
8. Farm or Lease Name Elson	
9. Well No. #1	
10. Field and Pool, or Wildcat Teague Blinetry	
12. County Lea	

SUNDRY NOTICES AND REPORTS ON WELLS
DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT - 1" (FORM C-101) FOR SUCH PROPOSALS.

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>
2. Name of Operator Argee Oil Company
3. Address of Operator 401 W. Texas, #810, Midland, Tx 79701
4. Location of Well UNIT LETTER <u>L</u> <u>1650</u> FEET FROM THE <u>south</u> LINE AND <u>990</u> FEET FROM THE <u>west</u> LINE, SECTION <u>21</u> TOWNSHIP <u>23S</u> RANGE <u>37E</u> NMPM.
15. Elevation (Show whether DF, RT, GR, etc.) 3296 grade

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data
NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUS AND ABANDON <input checked="" type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>
PULL OR ALTER CASING <input checked="" type="checkbox"/>	OTHER <input type="checkbox"/>

SUBSEQUENT REPORT OF:

REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
COMMENCE DRILLING OPS. <input type="checkbox"/>	PLUS AND ABANDONMENT <input checked="" type="checkbox"/>
CASING TEST AND CEMENT JOBS <input type="checkbox"/>	OTHER <input type="checkbox"/>

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1109.

8-23-88 Set CIBP at 5400', pump 35' cement on top of CIBP, 5365'.
Pump 25 sak plug at 3800', calculated top 3700.
Pump 25 sak plug at 3000',
8-24-88 TAG plug at 2981'.
Spot 25 sak plug at 2981. TAG plug in morning.
8-25-88 Tag plug at 2860'.
8-26-88 Spot 85 sak cement, plug at 1180'.
8-27-88 TAG plug at 900', 150' above shoe.
5 sak surface plug, 10' to surface. Weld on steel plate and dry hole marker.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED David M. [Signature]
APPROVED BY R. A. [Signature]

TITLE Agent
OIL & GAS INSPECTOR

DATE 9-15-88

MAY 17 1989

CONDITIONS OF APPROVAL, IF ANY:

E

