

DISTRICT I
P.O. Box 1980, Hobbs, NM 88240

DISTRICT II
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410

OIL CONSERVATION DIVISION
P.O. Box 2088
Santa Fe, New Mexico 87504-2088

WELL API NO.	30-025-23239
5. Indicate Type of Lease	STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
6. State Oil & Gas Lease No.	561666
7. Lease Name or Unit Agreement Name	Lineberry
8. Well No.	2
9. Pool name or Wildcat	Cline LWR Paddock-Blinberry
10. Elevation (Show whether DF, RKB, RT, GR, etc.)	
3271 GR	

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT"
(FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>	2. Name of Operator Kelton Operating Corporation
3. Address of Operator P.O. Box 276, Andrews, Texas 79714	4. Well Location Unit Letter J : 1980 Feet From The South Line and 1980 Feet From The East Line

Section 11	Township 23S	Range 37E	NMPM	Lea	County
10. Elevation (Show whether DF, RKB, RT, GR, etc.)					
3271 GR					

11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER: <input type="checkbox"/>

SUBSEQUENT REPORT OF:

REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
CASING TEST AND CEMENT JOB <input type="checkbox"/>	OTHER: Plug Back <input checked="" type="checkbox"/>

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

- 11-15-93 Set CIBP @ 5878'. Dumped 15' Cement on top of plug Tested to 3500#.
11-16-93 Perforated @ A.5376-92 B.5399-5406 C.5411-17 D.5433-45 E.5450-60 F.5462-66
G.5473-76 H.5478-92 I.5624-32 J.5636-41 K.5763-70 L.5788-94 (99 holes, 1 SPF)
11-17-93 Acidize with 4000 gallons 15% NeFe HCl acid. Swab back acid residue.
11-18-93 Swab to test tank. Fracture treat with 40,000 gallons 50/50 CO2 and 70,000#
20/40 Brady sand. Shut in 4 hours and flow back. Flowing back at 3:00 PM
11-19-93 Flow and Swab to Clean up.
11-25-93 Lay down 2 7/8" workstring. Run 2 3/8" tubing, pump, and rods. Land pump
5787.61'. Hang on pump.
11-27-93 Recovering load water. Engine problems.
11-28-93 Recovering load water. Engine problems.
12-03-93

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE C. Dale Kelton TITLE President DATE 12-3-93

TYPE OR PRINT NAME _____ TELEPHONE NO. _____

(This space for State Use)

Orig. Signed by
Paul K. Kirtz
Geologist

APPROVED BY _____ TITLE _____ DATE 12-15-93

CONDITIONS OF APPROVAL, IF ANY: