

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

New Mexico Oil Conservation
1625 N. Yuma
Hobbs, NM 88240

FORM APPROVED

Budget Bureau No. 1004-0135

Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT-" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well

Oil Gas
☒ Well ☐ Well ☐ Other

2. Name of Operator

Primal Energy Corporation

3. Address and Telephone No.

211 Highland Cross #227, Houston, TX 77073 (281)821-5600

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

Unit A, 660' FNL & 660' FEL, Sec. 12, T24S, R32E

5. Lease Designation and Serial No.

NM02889

6. If Indian, Allottee or Tribe Name

7. If Unit or CA, Agreement Designation

8. Well Name and No.

Wimberly #2

9. API Well No.

30-025-24433

10. Field and Pool, or Exploratory Area

Triple X Delaware

11. County or Parish, State

Lea, NM

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

- ☒ Notice of Intent
☐ Subsequent Report
☐ Final Abandonment Notice

TYPE OF ACTION

- ☒ Abandonment
☐ Recompletion
☐ Plugging Back
☐ Casing Repair
☐ Altering Casing
☐ Other

- ☐ Change of Plans
☐ New Construction
☐ Non-Routine Fracturing
☐ Water Shut-Off
☐ Conversion to Injection
☐ Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

1. POOH with all production equipment.
2. Set 200' cement plug with 30 sxs. from 4750' to 4950'.
3. Perforate at 350' and cement annulus to surface (below retainer) using 70 sxs.
4. Set 50' surface plug. Erect dry hole marker. Clean and restore location.

3a) - plug 100' plug across shoe
- TAG

CONDITIONS OF APPROVAL

14. I hereby certify that the foregoing is true and correct

Signed

Title Manager, Operations & Engineering

Date November 8, 1999

(This space for Federal or State office use)

Approved by

Title

Date

Conditions of Approval, if any:

Title 18 U.S.C. Section 101, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

See Instructions On Reverse Side

IC GWW

ROSWELL NM

NOV 15 1999

RECEIVED

Wimberly #2
 A - Sec 12 - 24 - 32
 6601E
 6401E

OPTIONAL:
 combine
 close proximal
 plugs:

③ & ①

13 SX
 = 200'
 1350 - 1250'
 inside shoe

1250'
 100' plug
 1350'

SQUEEZE

surface
 50' plug

350'

100' plug

across
 shoe

TAG

1300' Top Salt

100' plug ③

100'
 PLUG

4673' BASE of Salt,
 100' PLUG
 across base
 of Salt

PERFS

289'
 13'
 30'

4964
 4977

5 1/2"

5017

100' plug

① & ②

432'
 28 SX

Δ = 332'
 28 SX

Plugs

50' plug ⑥

SQUEEZE ⑤

1200'

100' plug ④

②

100' plug

①