

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

NEW MEXICO OIL CONSERVATION COMMISSION

Form C-103
Supersedes Old
C-102 and C-103
Effective 1-1-65

<p>SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)</p>		<p>5a. Indicate Type of Lease State <input type="checkbox"/> Fee <input checked="" type="checkbox"/></p>
<p>1. OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER <input type="checkbox"/></p>		<p>6. State Oil & Gas Lease No.</p>
<p>2. Name of Operator Atlantic Richfield Company</p>		<p>7. Unit Agreement Name</p>
<p>3. Address of Operator P. O. Box 1978, Roswell, New Mexico 88201</p>		<p>8. Farm or Lease Name John P. Combest WN</p>
<p>4. Location of Well UNIT LETTER <u>E</u> <u>1650</u> FEET FROM THE <u>North</u> LINE AND <u>660</u> FEET FROM THE <u>West</u> LINE, SECTION <u>35</u> TOWNSHIP <u>23-S</u> RANGE <u>36-E</u> NMPM.</p>		<p>9. Well No. 4</p>
<p>15. Elevation (Show whether DF, RT, GR, etc.) 3371' DF</p>		<p>10. Field and Pool, or Wildcat Jalmat-Yates</p>
<p>12. County Lea</p>		

16. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOB <input checked="" type="checkbox"/>	OTHER <input checked="" type="checkbox"/> Completion

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

Drilled 7-7/8" hole to 3669' T.D. Ran SNP w/Caliper & Dual Laterolog. Ran 90 jts of 5 1/2" OD 8R 17# J-55 LT&C Class 2 casing and set @ 3668'. Cemented w/500 sx Class C. Plug down @ 9:45 A.M. 7/13/73. TOC @ 2320' by temperature survey. WOC 5 days. Tested 5 1/2" casing to 2500# for 30 min. Held OK. Perforated Jalmat zone w/one 3/8" JS each @ 3039, 43, 48, 57, 61, 81, 85, 89, 3115, 18, 21, 39, 43, 3225, 39, 99, 3363 & 3367 (SNP log - 18 holes). Treated w/2000 gallons 15% HCl acid. AIR 3.5 BPM @ 1650#. Treated w/2000 gallons 15% HCl acid. AIR 3.5 BPM @ 1650#. Ran 112 jts of 2-3/8" J-55 tubing w/SN bottomed @ 3408.76'. Swabbed well to flow. On test ending at 7:00 A.M. 7/21/73, 1/2" choke, flowed gas at rate of 908 MCFD, FTP 130#, CP 180#, no fluid.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED A. D. Litcher TITLE Dist. Drlg. Supervisor DATE 7/27/73

APPROVED BY _____ TITLE _____ DATE _____

CONDITIONS OF APPROVAL, IF ANY: