

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN DUPLICATE

(See instructions on reverse side)

Form approved.
Budget Bureau No. 42-R355.5.

5. LEASE DESIGNATION AND SERIAL NO.

NM - 033503

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

~~USA~~ Jennings Federal

9. WELL NO.

4

10. FIELD AND POOL, OR WILDCAT

Double "X" Delaware

11. SEC., T., R., M., OR BLOCK AND SURVEY OR AREA

Sec. 14, T24S, R32E

12. COUNTY OR PARISH

Lea

13. STATE

New Mexico

WELL COMPLETION OR RECOMPLETION REPORT AND LOG *

1a. TYPE OF WELL:

OIL WELL ☒ GAS WELL ☐ DRY ☐ Other ☐

b. TYPE OF COMPLETION:

NEW WELL ☒ WORK OVER ☐ DEEP-EN ☐ PLUG BACK ☐ DIFF. RESVR. ☐ Other ☐

2. NAME OF OPERATOR

Tenneco Oil Company

3. ADDRESS OF OPERATOR

1860 Lincoln St., Suite 1200, Denver, Colorado 80203

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)*

At surface 1980 FSL and 1650 FWL

At top prod. interval reported below

At total depth

14. PERMIT NO.

DATE ISSUED

15. DATE STEUDED

11/4/75

16. DATE T.D. REACHED

11/14/75

17. DATE COMPL. (Ready to prod.)

11/17/75

18. ELEVATIONS (DF, RKR, RT, GR, ETC.)*

3589.7 GL

19. ELEV. CASINGHEAD

20. TOTAL DEPTH, MD & TVD

TD 5000'

21. PLUG BACK T.D., MD & TVD

PBTD 4976

22. IF MULTIPLE COMPL., HOW MANY*

23. INTERVALS DRILLED BY

→

ROTARY TOOLS

YES

CABLE TOOLS

24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)*

Ramsey Sand 4914-22'

25. WAS DIRECTIONAL SURVEY MADE

YES

26. TYPE ELECTRIC AND OTHER LOGS RUN

Core Gamma Correlation

Comp. formation density, dual ind. laterolog. Sonic log & BHC

27. WAS WELL CORED

Yes

28. CASING RECORD (Report all strings set in well)

| CASING SIZE | WEIGHT, LB./FT. | DEPTH SET (MD) | HOLE SIZE | CEMENTING RECORD | AMOUNT PULLED |
|-------------|-----------------|----------------|-----------|------------------|---------------|
| 8 5/8" | 24# K-55 | 360' | 12 1/4" | 275 SXS. | None |
| 5 1/2" | 17# K-55 | 4999' | 7 7/8" | 395 SXS. | None |
| | | | | | |
| | | | | | |

29. LINER RECORD

| SIZE | TOP (MD) | BOTTOM (MD) | SACKS CEMENT* | SCREEN (MD) |
|------|----------|-------------|---------------|-------------|
| None | | | | |

30. TUBING RECORD

| SIZE | DEPTH SET (MD) | PACKER SET (MD) |
|-------|----------------|-----------------|
| 2 3/8 | 4966 | None |

31. PERFORATION RECORD (Interval, size and number)

4914 - 22 2 JSPF Ramsey Sand

32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.

| DEPTH INTERVAL (MD) | AMOUNT AND KIND OF MATERIAL USED |
|---------------------|--|
| 4914-22 | Frac'd w/12000 gal of YF60, 8000# 20/40 sand. 9000# 10/20 sand |

33. PRODUCTION

| | | | | | | | |
|-----------------------|-----------------|--|-------------------------|----------|------------|------------------------------------|---------------|
| DATE FIRST PRODUCTION | | PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump) | | | | WELL STATUS (Producing or shut-in) | |
| 11/29/75 | | Pumping #4, 1½" Rod Pump | | | | Recovering load oil | |
| DATE OF TEST | HOURS TESTED | CHOKE SIZE | PROD'N. FOR TEST PERIOD | OIL—BBL. | GAS—MCF. | WATER—BBL. | GAS-OIL RATIO |
| | 24 | | → | 8 | | 58 | 1000 |
| FLOW. TUBING PRESS. | CASING PRESSURE | CALCULATED 24-HOUR RATE | OIL—BBL. | GAS—MCF. | WATER—BBL. | OIL GRAVITY-API (CORR.) | |
| | | → | | | | | |

34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.)

TEST WITNESSED BY

Test to be filed when load of recovered

35. LIST OF ATTACHMENTS

Logs are being mailed under separate cover

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records

SIGNED

TITLE

Production Clerk

DATE

12/8/75

*(See Instructions and Spaces for Additional Data on Reverse Side)

RECEIVED

JUL 18 1976

OIL CONSERVATION COMM.
HOBBBS, N. M.

INSTRUCTIONS

General: This form is designed for submitting a complete and correct well completion report and log on all types of lands and leases to either a Federal agency or a State agency, or both, pursuant to applicable Federal and/or State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office. See instructions on items 22 and 24, and 33, below regarding separate reports for separate completions.

If not filed prior to the time this summary record is submitted, copies of all currently available logs (drillers, geologists, sample and core analysis, all types electric, etc.), formation and pressure tests, and directional surveys, should be attached hereto, to the extent required by applicable Federal and/or State laws and regulations. All attachments should be listed on this form, see item 35.

Item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Item 18: Indicate which elevation is used as reference (where not otherwise shown) for depth measurements given in other spaces on this form and in any attachments.

Items 22 and 24: If this well is completed for separate production from more than one interval zone (multiple completion), so state in item 22, and in item 24 show the producing interval, or intervals, top(s), bottom(s) and name(s) (if any) for only the interval reported in item 33. Submit a separate report (page) on this form, adequately identified, for each additional interval to be separately produced, showing the additional data pertinent to such interval.

Item 29: "Seals Cement": Attached supplemental records for this well should show the details of any multiple stage cementing and the location of the cementing tool.

Item 33: Submit a separate completion report on this form for each interval to be separately produced. (See instruction for items 22 and 24 above.)

37. SUMMARY OF POROUS ZONES:

SHOW ALL IMPORTANT ZONES OF POROSITY AND CONTENTS THEREOF; CORED INTERVALS; AND ALL DRILL-STEM TESTS, INCLUDING DEPTH INTERVAL TESTED, CUSHION USED, TIME TOOL OPEN, FLOWING AND SHUT-IN PRESSURES, AND RECOVERIES

| FORMATION | TOP | BOTTOM | DESCRIPTION, CONTENTS, ETC. | 38. GEOLOGIC MARKERS | MEAS. DEPTH | TRUE VERT. DEPTH |
|-------------|------|--------|---|--|----------------------|------------------|
| Ramsey Sand | 4910 | 4986 | Core 4914-4975, Rec. 15' sand, porous, show oil plus 45' sand, porous, no show. | Lamar Ls Delaware Sd. Ramsey Sd. | 4964 4892 4910 | |

RECEIVED

JUL 13 1976

OIL CONSERVATION COMM.
HOBBS, N. M.