

May 1963

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEO. AL SURVEY

SUBMIT TO: (Other instructions on reverse side)

Budget Bureau No. 42-81424

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals.)

1. ☒ DRY WELL ☐ GAS WELL ☐ OTHER Dry

2. NAME OF OPERATOR
Union Texas Petroleum Corporation

3. ADDRESS OF OPERATOR
1300 Wilco Building, Midland, Texas 79701

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements. See also space below.)
At surface

Unit Letter "O", 660' FSL & 1980' FEL

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, CR, etc.)
2,989.4' GL

5. LEASE DESIGNATION AND SERIAL NO.
NM 7951

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME
Leonard Federal "14"

8. FARM OR LEASE NAME

9. WELL NO.
1

10. FIELD AND POOL, OR WILDCAT
Wildcat

11. SEC., T., R., M., OR BLM. AND SURVEY OR AREA
Sec. 14, T-26-S, R-37-E

12. COUNTY OR PARISH
Lea

13. STATE
New Mexico

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>	WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>	FRACTURE TREATMENT <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	ABANDON* <input type="checkbox"/>	SHOOTING OR ACIDIZING <input type="checkbox"/>	ABANDONMENT* <input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	(Other) <input type="checkbox"/>	(Other) <input type="checkbox"/>
(Other) <input type="checkbox"/>	Plug & Abandon <input checked="" type="checkbox"/>	(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)	

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

January 9, 1976, T.D. 10,650' (8-3/4" Hole) logged well to T.D. 10,618'. Well will be plugged by setting plugs at the following depth:

- (1) 50 Sx. plug from 10,460' to 10,330'.
 - (2) 50 Sx. plug from 9,300' to 9,170'.
 - (3) 50 Sx. plug from 7,450' to 7,320'.
 - (4) 50 Sx. plug from 5,300' to 5,170'.
 - (5) 50 Sx. plug from 3,950' to 3,820'.
 - (6) 50 Sx. plug from 2,700' to 2,570'.
 - (7) 50 Sx. plug from 1,100' to 970'.
 - (8) Remove casing head, put 10 Sx. plug in top of 13-3/8" casing.
 - (9) Welded 1/2" steel plate in top of 13-3/8" casing and install dry hole marker.
- Hole will be displaced w/9.3# mud laden fluid.

NOTE: Virbal approval to plug this well was given January 10, 1976 by Mr. Brown at USGS office in Hobbs, New Mexico.

18. I hereby certify that the foregoing is true and correct.

SIGNED Stanley A. Galt

TITLE Gas Measurement Analyst

DATE January 14, 1976

(This space for Federal or State office use)

APPROVED BY _____
CONDITIONS OF APPROVAL, IF ANY:

TITLE _____

DATE _____

*See Instructions on Reverse Side

