

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

SUBMIT IN TRIPPLICATE\*  
(Other instructions on re-  
verse side)

Form approved.  
Budget Bureau No. 42-R1424.  
LEASE DESIGNATION AND SERIAL NO.

LC-030174 (b)

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.  
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input checked="" type="checkbox"/> Water injection well		6. IF INDIAN, ALLOTTEE OR TRIBE NAME -
2. NAME OF OPERATOR TEXACO Inc.		7. UNIT AGREEMENT NAME -
3. ADDRESS OF OPERATOR P.O. Box 728, Hobbs, New Mexico 88240		8. FARM OR LEASE NAME M.H. Rhodes B Fed. NCT-1
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface  3300' FNL, 1980' FEL of Section 26, T-26-S, R-37-E, Unit Letter "J", Lea County, New Mexico		9. WELL NO. 19
14. PERMIT NO. Regular		10. FIELD AND POOL, OR WILDCAT Rhodes Yates
15. ELEVATIONS (Show whether DF, RT, GR, etc.) 2995' (GR)		11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA Sec 26, T-26-S, R-37-E
		12. COUNTY OR PARISH Lea
		13. STATE New Mexico

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF ☐  
FRACTURE TREAT ☐  
SHOOT OR ACIDIZE ☐  
REPAIR WELL ☐  
(Other) ☐

PULL OR ALTER CASING ☐  
MULTIPLE COMPLETE ☐  
ABANDON\* ☐  
CHANGE PLANS ☐

SUBSEQUENT REPORT OF:

WATER SHUT-OFF ☐  
FRACTURE TREATMENT ☐  
SHOOTING OR ACIDIZING ☒  
(Other) ☐

REPAIRING WELL ☐  
ALTERING CASING ☐  
ABANDONMENT\* ☐

(NOTE: Report results of multiple completion on Well  
Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

TOTAL DEPTH 3280'  
8-5/8" OD 24# K-55 csg set @ 669'  
4-1/2" OD 10.50# K-55 csg set @ 3275'

1. Perforate 4-1/2" OD csg w/2 JSPF @ 3155,67 & 3182'.
2. Set pkr @ 3081'. Acidize 4-1/2" csg perforations 3155'-3182' w/1500 gal. 15% NE Acid using 8 ball sealers.
3. Set pkr @ 3109'. Injection rate 1 BWPM @ 700#.
4. Completed as Water Injection Well 7-1-77.

18. I hereby certify that the foregoing is true and correct

SIGNED

TITLE

Asst. Dist. Supt.

DATE

7-6-77

(This space for Federal or State office use)

APPROVED BY

TITLE

CONDITIONS OF APPROVAL, IF ANY:

\*See Instructions on Reverse Side

ACCEPTED FOR RECORD

JUL 11 1977

U. S. GEOLOGICAL SURVEY  
HOBBS, NEW MEXICO

JUL 12 1977  
OIL CONSERVATION COMMISSION  
HOBBS, N. M.