New Mexico UII Conservation Bayland, United I

UNITED STATES DEPARTME OF THE INTERIOR BUREAU OF LAND MANAGEMENT

1625 N. France Parce Hobbs, NM 6-14

FORM APPROVED

OMB No. 1004-0135 Expires November 30, 2000

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to re-enter an

NM-2593

| <u> </u> | JO HOL USE LINS TOTAL TO | , . | | | | |
|--|---|---|---|-----------------|---------------------------------|--|
| ab | oandoned well. Use Form | n 3160-3 (APD) for suc | h proposals. | | ottee or Tribe Name | |
| | | | | N/A | VAgreement, Name and/or No. | |
| | BMIT IN TRIPLICATE - C | Nh l t tions on ro | vorce side | === | or ignostricing control control | |
| 1. Type of Weil | BMIT IN TRIPLICATE - C | other instructions on re | everse side | 8. Well Name | and No. | |
| X Oil Well | Gas Well | Other | Injection | ED POWE | LL FEDERAL IG #1 | |
| 2. Name of Operator | | | | 9. API Well N | | |
| Yates Petroleum Co | rporation | | | 30-025-25 | | |
| 3a Address | manin NIII 00210 | 3b. Phone No. (included) 505-748-1471 | de area code) | 10. Fleid and F | Pool, or Exploratory Area | |
| 105 S. 4th Street - A | | | | LEONARI | O QUEEN | |
| , - | | , | | 11. County or I | Parish, State | |
| 1650' FSL & 330' FWL | Section 18-T2 | 6S-R38E | | LEA COU | NTY NM | |
| 42 CHECK VDB | POPPIATE BOX(ES) TO | INDICATE NATURE OF | NOTICE, REPORT, OR OTHER | | INT I, INIV | |
| TYPE OF SUBMISSION | COTRIATE BOX(EU) TO | | TYPE OF ACTION | | | |
| X Notice of Intent | Acidize | Deepen | Production (Start/Resume) | Water Shut-Cf | f | |
| Subsequent Report | Alter Casing | Fracture Treat | Reclamation | Well Integrity | | |
| Final Abandonment Notice | Casing Repair | New Construction | Recomplete | Other | | |
| | Change Plans | Plug and Abandon | X Temporarily Abandon | | | |
| | | | Water Disposal | | | |
| | Convert to injection | Plug Back | arting date of any proposed work and appro | | If the eraparatic to decore | |
| reclamation, have been completed | d, and the operator has determined and the operator has determined as RPORATION respectfully & casing; ND wellhead & BP & set @ 3525'. Dump 3 hole w/ 2% KCL w/ 1 gpt for 30 minutes. | d that the site is ready for final in If re quests permission to NU BOP. 85' cement on plug. | mpleted. Final Abandonment Notices shall specition.) temporarily abandon as follows: | | | |
| ! here by jertify that the foregoing Name (pinted/Typed) Do ria Clack Sign a tye | - | ek | Title Operations Technicia Date 9-10-02 | n | | |
| | | THIS SPACE FOR F | EDERAL OR STATE OFFICE U | SE | | |
| Approvd by | | | Title 🔈 | | Date | |
| | RIG. SGD.) JOE | O IADA | 3 otrologon | Frylmour | 10/3/02 | |
| ine a D pant noids legal or equit | e attached. Approvater this notice table interesting the sub- | e does not warrant or certify that | Office (F()) | | - / / | |
| applic and conduct operations | inereon. | | | | | |

Title 1 8/3.0. Section 1861 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any raise, flottious

or treating lent statements or representations as to any matter within its jurisdiction.

| SL: 3002' Zero: AGL: KB: 3015' 8 5/8" 24# 355 388' Spud Date: 6/28/77 Completion Date: 51/2" 14# 3733' 12 1/4" hole 8 5/8" csg @ 398'. Cmtd w/ 250 sx + 6 yds. Cmt circ. 7 7/8" hole TOC 2590' by CBL Current configuration Queen perfs 3596-3637. 5 1/2" csg @ 3733'. Cmtd w/ 125 sx. | Well Name: | Ed Powell Fed | deral "IG" No. 1 Field: | Casing Prog | Casing Program | | |
|---|---|-----------------|-------------------------|----------------------------|----------------|---------|--|
| Spud Date: 6/28/77 Completion Date: 5 1/2" 1.4# 3733 12 1/4" hole 8 5/8" csg @ 398" Cmtd w/ 250 sx + 6 yds. Cmt circ. 7 7/8" hole TOC 2990' by CBL Current configuration Queen perfs 3596-3637. 5 1/2" csg @ 3733" Cmtd w/ 125 sx. | Location: | 1650' FSL & 330 | 0' FWL Sec. 18-26S-38E | Size/Wt/Grade/Conn | Depth Set | | |
| 2 1/4" hole 8 5/8" csg @ 358'. Cmtd w/ 250 sx + 6 yds. Cmt circ. 7 7/8" hole TOC 2950' by CBL Current configuration Queen perfs 3596-3637. 5 1/2" csg @ 3733'. Cmtd w/ 125 sx. | GL: <u>3002'</u> | Zero: | AGL: | KB: 3015' | 8 5/8" 24# J55 | 398' | |
| 12 1/4" hole 8 5/8" csg @ 398'. Cmtd w/ 250 sx + 6 yds. Cmt circ. 7 7/8" hole TOC 2990' by CBL Current configuration Queen perfs 2596-3637: 5 1/2" csg @ 3733'. Cmtd w/ 125 sx | Spud Date: | 6/28/77 | Completio | n Date: | 5 1/2" 14# | 3733' | |
| 7 7/8" hole TOC 2990' by CBL Current configuration Queen perfs 3596-3637. 5 1/2" cag @ 3733". Cmtd w/ 125 sx. | Comments: | | | | | | |
| 7 7/8" hole TOC 2990' by CBL Current configuration Queen perfs 3596-3637. 5 1/2" cag @ 3733". Cmtd w/ 125 sx. | | | | | | | |
| 7 7/8" hole TOC 2990' by CBL Current configuration Queen perfs 3596-3637. 5 1/2" cag @ 3733". Cmtd w/ 125 sx. | | | | | | | |
| Queen perfs 3596-3637'. 5 1/2" csg @ 3733'. Cmtd w/ 125 sx. | Ve entre en | | 8 5/8" csg @ |) 398'. Cmtd w/ 250 sx + 6 | yds. Cmt circ. | | |
| Queen perfs 3596-3637'. 5 1/2" csg @ 3733'. Cmtd w/ 125 sx. | | | TOC 2990' by | y CBL | | ED SOCO | |
| | | | | | Cons. | | |
| | | TD 3750 | | 3733'. Cmtd w/ 125 sx. | | | |

SKETCH NOT TO SCALE

DATE:_____

| Well Name: | me: Ed Poweil Federal "IG" No. 1 Field: South Leonard Queen | | | | Casing Program | | |
|-----------------------------|---|----------|---------------------------|--------------------|------------------------|-----------|--|
| Location: 1 | 650' FSL & 330' | FWL Sec. | 18-26S-38E | | Size/Wt/Grade/Conn | Depth Set | |
| GL: 3002' | Zero: | AG | L: KB: | 3015' | 8 5/8" 24# J55 | 398' | |
| Spud Date: | 6/28/77 | (| Completion Date: | | 5 1/2" 14# | 3733' | |
| Comments: | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| () | | 13 | 60' cement plug @ surfac | e | | | |
| 12 1/4" hole | | | 8 5/8" csg @ 398'. Cmtd v | v/ 250 sx + 6 yds. | Cmt circ. | | |
| 7 7/8" hole | | | | | | | |
| | | | TOC 2990' by CBL | | Proposed configuration | | |
| <i>!</i> | | | | | | | |
| ; ; | | | | | 7 | 205 40 E | |
| CIBP @ 3525'+ 35' cement | | | | | | | |
| | | Qu | een perfs 3596-3637'. | | | | |
| | | 5 | 1/2" csg @ 3733'. Cmtd w | / 125 sx. | | | |

SKETCH NOT TO SCALE

DATE:____

TD 3750'

