om 3160-5 November 1994 -	UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT				DO BO	N.M. Oil Cons. Division Form APPROVED OMB No. 1004-0135 F.O. Box 1980 Hobbs, NM 18824chal No.					
SUNDRY NOTICES AND REPORTS ON Do not use this form for proposals to drill or to abandoned well. Use Form 3160-3 (APD) for such				ON WELLS	п ъ.	Hobbs	891013	8817	0 – LLO Muee or Tribe N		
SUI	BMIT IN TRI	PLICATE -	Other instru	ctic	ons on reverse	side				Agreement, Na GLIE MAT	
Type of Well	Gas Well	Other						8. Well N	ame an	nd No.	11007
2. Name of Operator OXY USA Inc. 16696							16696	48 9. API Well No.			
3a. Address P.O. BOX 50250 i 3b. Phone No. (include area code)							30-025- 25988				
MIDLAND, TX 79710-0250 915-685-5717 4. Location of Well (Footage, Sec., T., R., M., or Survey Description)								i		-	y Area 3724 RVRS Q–G
					28 T235 (237	IE	11. County LEA	or Par	ish, State NM	
12.	CHECK API	PROPRIATE	BOX(ES) TO) IN	DICATE NATUI	RE O	F NOTICE, F	EPORT, O	r ot	HER DATA	A
TYPE OF SUB	BMISSION				TY	PE OF	FACTION				
Nouce of InteSubsequent R		Acidize			Deepen Fracture Treat New Construction		Production (Stat Reclamation	rt/Resume)		Water Shut-O: Well Integrity Other <u>M</u> (
	onment Notice	Casing	-		Plug and Abandon	3	Recomplete Temporarily A	bandon			•
	omment Nouce	Convert	to Injection	C	Plug Back		Water Disposal				
If the proposal is Attach the Bone following comp testing has been	is to deepen direct id under which the pleuon of the involution in completed. Fir	ctionally or reco te work will be olved operations hal Abandonme	mplete horizonta performed or pro . If the operation nt Notices shall i	lly, g ovide n resi	details, including esti- give subsurface location the Bond No. on file uits in a multiple com ed only after all requi	ns and with E pletion	i measured and to BLM/BIA. Required or recompletion	ue vertical dep nired subseque in a new inte	oths of nt repo rval, a	all pertinent m orts shall be fil Form 3160-4 s	ed within 30 da hall be filed on
If the proposal in Attach the Bone following computesting has been	is to deepen direct id under which th pleuon of the invo n completed. Fu t the site is ready	ctionally or reco te work will be olved operations hal Abandonme	mplete horizonta performed or pro s. If the operatio nt Notices shall i ton.)	lly, g ovide n resi be fil	tive subsurface location the Bond No. on file uits in a multiple com	ns and with E pletion iremen	i measured and to BLM/BLA. Requ or recompletion ts, including rec	ue vertical de irred subseque in a new inte- lamation, have	oths of nt repo rval, a been	all pertinent m prts shall be fill Form 3160-4 s completed, and	ed within 30 da thall be filed on
If the proposal in Attach the Bone following computesting has been	is to deepen direct id under which th pleuon of the invo n completed. Fu t the site is ready	ctionally or reco le work will be solved operations al Abandonme for final inspect INC. REQU	mplete horizonta performed or pro s. If the operatio nt Notices shall i ton.)	liy, g ovide n resi be fil	ive subsurface locatio the Bond No. on file ults in a multiple com ed only after all requi	ns and with E pletion iremen	I measured and u BLM/BLA. Requ or recompletion its, including rec I THIS WEI	ue vertical deg lined subseque i in a new inte lamation, have	oths of nt repo rval. a : been	all pertinent m prts shall be fill Form 3160-4 s completed, and	ed within 30 da thall be filed on
If the proposal i Attach the Bom following comp testing has been determined that	is to deepen dired id under which the pleuon of the invo in completed. Fur t the site is ready OXY USA MIRU PU 8	tionally or reco e work will be olved operations hal Abandonme for final inspect INC. REQU TI /5/98, PC	mplete horizonta performed or pro- s. If the operation it Notices shall in ion.) JESTS TO I D - 3748'	liy, g ovide n resi be fil EMI	ive subsurface locatio the Bond No. on file ults in a multiple com ed only after all requi	ns and with E pletion iremen NDON	I measured and u BLM/BIA. Requ or recompletion is, including rec I THIS WEI PERFS - 33	ue vertical deg ined subseque in a new inte- lamation, have .L FOR FU	oths of nt repo rval, a : been JTUR	all pertinent m orts shall be fill Form 3160-4 s completed, and E USE.	larkers and zone ed within 30 da hall be filed on d the operator h
If the proposal i Attach the Boni following comp testing has been determined that	is to deepen dired id under which the pleuon of the invo in completed. Fu t the site is ready OXY USA OXY USA MIRU PU 8 35' CMT O	tionally or reco e work will be olved operations al Abandonme for final inspect INC. REQU TI /5/98, PC N TCP, Pl	mplete horizonta performed or pro- s. If the operation int Notices shall it ion.) JESTS TO T D - 3748' DOH W/ ROE BTD-3281'.	Ily, govide n resu be fill TEMI	ive subsurface location the Bond No. on file uits in a multiple com ed only after all require PORARILY ABAI PORARILY ABAI	ns and with E pletion iremen NDON P TI	I measured and u BLM/BIA. Requ or recompletion its, including rec THIS WEI PERFS - 33 TH W/ CIBE	ue vertical deg ined subseque in a new inte- lamation, have L FOR FU 666-3584' & & SET (oths of nt repo rval, a : been JTUR	all pertinent m orts shall be fill Form 3160-4 s completed, and E USE.	larkers and zone ed within 30 da hall be filed on d the operator h
If the proposal i Attach the Bom following comp testing has been determined that 1)	is to deepen dired id under which the pleuon of the involu- n completed. Fui OXY USA OXY USA MIRU PU 8 35' CMT 0 NOTIFY BL	tionally or reco ie work will be olved operations al Abandonme for final inspect INC. REQU TI /5/98, P(N TCP, P) M/NMOCD (RUCK 8/7	mplete horizonta performed or pro- s. If the operation in Nouces shall in lon.) JESTS TO T D - 3748' DOH W/ ROI BTD-3281'. DF CASING /98, CIRCU	lly, g vide n resi be fil rEMH P DS , INT	ive subsurface location the Bond No. on file ults in a multiple com ed only after all require PORARILY ABAI PBTD - 3281' PUMP & TBG. FEGRITY TEST TE WELL WITH	ns and with E pletion fremen NDON P TI 24 TRE	HRS IN AI	ue vertical deg ined subseque in a new inte- lamation, have .L FOR FI .666-3584' & SET @ .0VANCE.	JTUR JURE	all pertinent m ports shall be fill Form 3160-4 s completed, and E USE. 16', DUM	earkers and zon ed within 30 da hall be filed on d the operator b
If the proposal i Attach the Bon following comp testing has been determined that 1)	is to deepen dired id under which the pleuon of the inver- in completed. Fui OXY USA OXY USA MIRU PU 8 35' CMT 0 NOTIFY BL RU PUMP 1	tionally or reco ie work will be olved operations al Abandonme for final inspect INC. REQU TI /5/98, P(N TCP, P) M/NMOCD (RUCK 8/7	mplete horizonta performed or pro- s. If the operation in Nouces shall in lon.) JESTS TO T D - 3748' DOH W/ ROI BTD-3281'. DF CASING /98, CIRCU	lly, g vide n resi be fil rEMH P DS , INT	ive subsurface location the Bond No. on file ults in a multiple com ed only after all require PORARILY ABAI PBTD - 3281' PUMP & TBG. FEGRITY TEST TE WELL WITH	ns and with E pletion fremen NDON P TI 24 TRE	HEASURED WATTE	ue vertical deg in a new inte- lamation, have L FOR FU 666-3584' & SET (OVANCE. ER, PRESS	JTUR JURE	all pertinent m ports shall be fill Form 3160-4 s completed, and E USE. 16', DUM	earkers and zone ed within 30 da hall be filed on d the operator h
If the proposal i Attach the Bon following comp testing has been determined that 1) 2) 3)	is to deepen direct id under which the pleuon of the inver- in completed. Fur- t the site is ready OXY USA MIRU PU 8 35' CMT 0 NOTIFY BL RU PUMP T CASING TO y that the foregour d/Typed i	tionally or reco le work will be olved operations al Abandonme for final inspect INC. REQU TI /5/98, P(N TCP, P) M/NMOCD (RUCK 8/7 0 485# FO: ng is true and co	mplete horizonta performed or pro- s. If the operation in Notices shall in JESTS TO T D - 3748' DOH W/ ROI BTD-3281'. DF CASING /98, CIRCU R 30 MIN.	lly, g vide n resi be fil rEMH P DS , INT	ive subsurface location the Bond No. on file ults in a multiple com ed only after all require PORARILY ABAI PBTD - 3281' PUMP & TBG. FEGRITY TEST TE WELL WITH	ns and with E pletion fremen NDON P TI 24 TRE	HEASURE WATH	ue vertical deg in evertical deg in a new inter- amation, have L FOR FU 666-3584' 667-3584' 677-978' 677-979' 677-9	JTUR JURE	all pertinent m ports shall be fill Form 3160-4 s completed, and E USE. 16', DUM	larkers and zone ed within 30 da hall be filed on d the operator h
If the proposal i Attach the Bon following comp testing has been determined that 1) 2) 3)	is to deepen direct id under which the pleuon of the inver- in completed. Fur- t the site is ready OXY USA MIRU PU 8 35' CMT 0 NOTIFY BL RU PUMP T CASING TO y that the foregour d/Typed i	tionally or reco e work will be olved operations al Abandonme for final inspect INC. REQU TI /5/98, P(N TCP, P) M/NMOCD (RUCK 8/7 0 485# FO	mplete horizonta performed or pro- s. If the operation in Notices shall in JESTS TO T D - 3748' DOH W/ ROI BTD-3281'. DF CASING /98, CIRCU R 30 MIN.	lly, g vide n resi be fil rEMH P DS , INT	ive subsurface location the Bond No. on file uits in a multiple com ed only after all require PORARILY ABAI PETD - 3281' PUMP & TBG. TEGRITY TEST TE WELL WITH APPROV	ns and with E pletion fremen NDON P TI 24 TRE	I measured and u SLM/BIA. Requ or recompletion is, including rec I THIS WEI PERFS - 33 CH W/ CIBE HRS IN AI EATED WATH FOR REGULAT	in a new inter- in a new inter- lamation, have a FOR FU 666-3584 & SET (OVANCE. CR, PRESS 2-99 2-99 ORY ANAL	JTUR JURE	all pertinent m ports shall be fill Form 3160-4 s completed, and E USE. 16', DUM	larkers and zone ed within 30 da hall be filed on d the operator h
If the proposal i Attach the Bon following comp testing has been determined that 1) 2) 3) 14. I hereby certify Name (Printed	is to deepen direct id under which the pleuon of the inver- in completed. Fur- t the site is ready OXY USA MIRU PU 8 35' CMT 0 NOTIFY BL RU PUMP T CASING TO y that the foregour d/Typed i	ctionally or reco le work will be olved operations al Abandonme for final inspect INC. REQU TI /5/98, P(N TCP, PI M/NMOCD (RUCK 8/7 0 485# FO: ng is true and co ID STEWAH	mplete horizonta performed or pro- s. If the operation in Nouces shall in the operation JESTS TO T D - 3748' DOH W/ ROI BTD-3281'. DF CASING /98, CIRCU R 30 MIN.	liy, g vvide n resu te fil 'EMF I DS , IN'.	PORARILY ABAI PORARILY ABAI PORARILY ABAI PORARILY ABAI PETD - 3281' PUMP & TBG. TEGRITY TEST TE WELL WITH APPOD Title	ns and with E pletion iremen NDON P TI 24 TRE	A measured and u BLM/BLA. Requ or recompletion ts, including rec THIS WEL PERFS - 33 TH W/ CIBE HRS IN AI EATED WATE FOR REGULAT 8(2	2 - 99 orry ANAL	JTUR JURE	all pertinent m ports shall be fill Form 3160-4 s completed, and E USE. 16', DUM	larkers and zone ed within 30 da hall be filed on d the operator h
If the proposal i Attach the Bon following comp testing has been determined that 1) 2) 3) 14. I hereby certify Name (Printed Signature	is to deepen direct id under which the pleuon of the inver- in completed. Fui t the site is ready OXY USA MIRU PU 8 35' CMT 0 NOTIFY BL RU PUMP T CASING TO Y that the foregound Typed 1 DAV	ctionally or reco le work will be olved operations al Abandonme for final inspect INC. REQU TI /5/98, P(N TCP, P) M/NMOCD (N TCP, P) M/NMOCD (RUCK 8/7 485# FO) ng is true and co ID STEWAH	mplete horizonta performed or pro- s. If the operation in Nouces shall in the operation JESTS TO T D - 3748' DOH W/ ROI BTD-3281'. DF CASING /98, CIRCU R 30 MIN.	liy, g vvide n resu te fil 'EMF I DS , IN'.	PORARILY ABAI PORARILY ABAI PO	vis and with E pletion iremen NDON P TI 24 TRE VED	Intersected and used	ue vertical de in a new inter- in a new inter- L FOR FU 666-3584 A SET A SET OVANCE. CR, PRESS 2-99 ORY ANAL S \ G B E	JTUR JURE	all pertinent m orts shall be fill Form 3160-4 s completed, and E USE. 16', DUM TEST ERIOC	P
If the proposal i Attach the Bon following comp testing has been determined that 1) 2) 3) 14. I hereby cerufy Name (Printed Signature Conditions of app cerufy that the app	is to deepen direct in under which the pleuon of the inver- in completed. Fuilt the site is ready OXY USA MIRU PU 8 35' CMT 0 NOTIFY BL RU PUMP T CASING TO Y that the toregound Typed 1 DAV	ctionally or reco ie work will be olved operations al Abandonme for final inspect INC. REQU TI /5/98, P(N TCP, P) M/NMOCD (PRUCK 8/7 0 485# FO: D 485# FO: D 485# FO: D STEWAH D STEWAH D STEWAH CON CONTRACTOR	mplete horizonta performed or pro- s. If the operation in Nouces shall in the operation JESTS TO T D - 3748' DOH W/ ROL BTD-3281'. DOF CASING /98, CIRCU R 30 MIN. OF CASING /98, CIRCU R 30 MIN. THIS SPACE GOURLEY roval of this nou- ute to those rig	liy, g ovide n result or fil TEMH I DOS, INT JLAT	PORARILY ABAI PORARILY ABAI PO	NDON P TI 24 TRE	A measured and u BLM/BLA. Requ or recompletion ts, including rec THIS WEL PERFS - 33 TH W/ CIBE HRS IN AI EATED WATE FOR REGULAT 8(2	ue vertical de in a new inter- in a new inter- L FOR FU 666-3584 A SET A SET OVANCE. CR, PRESS 2-99 ORY ANAL S \ G B E	SURE	all pertinent m ports shall be fill Form 3160-4 s completed, and E USE. 16', DUM	P
If the proposal i Attach the Bom following comp testing has been determined that 1) 2) 3) 14. I hereby cerufy Name (Printed Signature Approved by Conditions of appr cerufy that the app which would entitle	is to deepen direct durder which the pleuon of the inver- in completed. Fui t the site is ready OXY USA MIRU PU 8 35' CMT 0 NOTIFY BL RU PUMP T CASING TO Y that the foregound Typed: DAV	ctionally or reco le work will be olved operations al Abandonme for final inspect INC. REQU TH /5/98, P(N TCP, PI M/NMOCD (N TCP, PI M/NMOCD (N TCP, PI M/NMOCD (N TCP, PI M/NMOCD (STEWAH D STEWAH CONTENDED ID STEWAH CONTENDED CONTENDE CONTEND	mplete horizonta performed or pro- s. If the operation in Nouces shall in the operation JESTS TO T D - 3748' DOH W/ ROI BTD-3281'. DF CASING /98, CIRCU R 30 MIN. OF CASING /98, CIRCU R 30 MIN. THIS SPACE GOURLEY roval of this not utile to those fig ions thereon. r any person Kno	Illy, g voide n result TEMH I DOS, INT JLAT FOF FOF 	PORARILY ABAI PORARILY ABAI PORARI	ns and with E pletion iremen NDON P TI 24 TRE CA CON	Intersected and used	c vertical deplined subseque in a new inter- lamation, have c FOR FU c 66-35847 c & SET (c) c & SET (c) & SET (c) & S	Date	all pertinent m orts shall be fill Form 3160-4 s completed, and E USE. 16', DUM TEST EROC SEP 0	P 2 1998

Theruchons	оп	reverse



8-7-98 Chap Sav* Blad to 49 in 30 minutes Released The sure into to C. E-

Mienty Dawn

,