SUBMIT IN TRIPLICATE*

Form approved, Budget Bureau No. 42 R1425.

UNITE TATES C. C. DEPARTMENT OF THE INTERIOR (Other instructions on reverse side)

	DEFARIMEN					5. LEASE DESIGNATIO	
GEOLOGICAL SURVEY					LC-030180-		
APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK					6. IF INDIAN, ALLOTT	EE OR TRIBE NAME	
1a. TYPE OF WORK	ILL 🛛	DEEDEN! (10 040		7. UNIT AGREEMENT	NA SAME
b. TYPE OF WELL	AS [DEEPEN [SINGLE TO	JG BAC		8. FARM OR LEASE N	
2. NAME OF OPERATOR	VELL OTHER		ZONE LA	ZONE	<u> </u>	1	"B" Federal
Amoco Produc	ction Comapny					9. WELL NO.	D rederar
3. ADDRESS OF OPERATOR				·		11	
P.O. Drawer	"A", Levelland	, Texas 793	336			10. FIELD AND POOL,	OR WILDCAT
4. LOCATION OF WELL (R At surface 1980)	SL & 1980 FEL,	d in accordance wit	h any State requirement	Ns.*)		Scarbrough	- Yates-Seven Rive
At proposed prod. zor		7, (011	70 0, 11114, 0E.	Þ		11. SEC., T., R., M., OB AND SURVEY OR	BLK. AREA
14. DISTANCE IN MILES	API DIPERMON FROM NO.					7-26-37	
4.7 miles so		REST TOWN OR POS	r office.			12. COUNTY OR PARIS	1
15. DISTANCE FROM PROPO	DSED*	- 	16. NO. OF ACRES IN	LEASE I	17 Kg /	Lea of acres assigned	NM
LOCATION TO NEAREST PROPERTY OR LEASE I	INE, FT.		Tot wor of Leads In		TO T	HIS WELL	
(Also to nearest dright 18. DISTANCE FROM PROF	OSED LOCATION*		19. PROPOSED DEPTH	-	20 ROTA	RY OR CABLE TOOLS	
TO NEAREST WELL, D OR APPLIED FOR, ON TH			3500'	>			
21. ELEVATIONS (Show who	ether DF, RT, GR, etc.)				NO (ary 22. Approx. Date w	ORK WILL START*
2968.7 GR						January 1	
23.]	PROPOSED CASIN	G AND CEMENTING	PROGRAM	4 * *		<u>, 13/3</u>
SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FO	OOT SETTING D	ертн		QUANTITY OF CEMI	NT.
12 1/4"	9 5/8"	36#	1200		Ci	culate to sur	
8 3/4"	7"	23# - 26#	350	<u>)</u> '	Cin	culate to sur	face
stimulate as	ng TD, logs wi	attempting (commercial pro	ductio	eluate n.	ed. Perforate	e and/or
Mud Program:	0 - 1200 N	ative Mud ar	nd fresh water	•			
1	.200' - 3500' B	rine water a	and commercial	mud to	o mair	ntain good hol	e condition
ROP program	SUBJ	ECT TO COMPL	ONS AUTHORIZED IANCE WITH ATT		D	ECEIVI	
BOP program attached "GENERAL REQUIREMENTS" NOV 28 1978						,	
Archaeologic	al reconnaissa	nce <mark>attach</mark> e	ed				
			•		U. S	S. GEOLOGICAL S 103B3, NEW MEX	SURVEY KICO
IN ABOVE SPACE DESCRIBE zone. If proposal is to oppreventer program, if any	arul or deepen directions	proposal is to deep ally, give pertinent	en or plug back, give d data on subsurface loc	ata on pres	sent produ meäsured	uctive zone and propos I and true vertical dept	ed new productive hs. Give blowout
24.	_	***************************************					——————————————————————————————————————
BIGNED Nanus	Evano	Titi	- Assist. Ad	min. Ar	nalyst	DATE	1-17-78
(This space for Feder	ral or State office use)						
PERMIT NO.			APPROVAL DATE				
					<u> </u>	APPRU	VED
APPROVED BY	•	TITI	.E		1	- ASTAMEN	NDED
0 + 4-USGS-H	AL, IF ANY:		•		`		1070
1-Hous to	n				1	DEU 5	1010
1-Susp		*C * -	0 5			James F.	SIMS
1-DE		'See Instruc	tions On Reverse S	oide		DISTRICT E	NGINEER

NEW PERIOD OIL CONSERVATION COMMISSION WELL L ATION AND ACREAGE DEDICATION F

Superveder Co.co

All distances must be from the outer houndaries of the Section

		All distances mus			t the Section		
Amod	co Production	Có.	1:000	Fornsworth	"B" Fe	d eral	11
n.fletter	Section .	Township 25 South	Hand 2	, 7 East	County		en e
, 1771 - 1874 - 18	, in a community of the second	20 200111		/ Lust	Le	e a	The second secon
1980		·	and 1980	le-	el from the	East	line
2963.7	1 .	rmation SEVEN RIVERS	5CA	ROOROL	ماور	-	Dedicated Alimija 40 Alima
1. Outline th		ated to the subjec				marks on the	
2. If more t interest a	han one lease is ind royalty).	dedicated to the	well, outline	each and ide	entify the o	ownership the	ereof (both as to working
		different ownership unitization, force-p		to the well,	have the i	interests of	all owners been consoli-
Yes	No If a	nswer is "yes;" ty	pe of consoli	dation		·	
this form	if necessary.)			·			ed. (Use reverse side of
No allowa forced-poc sion.	ble will be assign bling, or otherwise	led to the well unti) or until a non-sta	l all interest ndard unit, el	s have been iminating su	consolidat ch interest	ed (by comm s, has been a	unitization, unitization, approved by the Commis-
	!	<u> </u>	. 	i			CERTIFICATION
	1 -			, -			
		•	·			1	rtify that the information con- in is true and complete to the
				, 		1	knowledge and belief.
	1						
	+			! 		Name	. 8
	1			1		Position	s wano
	i			 		Comparity	admin. Charyst
	i i					AMOC	o Production Co
				! 		Date 10 -	30-78
				<u> </u>		10-5	50 70
		{	•				
	CINEERE	}					ertify that the well location is tis plat was plotted from ties.
le le	TATE O		O	(981)		notes of ac	tual surveys made by me or
			•			1	upervision, and that the some
REG.	676	RVEYON		,		knowledge o	
//2/	1-1-0/	\$					
	A MEXICO		Q86	! 		Date Surveyed	
	OHN W. WEST		!	ł			20,1978
	1		•	l . I		Hegistered Promoted for Land S	ntemmional Engineer Surveyor
	1					Contilicate No	W. West
C 330 060	190 1920 1880 19	40 2310 2640	2000 1800	1000	100 0	No.	John W. West 676 Ronald J. Fideon 3239

ATTACHMENT "B" NOTES

- Blow-out preventers and master valve to be fluid operated and oil fittings must be in good condition, 3,000# W.P. (6,000 p.s.i. test), minimum.
- 2. Equipment through which bit must pass shall be as large as the inside diameter of the casing that is being drilled through.
- 3. Nipple above blow-out preventer shall be same size as casing being drilled


Kelly cock required, 3,000# W.P. (6,000 p.s.i. test) minimum.

- OMSCO or comparable safety valve must be available on rig floor at all times with proper connection or sub, 3,000# W.P. (6,000 p.s.i. test),
- 6. Blow-out preventers and master valve while drilling intermediate hole to 6000' may be 2,000# W.P. (4,000 p.s.i. test), minimum.
- 7. Choke assembly, beyond second valve from cross, may be positioned (Optional) outside of derrick foundation.
- 8. Spool or cross may be climinated if connections are available in the lower part of the blow-out preventer body.
- 9. Plug valves gate valves are optional. Valves shown as 2" are minimum size.
- 10. Casing head and casing head spool, including attached valves, to be furnished

11. Rams in preventers will be installed as follows:

When drilling, use: Top Preventer - Drill pipe rams Bottom Preventer - Blind rams or master valve

When running casing, use: Top Preventer - Casing rams Bottom Preventer - Blind rams or



BLOWOUT PREVENTER HOOK-UP

AMOCO PRODUCTION COMPANY

EXHIBIT D-I MODIFIED

JUNE 1, 1962

Attachment to Application for Permit to Drill', Form 9-331 C

Farnsworth "B" Federal Well No. 11, 1980' FSL & 1980' FEL, Section 7, T-26-S, R-37-E, Lea County, New Mexico

1. Location

See attached Form C-102

2. Elevation

See attached Form C-102

3. Geologic name of surface formation

Quaternary

4. Type of drilling tools and associated equipment to be utilized.

See Form 9-331 C

5. Proposed drilling depth

See Form 9-331 C

6. Estimated tops of important geologic markers.

Anhydrite 1200' Yates 2925' Seven Rivers 3175'

7. Estimated depths at which anticipated water, oil, gas or other mineral-bearing formations are expected to be encountered.

Yates 2925' Seven Rivers 3175'

8. Proposed casing program, including size, grade, and weight of each string and whether it is new or used.

Depth	Size	Weight	Grade	New or Used
1200'	9-3/8"	36#	K-55 ST&C	New
3500'	7"	23-26#	K-55 ST&C	New

9. Proposed cementing program

9-3/8" Casing - Sufficient cement to circulate to surface. 7" Casing - Sufficient cement to circulate to surface.

- 10. Blowout Preventer Program is attached.
- 11. Type and characteristics of the proposed circulating medium or mediums to be employed for rotary drilling, and the quantities and types of mud and weighting material to be maintained.

0 - 1200' Native mud and fresh water
1200' - 3500' Brine water, native mud and sufficient commercial mud to maintain good hole conditions.

12. Testing, logging and coring programs to be followed with pravisions made for required flexibility.

Surface to 3500' - GR-CNL-FDC w/ caliper Surface to 3500' - Dual Laterlog - Micro SFL

13. Any anticipated abnormal pressure or temperatures expected to be encountered or potential hazards, such as hydrogen sulfide gas, along with plans for mitigating such hazards.

None anticipated.

14. Anticipated starting date and duration of operation.

Start January 1, 1979. Complete January 15, 1979.

15. Other facets of the proposed operation operator wishes to point out for the Geological Survey's consideration of the application.

None.

ATTACHMENT TO FORM 9-331C

APPLICATION FOR PERMIT TO DRILL

LEASE	Farnsworth	"B" Federal			WELL NO.	11	
LOCATION	Unit J,	Section 7, T-26-	S, R-37-	<u>E</u>			
P00L	Scarborough	- Yates - Seven R	ivers				
COUNTY _	Lea		_STATE _	New Mexico)		

The undersigned hereby states that Amoco's representative, Mr. Steve Hardin personally contacted James Permenter (El Paso Natural Gas), the owner/lessee of the surface land where the proposed work is to be conducted and advised him of the proposed work, the construction site and pertinent roads included in the project. It is further stated that, upon being fully advised of the extent of the work and the effect upon the surface, said owner has consented to the said work and that agreement as to the compensation for damages to the surface estate has been reached.

If the well is a producer, all pits will be cut, filled and leveled as soon as practical after the pits are dry. If the well is a dry hole, pits will be filled as above, a dry hole marker will be installed, and the location and pad will remain intact.

Assistant Administrative Analyst

11-27-78

Date

Proposed Development Plan for Surface Use

1. Existing roads including location of exit from main highway.

Detailed map showing drillsite location in relation to the nearest town and all existing roads within one mile of the wellsite are shown on Exhibit A. From Jal go south on paved road 3 miles; 1.7 miles south on lease road; 1500' new lease road to location.

- 2. Planned access roads. 1500' new road required.
- 3. Location of existing wells.

All existing wells within one mile raduis are shown on Exhibit C.

4. Location of tank batteries and flow lines.

If the well is commercially productive, the production facilities (i.e. tanks, seperators, and treaters) will be produced into existing tank battery.

5. Location and type of water supply.

Fresh and brine water to be hauled by commercial hauler, XL Transport Co. of Jal, NM.

6. Source of construction materials.

Caliche will be obtained from an existing pit located $4\frac{1}{2}$ mile N of well location. SE/4 SW/4 Section 19, T-25-S, R-37-E.

7. WASTE DISPOSAL

a. Drill cuttings will be disposed of in the reserve pit.

b. Drilling fluids will be allowed to evaporate in the reserve pit until the pit is dry.

c. Trash, waste paper, garbage and junk will be burned or buried with a minimum of 24" cover. Waste material will be contained to prevent scattering by wind prior to ultimate disposal.

d. Any produced water will be contained in tanks and be disposed of in an approved manner. Oil produced will be stored in tanks until sold, at which time it will be hauled from location.

e. Current laws and regulations pertaining to disposal of human waste will

be complied with.

f. If productive, maintenance waste will be placed in special containers and buried or hauled away periodically.

8. ANCILLARY FACILITIES

No camps, airstrips, etc. will be constructed.

9. WELLSITE LAYOUT

- Size of Drilling Pad 220' X 150' X 6"
- Compacted caliche
- Surfaced no С.
- d. 450' square area around wellsite has been cleared by archaeologist.
- See Exhibit "D".

10. RESTORATION OF SURFACE

Producing Well - all pits will be cut, filled, and leveled as soon as practical to original condition with rehabilitation to commence following removal of drilling and completion equipment. Rehabilitation to be completed in 180 days if possible.

Dry Hole - same as above with dry hole marker to be installed and surface reseeded if required.

11. OTHER INFORMATION

- Terrain semi-stabilized dune field with associated inter-dunal areas.
- Soil Deep coarse-textured sandy loams
- Vegetation Sparse-mesquite, oak brush, sage brush, yucca, gramma, muhly, dropseed, bluestem, and other grass.
- d. Surface Use grazing
- e. Ponds and streams none
- f. Water Wells 1980' FSL & 480' FWL
- Residences and buildings none
- Arroyos, canyons, etc. none
- i. Well sign posted at drillsite.j. Open Pits All pits containing liquid or mud will be fenced.
- k. Archaeological Resources Drillsite, which is in undulating plain, semi-arid, desert county, is in a low environmental risk area. The total effect of drilling and producing in this area would be minimal. No known archaeological, historical, or cultural sites exist in the drill or road areas.

12. OPERATOR'S REPRESENTATIVE

Field personnel responsible for compliance with development plan for surface use is:

J. H. Hankins, Senior Drilling Foreman P. O. Drawer "A" Levelland, TX 79336 Office Phone: 806-894-3163

LEASE & WELL NUMB	ER <u>Farnsworth"</u> B	' Fed. No. 11	
LOCATIONJ	Unit, 1980' FSL X 1	080' FEL, Sec. 7, T-26-S,	R-37-E Lea COUNTY


 $\frac{\text{Certification:}}{\text{signed by the lessee's or operator's field representative who is identified in Item}} \\ \text{No. 12 of the plan.}$


I hereby certify that I, or persons under my direct supervision have inspected the proposed drillsite and access route; that I am familiar with the conditions which presently exist; that the statements made in this plan are, to the best of my knowledge, true and correct; and, that the work associated with the operations proposed herein will be performed by AMOCO PRODUCTION COMPANY and its contractors and subcontractors in comformity with this plan and the terms and conditions under which it is approved.


11-27	7-78
Date	

Mame and title


Sr. Drlg. Foreman







DRILL SITE DIMENSIONS



Archaeological Clearance Report

for

Amoco Production Company

Fernsworth "B" Federal Well No. 10 Fernsworth "B" Federal Well No. 11 Fernsworth "A" Federal Well No. 12

Prepared .

By

J. Loring Haskell

and

Bill Sweetland

Submitted

Ву

Dr. J. Loring Haskell
Principal Investigator
New Mexico Archaeological Services, Inc.
Carlsbad, New Mexico

2 November 1978

Permit No. 78-NM-120

Introduction

On 31 October 1978, New Mexico Archaeological Services,
Inc., (NMAS), Carlsbad, conducted an archaeological reconnaissance for Amoco Production Company, Levelland, Texas, on lands
administered by the Bureau of Land Management in Lea County,
New Mexico. This project was expedited by Mr. Bob Couch,
Administrative Analyst, and Mr. Dennis Evans, Assistant Administrative
Anelyst, Amoco Production Company. Dr. J. Loring Haskell,
Principal Investigator, administered the project for NMAS. Mr.
Bill Sweetland, Archaeological Associate, performed the reconnaissance under excellent field and weather conditions.

Survey Technique

For this project, each well location was investigated by walking them in a series of 20 ft wide, close interval (15° or less), zigzag corridors. In addition, a strip of land measuring 20 ft in width on each of the pads was reconnoitered for evidence of man's past activities. The access road was investigated in a similar fashion.

Farnsworth "B" Federal Well No. 10

Location

Farnsworth "B" Federal Well #10 will measure 450 x 450 ft and will be situated 950 ft from the north line and 1857 ft from the west line of:

Section 7, T26S, R37E, NMPM, Lea County, NM (BLM)

Thus, as proposed, this well will be situated in the:

NE NW, Section 7, T26S, R37E, NMPM, Lea County, NM (BLM)

This location is situated on an existing right-of-way.

Map Reference: USGS Jal Quadrangle, 7.5 Minute Series, 1969.

Terrain

This portion of the Eunice Plain is marked by low, semistable to stabilized sand dunes, with associated deflation basins. These denosits, of Holocene age, overlie former Jal Lake which in late Pleistocene times occupied the southern portion of the plain. Contemporary drainage is toward the east-southeast, i.e., in the direction of Monument Draw. San Simon Swale, a large collapse structure, lies to the northwest. Local soils belong to the Haplargid-Torripsamment association. Typic Torripsamments, however, are the sole sub-group present in the investigated area. Soil individuals consist of deep, coarse-textered, sandy loams and loamy sands. Owing to the thickness of Holocene sands, lacustrine sediments are not visible in the immediate vicinity. Floristics

Although much of the area has been impacted due to previous construction, the southern segment of the Eunice Plain supports an overstory dominated by Quercus havardii, Artemisia filifolia, Yucca glauca, and Prosonis juilflora. Associated grasses include Muhlenbergia porteri, Snorobolus flexuosus, Sporobolus cryptendrus, Andronogon glomeratus, Setaria mocrostachya, and Stipa neomexicana. Owing to the lateness of the season, many annual forbs have already withered; however, Euphorbia spr., Chamaesarachae sp., Eriogonum spp., Suaeda sp., Solanum sp. and Senecio sp. are present. Cultural Resources

No archaeological sites, or isolated manifestations, were recorded during this reconnaissance. Locally, the lack of

cultural resources can be attributed to the fact that this location is situated within an area devoid of lithic material suitable for tool manufacture. Chert and quartzite cobbles do occur on Trisssic-aged deposits beyond the confines of Jal Lake. The immediate area, however, undoubtedly has been utilized by men on a transitory basis beginning in Archaic times. pursuits and related maintenance activities probably figured prominently in the local economies of these peoples.

Recommendations

NMAS recommends clearance for Farnsworth "B" Federal Well No. 10 and suggests that Amoco's work-related activities proceed without interruption of existing plans.

Farnsworth "B" Federal Well No. 11

Location

Amoco's location will measure 450 x 450 ft and will be situated 1980 ft from the south line and 1980 ft from the east line of:

Section 7, T26S, R37E, NMPM, Lea County, NM (BLM)

As proposed, it will be located in the:

NW SEL, Section 7, T26S, R37E, NMPM, Lea County, NM (BLM)

Farnsworth "B" Federal Well No. 11's proposed access road will measure 12 x 1500 ft and will pass through the:

NW SEE, Section 7, T26S, R37E, NMPM, Lea County, NM (BLM) NE SW, Section 7, T26S, R37E, NMPM, Lea County, NM (BLM) NW SW, Section 7, T26S, R37E, NMPM, Lea County, NM (BLM)

Map Reference: USGS Jal Quadrangle, 7.5 Minute Series, 1969. Terrain

Topographically, this locality is characterized by a semi-

stablized dune field with associated inter-dunal areas. While most dunes range between 1 and 1.5 m in height, the location is situated on the edge of a field which has crests averaging 5 m. Drainage is toward the east-southeast. Without exception, soil individuals belong to the Typic Torripsamment subgroup which are noted for their absence of soil horizons. Soils consist of deep, coerse-textured sandy loams devoid of lithic inclusions. Lacustrine deposits are not evidenced in deflation basins. Floristics

The floral assemblage at Amoco's Farnsworth "B" Federal Well No. 11 is dominated by Prosopis juliflora, Artemisia filifolia, Yucca glauca, and Quercus havardii. These plants are frequently associated with a diverse array of forbs and grasses on dunes. Principal denizens making up the understory include Solanum elaeganifolium, Chamaesarocha sp., Pectis sp., Palafoxia sphacelata, Helianthus spp., and Aster sp. Graminacae is represented by Muhlenbergia porteri, Sporobolus flexuosus, Sporobolus cryptandrus, Andropogon glomeratus, Munroa squarrosa, Stipa sp., Aristida sp., and Cenchrus incertus.

Cultural Resources

No archaeological sites, or isolated manifestations, were recorded during NMAS! reconnaissance. Although no cultural resources were recorded in the surveyed area, the Eunice Plain per se has been occupied by man since Paleo-Indian times. During that period, the local economy was based on the exploitation of late Pleistocene fauna and megafauna. Ancient Jal Lake was a major center of this activity. By Archaic times, although

hunting still played a significant role in the local of economy, milling pursuits entered the picture. Thereafter, the immediate vicinity continued to be used on a snoradic basis up to the 1870's.

Recommendations.

NMAS recommends clearance for Amoco's Farnsworth "B" Federal Well No. 11 and suggests that work-related activities proceed without modification of existing plans.

Farnsworth "A" Federal Well No. 12

Location

As proposed, Farnsworth "A" Federal Well No. 12 will measure 450 x 450 ft and will be situated 890 ft from the north line and 890 ft from the west line of:

Section 18, T26S, R37E, NMPM, Lea County, NM (BLM) It will be located in the:

NW NW , Section 18, T26S, R37E, NMPM, Lea County, NM (BLM)

This proposed location is located on an existing right-ofway.

Man Reference: USGS Jal Quadrangle, 7.5 Minute Series, 1969. Terrain

Areal terrain is marked by an undulating plain with low, conside-type, sand dunes. This landform embraces the southern segment of the Eunice Plain. Soil individuals belong to the Haplargid-Torripsamment association with Typic Torripsamments and Typic Haplargids occurring in the general area. Soils are coarse- to medium-grained, sandy loams and loamy sands, Typic Torripsamments, and fine sandy loams and loamy sands, Typic

Haplargids.

Floristics

Within the reconnoitered location, Prosopis juliflora,

Artemisia filifolia, Quercus havardii, and Yucca glauca dominate
the overstory. Commonly observed forbs include Palafoxia sphacelata,

Solanum elaeagnifolium, Pectis sp., Euphorbia spp., Zinnia

acerosa, and Kallstroemia sp. Principal grasses occurring in
this floral community are Sporobolus spp., Bouteloua eriopoda,

Muhlenbergia porteri, Tridens pulchellus, and Munroa squarrosa.

Cultural Resources

No erchaeological sites, or isolated manifestations, were recorded during this reconnaissance. Lack of cultural resources can be attributed to a general absence of lithic material suitable for tool manufacture and a scant supply of potable water from Archaic times onward.

Recommendations

NMAS recommends clearance for Amoco's proposed location and suggests that work-related activities proceed without modification of existing plans.