

(May 1963)

DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

UNITED STATES OF AMERICA
N.M. OIL CONS. COMMISSION

BUDGET FORM NO. 1-11424
5. LEASE DESIGNATION AND SERIAL NO.

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>		7. UNIT AGREEMENT NAME	
2. NAME OF OPERATOR HNG OIL COMPANY		8. FARM OR LEASE NAME Wilson 8 Federal	
3. ADDRESS OF OPERATOR P. O. Box 2267, Midland, Texas 79702		9. WELL NO. 3	
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface 1980' FSL & 660' FEL, Sec. 8		10. FIELD AND POOL, OR WILDCAT Sioux Tansill Yates SR	
14. PERMIT NO.		15. ELEVATIONS (Show whether DF, RT, GR, etc.) 2964' GR	
		12. COUNTY OR PARISH Lea	
		13. STATE NM	

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF	<input type="checkbox"/>	WATER SHUT-OFF	<input type="checkbox"/>
FRACTURE TREAT	<input type="checkbox"/>	FRACTURE TREATMENT	<input type="checkbox"/>
SHOOT OR ACIDIZE	<input type="checkbox"/>	SHOOTING OR ACIDIZING	<input type="checkbox"/>
REPAIR WELL	<input type="checkbox"/>	(Other)	<input type="checkbox"/>
(Other)	<input type="checkbox"/>		
PULL OR ALTER CASING	<input type="checkbox"/>	REPAIRING WELL	<input type="checkbox"/>
MULTIPLE COMPLETE	<input type="checkbox"/>	ALTERING CASING	<input checked="" type="checkbox"/>
ABANDON*	<input type="checkbox"/>	ABANDONMENT*	<input checked="" type="checkbox"/>
CHANGE PLANS	<input type="checkbox"/>		

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*


8-5-82

Set 5-1/2" Pengo cement retainer at 3211'; pmp 12 bbls 10 ppg brine into form; circ. the hole with 85 bbls 10 ppg gel mud; sting into ret and sqz perfs 3308-3380 and 3479-3550 feet with 90 sx. C1 H cement leaving 25' cement on top.

8-6-82

Mix and spot 40 sx. C1 H cement plug from 1473-1373' and 15 sx. C1 H from 60 feet to surface. Cut off head; weld on plate and dry-hole marker; cut off anchors and cleaned up location.

No casing recovered.



ON OIL & GAS
U.S. GEOLOGICAL SURVEY
ALBUQUERQUE, NEW MEX.

18. I hereby certify that the foregoing is true and correct

SIGNED <u>Betty Gildon</u>	TITLE <u>Regulatory Analyst</u>	DATE <u>8/10/82</u>
(This space for Federal or State official use)		
APPROVED <u>PETER W. CHESTER</u> TITLE _____ DATE _____		
CONDITIONS OF APPROVAL, IF ANY:		

FEB 9 1983
FOR
JAMES A. GILLHAM
DISTRICT SUPERVISOR

*See Instructions on Reverse Side

100-100000-100000

100-100000-100000

RECEIVED
FEB 10 1983
FBI
HOOVER OFFICE