

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

COPY TO O. C. C.
SUBMIT IN TRIPPLICATE
(Other instructions on
reverse side)

Form approved.
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

NM 18644

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

Wilson 9 Federal

9. WELL NO.

4

10. FIELD AND POOL, OR WILDCAT

Sioux Yates

11. SEC., T., R., M., OR BLK. AND
SURVEY OR AREA

Sec. 9, T26S, R36E

12. COUNTY OR PARISH

Lea

13. STATE

NM

SUNDRY NOTICES AND REPORTS ON WELLS
(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. ☐ OIL WELL ☒ GAS WELL ☐ OTHER

2. NAME OF OPERATOR
HNG Oil Company

3. ADDRESS OF OPERATOR
P. O. Box 2267, Midland, Texas 79702

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.
See also space 17 below.)
At surface

1980' FSL & 1980' FWL of Sec. 9

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

2958' GR

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

Corrected

RECEIVED REPORT OF: 3-6-80

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

PULL OR ALTER CASING

WATER SHUT-OFF

REPAIRING WELL

FRACTURE TREAT

MULTIPLE COMPLETE

FRACTURE TREATMENT

ALTERING CASING

SHOOT OR ACIDIZE

ABANDON*

SHOOTING OR ACIDIZING

ABANDONMENT*

REPAIR WELL

CHANGE PLANS

(Other) Sidetrack

(Other)

(NOTE: Report results of multiple completion on Well
Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.) *

At a depth of 2900 feet, a Gamma Ray Sonic logging tool, 36 feet in length and having no radio - active source, was lost in the hole. On 3-4-80 a cement plug was set at 2900 feet W/300 sx C1 H 1% CFR-2, 10#/sx sd, 1.3#/sx salt mixed at 18.0 ppg. Top of plug is at 2522 feet. On 3-5-80 the hole was sidetracked at 2731 feet.

RECEIVED

MAR 12 1980

U. S. GEOLOGICAL SURVEY
HOBBS, NEW MEXICO

18. I hereby certify that the foregoing is true and correct

SIGNED

Betty A. Sildon

TITLE Regulatory Clerk

DATE 3-11-80

(This space for Federal or State office use)

APPROVED BY: [Signature]
CONDITIONS OF APPROVAL: [Signature]

TITLE

DATE

U. S. GEOLOGICAL SURVEY
HOBBS, NEW MEXICO

*See Instructions on Reverse Side