

|                        |  |
|------------------------|--|
| NO. OF COPIES RECEIVED |  |
| DISTRIBUTION           |  |
| SANTA FE               |  |
| FILE                   |  |
| U.S.G.S.               |  |
| LAND OFFICE            |  |
| OPERATOR               |  |

Form C-105  
Revised 11-1-80

# NEW MEXICO OIL CONSERVATION COMMISSION WELL COMPLETION OR RECOMPLETION REPORT AND LOG

|                                |                                         |
|--------------------------------|-----------------------------------------|
| 1. Indicate Type of Lease      |                                         |
| State <input type="checkbox"/> | Fee <input checked="" type="checkbox"/> |
| 2. State Oil & Gas Lease No.   |                                         |
|                                |                                         |

## a. TYPE OF WELL

OIL WELL ☒ GAS WELL ☐ DRY ☒ OTHER ☐

## b. TYPE OF COMPLETION

NEW WELL ☐ WORK OVER ☐ DEEPEN ☐ PLUG BACK ☐ DIFF. RESVR. ☐ OTHER ☐

## 2. Name of Operator

V-F Petroleum Inc.

## 3. Address of Operator

Suite 580, One Marienfeld Place, Midland, Texas 79701

## 4. Location of Well

UNIT LETTER P LOCATED 330 FEET FROM THE FEL LINE AND 990 FEET FROM

ME FSL LINE OF SEC. 21 TWP. 23S RGE. 37E NMPM

## 12. County

Lea

5. Date Spudded 7-27-80 16. Date T.D. Reached 8-21-80 17. Date Compl. (Ready to Prod.) Dry hole NA 18. Elevations (DF, RKB, RT, GR, etc.) 3291 GR 3301 DF 19. Elev. Casinghead 3288

20. Total Depth 7384 21. Plug Back T.D. NA 22. If Multiple Compl., How Many 23. Intervals Drilled By Rotary Tools 0-7384 Cable Tools

## 24. Producing Interval(s), of this completion - Top, Bottom, Name

NA

25. Was Directional Survey Made No

## 26. Type Electric and Other Logs Run

Gamma Ray Neutron - Density

27. Was Well Cored No

## 8. CASING RECORD (Report all strings set in well)

| CASING SIZE | WEIGHT LB. FT. | DEPTH SET | HOLE SIZE | CEMENTING RECORD                                                  | AMOUNT PULLED |
|-------------|----------------|-----------|-----------|-------------------------------------------------------------------|---------------|
| 8-5/8"      | 23             | 1057      | 11        | 300 sx HOWCO Lite, 200 sx Class "C", plus 150 sx thru 1" (on top) | None          |

## 9. LINER RECORD

| SIZE | TOP | BOTTOM | SACKS CEMENT | SCREEN |
|------|-----|--------|--------------|--------|
| NA   |     |        |              |        |

## 30. TUBING RECORD

| SIZE | DEPTH SET | PACKER SET |
|------|-----------|------------|
| NA   |           |            |

## 1. Perforation Record (Interval, size and number)

NA

## 32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.

| DEPTH INTERVAL | AMOUNT AND KIND MATERIAL USED |
|----------------|-------------------------------|
| NA             |                               |

## 3. PRODUCTION

4. First Production Dry hole Production Method (Flowing, gas lift, pumping - Size and type pump) Well Status (Prod. or Shut-in)

| Date of Test | Hours Tested | Choke Size | Prod'n. for Test Period | Oil - Bbl. | Gas - MCF | Water - Bbl. | Gas - Oil Ratio |
|--------------|--------------|------------|-------------------------|------------|-----------|--------------|-----------------|
|              |              |            |                         |            |           |              |                 |

| Flow Tubing Press. | Casing Pressure | Calculated 24-Hour Rate | Oil - Bbl. | Gas - MCF | Water - Bbl. | Oil Gravity - API (Corr.) |
|--------------------|-----------------|-------------------------|------------|-----------|--------------|---------------------------|
|                    |                 |                         |            |           |              |                           |

## 6. Disposition of Gas (Sold, used for fuel, vented, etc.)

Test Witnessed By.

## 5. List of Attachments

I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief.

SIGNED J. F. Vance TITLE President DATE 8-27-80



**VERNA**  
DRILLING COMPANY  
ODESSA

P. O. Box 952, Odessa, Texas 79760  
(915) 381-0910 or 563-2023

DATE: July 28, 1980

OPERATOR: VF Petroleum  
One Marienfeld Place, Suite 580  
Midland, Texas 79701

LEASE NAME AND WELL NUMBER: Saltmont #1

LEGAL DESCRIPTION: Sec. 21, T-23-S, R-37-E

COUNTY AND STATE: Lea County, New Mexico

| MEASURED<br>DEPTH | COURSE<br>LENGTH | ANGLE OF<br>INCLINATION | DISPLACEMENT<br>PER 100 FEET | COURSE<br>DISPLACEMENT | ACCUMULATIVE<br>DISPLACEMENT |
|-------------------|------------------|-------------------------|------------------------------|------------------------|------------------------------|
| 100               | 1.00             | 1/4                     | .44                          | .44                    | .44                          |
| 180               | .80              | 1/4                     | .44                          | .36                    | .80                          |
| 260               | .80              | 1/2                     | .87                          | .70                    | 1.50                         |
| 355               | .95              | 1/2                     | .87                          | .83                    | 2.33                         |
| 445               | .90              | 3/4                     | 1.31                         | 1.18                   | 3.51                         |
| 474               | .29              | 1/2                     | .87                          | .26                    | 3.77                         |
| 534               | .60              | 1/4                     | .44                          | .27                    | 4.04                         |
| 627               | .93              | 1                       | 1.75                         | 1.63                   | 5.67                         |
| 719               | .92              | 1/2                     | .87                          | .80                    | 6.47                         |
| 813               | .94              | 1/2                     | .87                          | .82                    | 7.29                         |
| 873               | .60              | 3/4                     | 1.31                         | .79                    | 8.08                         |
| 935               | .62              | 1/4                     | .44                          | .28                    | 8.36                         |

I declare under penalties prescribed in Article 6036c, R. S. C., that I am authorized to make this certification, that I have personal knowledge of the inclination data and facts placed on both sides of this form and that such data and facts are true, correct, and complete to the best of my knowledge.

  
SIGNATURE OF AUTHORIZED REPRESENTATIVE


GERALD M. SCOTT CONTROLLER

VERNA DRILLING COMPANY - ODESSA

(915) 381-0910

GMS/jw

Subscribed and sworn to before me this  
28th day of July, 1980

  
Notary Public  
(commission expires 3/17/84)  
Ector County

| MEASURED<br>DEPTH | COURSE<br>LENGTH | ANGLE OF<br>INCLINATION | DISPLACEMENT<br>PER 100 FEET | COURSE<br>DISPLACEMENT | ACCUMULATIVE<br>DISPLACEMENT |
|-------------------|------------------|-------------------------|------------------------------|------------------------|------------------------------|
| 1311              | 3.76             | 1 1/2                   | 2.62                         | 9.86                   | 18.22                        |
| 1591              | 2.80             | 1/4                     | .44                          | 1.24                   | 19.46                        |
| 1871              | 2.80             | 1 1/2                   | 2.62                         | 7.34                   | 26.80                        |
| 1963              | .92              | 2                       | 3.49                         | 3.21                   | 30.01                        |
| 2211              | 2.48             | 1 1/2                   | 2.62                         | 6.50                   | 36.51                        |
| 2459              | 2.48             | 3                       | 5.23                         | 12.97                  | 49.48                        |
| 2522              | .63              | 2                       | 3.49                         | 2.20                   | 51.68                        |
| 2738              | 2.16             | 1 1/2                   | 2.62                         | 5.66                   | 57.34                        |
| 3171              | 4.33             | 1 1/2                   | 2.62                         | 11.35                  | 68.69                        |
| 3607              | 4.36             | 3/4                     | 1.31                         | 5.72                   | 74.41                        |
| 4220              | 6.13             | 0                       | 0.00                         | 0.00                   | 74.41                        |
| 5217              | 9.97             | 1/4                     | .44                          | 4.39                   | 78.80                        |
| 5978              | 7.61             | 1/2                     | .87                          | 6.62                   | 85.42                        |
| 6084              | 1.06             | 1/2                     | .87                          | .93                    | 86.35                        |
| 6684              | 6.00             | 3/4                     | 1.31                         | 7.86                   | 94.21                        |
| 7195              | 5.11             | 3/4                     | 1.31                         | 6.70                   | 100.91                       |
| 7375              | 1.80             | 3/4                     | 1.31                         | 2.36                   | 103.27                       |