DEVIATION STATEMENT

OPERATOR:	Conoco Inc		
WELL NAME:	Conoco, Inc. Vaughn A-14 No. 8		
	raught A-14 No. 0		
DATE	DEPTH	DEV	IATION
6-24-81	246 '	•	1/4 degree
6-25-81	515'		1/4 degree
6-28-81	1146'		1/4 degree
6-30-81	1520'		1/2 degree
7-1-81	2021'	1	degree
7-3-81	2500'	1	1/4 degree
7-3-81	3100'	1	1/4 degree
7-4-81	3472'	. 1	1/4 degree

The information given above is true and complete to the best of my knowledge and belief.

BABER WELL SERVICING COMPANY

By: JABalur

STATE	0F	NEW MEXICO	(
COUNTY	QF	LEA)	SS

The foregoing instrument was acknowledged before me this 10th day of 1981, by 1981, by

Notary Sublic

My commission expires____

Valy 30

COPY TO O. C. C

Form Approved.

LINITED STATES

Budget	Bureau	Nο.	42~R	142

. ONLED STATES	5. LEASE
DEPARTMENT OF THE INTERIOR	LC-030467(a)
GEOLOGICAL SURVEY	6. IF INDIAN, ALLOTTEE OR TRIBE NAME
SUNDRY NOTICES AND REPORTS ON WELLS (Do not use this form for proposals to drill or to deepen or plus back to a different reservoir. Use Form 9–331–C for such proposals.)	7. UNIT AGREEMENT NAME NMFU REFARM OR LEASE NAME
1. oil gas well other	9. WELL NO.
2. NAME OF OPERATOR CONOCO INC. 3. ADDRESS OF OPERATOR P. O. Box 450, Hobbs, N.M. 88240	10. FIELD OR WILDCAT NAME Jalmat Vates Gas
4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)	11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA Sec. 14, T-245, R-36E
AT SURFACE: 2310 FNL 660 FWL AT TOP PROD. INTERVAL: AT TOTAL DEPTH:	12. COUNTY OR PARISH 13. STATE Lea NM 14. API NO.
16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA	15. ELEVATIONS (SHOW DF, KDB, AND WD)
REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF: TEST WATER SHUT-OFF FRACTURE TREAT SHOOT OR ACIDIZE REPAIR WELL PULL OR ALTER CASING MULTIPLE COMPLETE CHANGE ZONES GOTHER PRODUCTION CSG (other) ran production csg	(NOTE: Report results of multiple completion or zone change on Form 9–330.)
17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state including estimated date of starting any proposed work. If well is dimeasured and true vertical depths for all markers and zones pertinen	irectionally drilled, give subsurface locations and
Reached TD of 3462 on 7/5/81. Logged A	,
set at 3462. Contd w/ 710 sx Class C Lite,	tail w/ 200 sx Class C Neat.
Circulated 100 sx to surface.	
Subsurface Safety Valve: Manu. and Type	Set @ Ft.
18. I hereby certify that the foregoing is true and correct SIGNED WAY O. Townserver TITLE Administrative Superv	isor DATE July 7,1981
ROGER A. CHAPMAN	ce use) DATE
U.S. GEOLOGICAL SURVEY ROSWELL NEW MEXICO Instructions on Reverse S	iide

Form 9-331 Dec. 1973

Form Approved. Budget Bureau No. 42-R1424

UNITED STATES

UNITED STATES	5. LEASE
DEPARTMENT OF THE INTERIOR	LC-030467(a)
GEOLOGICAL SURVEY	6. IF INDIAN, ALLOTTEE OR TRIBE NAME
SUNDRY NOTICES AND REPORTS ON WELLS	7. UNIT AGREEMENT NAME
(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)	NMFU
	8. FARM OR LEASE NAME
1. oil gas well other JUL 9	Vaughn A-14
	9. WELL NO.
2. NAME OF OPERATOR U.S. O.S. G. C.	8
CONOCO INC. HOBBAR	10. FIELD OR WILDCAT NAME
3. ADDRESS OF OPERATOR	Jalmat Yates Gas
P. O. Box 460, Hobbs, N.M. 88240	11. SEC., T., R., M., OR BLK. AND SURVEY OR
4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17	AREA
below.)	Sec. 14, T-245, R-36E
AT SURFACE: 2310'FNL & 660'FWL AT TOP PROD. INTERVAL:	12. COUNTY OR PARISH 13. STATE
AT TOP PROD. INTERVAL: AT TOTAL DEPTH:	Lea NM
	14. API NO.
16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE,	
REPORT, OR OTHER DATA	15. ELEVATIONS (SHOW DF, KDB, AND WD)
	(errorr br, Nbb, Artb Wb)
REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF	
FRACTURE TREAT	
SHOOT OR ACIDIZE REPAIR WELL T	
PULL OR AUTER CASING	(NOTE: Report results of multiple completion or zone
MULTIPLE COMPLETE	change on Form 9–330.)
CHANGE ZONES	
ABANDON* .	
(other) spud, ran surface csq.	
 DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state including estimated date of starting any proposed work. If well is dir measured and true vertical depths for all markers and zones pertinent MIRU. Spud on 6/24/81. Ran 85/8", 24#, K-55, 5 	rectionally drilled, give subsurface locations and to this work.)*
MINU. Space on 6/24/81. Nan 0 48, 24, 200, 3	orc esg set at 1146. ('mtd
w/400 sx Class C, tail in w/220 sx. Class C	. Circulated 300 ex to surfa
•.	
Subsurface Safety Valve: Manu. and Type	Set @ Ft.
18. I hereby certify that the foregoing is true and correct	
1/ 0 00 10 10	
SIGNED WIN O. Butterfull TITLE Administrative Supervis	or DATE June 29,1981
ACCEPTED FOR RECURPIS space for Federal or State office	
ROGER A. CHAPMAN	e use)
APPROVED BYTITLE	DATE
CONDITIONS OF APPROVAL, IF ANY:	
JUL 1 3 1981	
THE GENERAL SHEVEY	
U.S. GEOLOGICAL SURVEY	e
ROSWELL NEW MEXICO	